

STANDARDIZED SPECIFICATIONS (revised 08/11/2016)

The following 14 specifications are applicable if they are listed as “Factory Installed Items” (included in the “Base Price”) or “Option Equipment” (Add or Deduct Pricing). If they are not referenced by the spec item name (example: Tow Package) in the individual vehicle spec, they do not apply. Should it be necessary to deviate from a standard spec, the deviation(s) will be expressly stated within the individual vehicle spec. The individual vehicle spec takes precedence over the standardized vehicle spec. Unless stated otherwise in an individual vehicle’s specification, the following standardized specifications apply:

IMPORTANT NOTICE: Contractors should review purchase orders carefully for items such as drawbar, pin, clip and shank configuration information as well as anything else needing further description for that order as provided in the contract documents. They should notify the governmental entity when needed information is missing. This office will require delivery of all specified items unless the governmental entity provides specific notice of relief from same in writing. **THESE TYPE ITEMS ARE INCLUDED IN THE CONTRACT PRICES!**

AUXILIARY POWER CONNECTION: A factory installed two wire power connection shall be provided in the engine compartment. If the specified connection is NOT offered by the manufacturer, said connection may be installed by an upfitter. Documentation of non-availability from the manufacturer is to be obtained from the manufacturer and included in the bid submittal. The circuit shall be a minimum 5 amp fused with a minimum 14 gauge automotive grade cable. The circuit shall operate with the ignition switch in the “Accessory” or “On” position and shall include one blue wire for ignition and one red wire for accessory. The power connection will allow installation of additional high amperage accessories.

AUXILIARY POWER OUTLET: A factory installed 12 volt single port power outlet shall be provided in the dashboard or front console of the vehicle. The power outlet shall operate independently from other electronic components with a minimum 20 amp circuit. The outlet shall operate with the vehicle ignition switch in the “Off” or “On” position and shall be accessible from the driver’s seat position. If not available from the manufacturer, the auxiliary power outlet may be installed by an up-fitter.

DAYTIME RUNNING LIGHTS: If standard equipment, daytime running lights are to be made inoperable prior to delivery on vehicles purchased by law enforcement entities.

ENGINES – GASOLINE / UNLEADED / E10:

For gasoline powered vehicles and equipment, fuel system components and gasoline engines shall be compatible with E10 ethanol blends, minimum. These engines are to perform as follows:

- No noticeable degradation in vehicle drivability,
- Minimal impact on vehicle operating efficiency (defined to be no more than 10% decrease in fuel economy)
- Maintenance sensors and warning systems are to display normally (example: use of E10 is not to cause the check engine light to display)

NOTICE: The State has transitioned to the E10 Unleaded Fuel Blend. The fuel contracts reflect same.



Remainder of Page Intentionally Left Blank

FLOOR MATS: Unless stated otherwise in the individual vehicle specifications the following applies:

- a) **When floor mats are available through the manufacturer, the mats provided will be either the manufacturer's mats or equal. The equal must meet or exceed the manufacturer's mat fit and quality characteristics. This applies to both carpeted and rubber/vinyl mats. If an equal is being offered, it will be identified in the offer as a dealer installed item.**
- b) Vehicles with carpeted interiors will include high grade factory carpeted floor mats or equal.
- c) Vehicles equipped with vinyl or rubber flooring should be equipped with the factory standard Floor Mat that reduces movement of mats on such flooring material. If a factory standard mat is not available, vehicles equipped with vinyl or rubber flooring should not be delivered with Floor Mats.
- d) In the event required floor mats (listed as a factory installed item in the individual vehicle specification) are not available through the manufacturer; high quality, heavy duty floor mats will be offered and identified in the offer as a dealer installed item. The floor mat type will be the same as that listed in the individual vehicle specification (carpeted).

NOTE: Should a vehicle with carpeted interior specify rubber or vinyl floor mats, the mats will be high quality, heavy duty rubber/vinyl mats. Item A (above) applies.

4 x 4 WHEEL DRIVE PACKAGE - The following items are included:

Transfer Case with Auto Locking Hubs (operator can lock in hubs without leaving the cab)
Factory Skid Plates (minimum set includes transfer case and fuel cell protection)
Locking or Limited Slip Differential or Electronic Traction Control
Suspension – all changes recommended by the manufacturer for 4 x 4 operation.
All Terrain Tires

IMPORTANT DISTINCTION: The State does NOT consider All Wheel Drive (AWD) to be equivalent to Four Wheel Drive (4 x 4). Therefore, AWD will NOT be accepted as a substitute for 4 x 4.

FUEL SYSTEM: For Diesel powered vehicles and equipment, fuel system components and Diesel engines shall be compatible with B20 bio-diesel blends, minimum.

HEAD RESTRAINTS: All outboard seating positions shall have factory installed head restraints via head rests or high back seats. The head restraints shall meet all requirements of U. S. Department of Transportation National Highway Traffic Safety Administration and Federal Motor Vehicle Standards.

NOTE: If head restraints are not available, the contactor shall provide each ordering governmental entity notification from the manufacturer verifying that head restraints are not available. **If head restraints are available from the manufacturer as either a standard or option item, they must be included in the offer and incorporated into the base price of the vehicle.**

MIRRORS – EXTENDED, BREAKAWAY: The primary mirror will be a minimum of 6" x 14". The convex mirror will be a minimum of 5". The purpose of the mirror is to improve the driver's view to the rear when towing and backing.

RADIO NOISE SUPPRESSION: The vehicle is to be used as a governmental fleet vehicle and will have an approximate 150-watt mobile (two-way) radio installed, operating on frequencies designated by the FCC for use in the Public Safety Radio Service (47 CFR 90). The vehicle shall be fully compatible with the above radio installation, and vehicle components and equipment shall not interfere with operation (transmitting or receiving) of the mobile radio.

STEP BAR – ENTRY / EGRESS: On level ground, where the vertical clearance from the ground to door threshold (place where the driver and passenger(s) place their foot when entering the cab) exceeds nineteen inches, a 3 inch diameter step bar shall be installed on both sides of the vehicle so the ground clearance to the bar does not exceed nineteen inches. For vehicles with extended, quad, or crew cabs, an extended or double step bar shall be installed that services entry to and egress from all doors. In all cases, overall manufacturer desired

vehicle ground clearance must be maintained. The bar shall be the type customarily manufactured and marked for this purpose. It may be factory, dealer, or approved up-fitter installed. The step bar shall be a BULLY single, extended, or double step bar, or equal. **For vans and utilities (SUV's)** with steps that exceed nineteen inches, a full running board type step with a platform measuring no less than six inches deep must be installed to allow entry and egress from all side doors (including all doors mounted on drivers side.) A step is not required for rear door access.

Step Bar Color: Black Powder Coated

OEM molded plastic running boards are acceptable (black).

THREE (3) KEYS: Three (3) complete sets of keys to include two (2) remote entry key fobs are to be provided for each vehicle delivered. The cost for same is included in the base price. This requirement applies to all types of key systems (traditional key sets, programmable keys, keys with remote fobs, etc.)

TIRES: Tires will be mounted with black walls turned to the outside. All tire walls with contrasting colors such a white walls, red walls, raised white letters, etc. will be turned to the inside. The buying governmental entity may reject delivery if black walls are not turned to the outside.

TOW PACKAGE ****FACTORY INSTALLED****: Factory installed hitch plus all necessary components to match or exceed the maximum rated towing capacity of vehicle are to be included. Wiring will include everything necessary to hook-up both 4 way and 7way wiring harnesses. Contractor to provide (**at no additional charge**) the drawbar, pin, clip, ball, and shank configuration specified by the owner when each order is placed (example: Dept. of Natural Resources standard configuration unless specified otherwise on their purchase order is as follows: Drawbar w/2" drop, pin, clip, and 2" ball w/ 1" solid shank).

NOTE: **If the drawbar, pin, clip, and shank configuration is inadvertently left off a purchase order, it does not relieve the contractor of the requirement to provide same as specified in the contract documents.**

WINCH: Electric, Front Mount, 9,000 lb. with Roller Fair Lead (5742) and 125' cable, Grill Guard and Mounting Bracket, Warn model XD9000i. **Mounting bracket must not extend down below the height of the front bumper. (May be installed by Dealer or approved Upfitter)**



Remainder of Page Intentionally Left Blank

CC-1: CAB & CHASSIS, 8,600 LB. GVWR

EQUIPMENT: The 3/4 ton cab & chassis trucks shall be equipped with all standard equipment as specified by the manufacturer for this model, and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

CAB TO AXLE: 56" or 58" (Specify)

CAPACITY: GVWR shall not be less than 8,600 lb.

COLOR: Standard Factory Colors

ENGINE: V-8 with no less than 5.2 liter and a minimum of 230 HP.

INTERIOR: Vinyl

RADIO NOISE SUPPRESSION: (Standard State Specification)

REAR AXLE RATIO: 3.73 minimum

STEP BAR - ENTRY / EGRESS: (Standard State Specification)

TIRES: Five (5) Standard factory recommended steel belted radials. To include spare with spare tire carrier, and jack and lug wrench.

TRANSMISSION: Six (6) speed (minimum) overdrive automatic.

WHEELBASE: Not less than 131".

WARRANTY: All engines shall be warranted against defects in materials and workmanship for a period of not less than forty-eight (48) months / 100,000 miles, whichever occurs first (pro-rating not allowed). Warranty shall include connectors and adapters to the transmission. The automatic transmission shall be warranted for a period of not less than twenty four (24) months-50,000 miles (pro-rating not allowed). The warranty start date shall be based on the unit's in-service date as established by its issue from the Department's Equipment Depot to the using field custodian. The unit shall be furnished with a copy of the warranty statement and any necessary cards, booklets, or certificates needed to receive dealership warranty repairs.

Warranty Specifications For:

ALL VEHICLES: When local dealerships are unable to complete warranty repairs, the Offeror shall serve as the facilitator for the vehicle owner to address any problems or warranty claims with the manufacturer. The Offeror shall also serve as the facilitator to address any claims with the manufacturer of any sub component installed on the vehicle prior to delivery. The Offeror shall be responsible for coordinating the necessary warranty issues and repairs with manufacturer/sub-contractor.

CC-1: CAB & CHASSIS, 8,600 LB. GVWR

FACTORY INSTALLED ITEMS

The following items shall be furnished in addition to, or in place of, the regular standard equipment and will be “Factory Installed”, unless otherwise specified.

1. Air Conditioning
2. AM/FM Stereo Radio
3. Auxiliary Power Connection - (Standard State Specification)
4. Auxiliary Power Outlet – (Standard State Specification) – May be installed by an upfitter if not available from manufacturer.
5. Door Locks, Power, Driver and Passenger
6. Driver and Passenger Air Bags
7. Gauges
8. Glass, Tinted, All (Deepest factory tint available on rear windows, standard tint on all others)
9. Minimum 30 Gal Fuel Tank
10. Minimum 130 AMP Alternator
11. Minimum 600 CCA Battery
12. Power Windows, Driver and Passenger
13. Radio Noise Suppression - (Standard State Specification)
14. Side Mirrors, Powered, Driver and Passenger
15. Split bench seat designed to seat three (3) passengers. Headrests or high backs at outside positions. Lap safety belts for all positions & shoulder safety belts at outside position.
16. Step Bar Entry / Egress - (Standard State Specification)

CC-1: CAB & CHASSIS, 8,600 LB. GVWR

OPTIONAL EQUIPMENT

The following factory installed options may or may not be ordered. Offers must provide a price for all options or offer as part of the base price.

ADDS:

1. Body Install Coordination Fee (charge based on the dealer arranging for bodies to be installed on this cab & chassis from the State contract vendor(s) for truck bodies.
2. Diesel Engine
3. Mirrors, Manual, Extending, Trailer Towing (Min. 9.50" x 6.75")
4. Operator's Manual
5. Operator Training - (ref. "Training" in Terms & Conditions - Special (VII.B))
6. Posi-Traction or Limited Slip Rear Axle
7. Repair Technician Training - (ref. "Training" in Terms & Conditions - Special (VII.B))
8. Shop Manual (for all components – CD or DVD preferred)

DEDUCTS:

1. Auxiliary Power Connection - (Standard State Specification)
2. Step Bar Entry / Egress – (Standard State Specification)

Options requiring the additions of other options as well as those which are included as part of another:



State of South Carolina

Bid

Status: **5500047569 Bid Accepted**

Created: 09/26/2016 14:25:01 EST
WANDA HONEYCUTT

Last upd: 09/29/2016 11:46:13 EST
MICHAEL SPEAKMON

Bidder

BENSON FORD
4701 CALHOUN MEMORIAL HWY
EASLEY SC 29640

Invitation For Bid

Version: **5**

Bid invitation number: **5400011744**

Description: **STATEWIDE FOR CAB & CHASSIS**

Buyer name:

Buyer email:

Buyer phone:

Follow-on document: Contract

Valid From: 11/01/2016

Valid To: 10/31/2018

Estimated award date: 10/13/2016

SCBO catg: Equipment

Bid invitation rules

Bidding procedure: Public bid invitation

Requested price information: Normal price

Timezone: EST

End date/time: 09/26/2016 15:00:00 EST

Bids required for all items? No

Bid may be changed? Yes

Bidder can add items? No

Bid Basic Data

Terms of Payment: **net 30 days**

Currency: **USD United States Dollar**

Information from purchaser - header tendering text

OPEN FOR OFFICE USE ONLY. NO OTHER RESPONSES WILL BE ACCEPTED

Information from purchaser - header attachment(s)

Description

Vehicle Questionnaire

Solicitation

Amendment #1

Header attributes

The bidder has read and understands all Amendments.

Bidder Response: **Y**

1. The Submitter has read and understands the terms and conditions of this solicitation.

Bidder Response: **Yes, I have read and understand the terms and conditions.**

Permitted Values - Yes, I have read and understand the terms and conditions.

2. The offer is in accordance with the terms and conditions of this solicitation.

Bidder Response: **Yes, I am in accordance with the terms and conditions.**

Permitted Values - Yes, I am in accordance with the terms and conditions.

4. THE BIDDER CERTIFIES THAT ALL VEHICLES BID INCLUDE ALL STANDARD AND FACTORY INSTALLED ITEMS AS SPECIFIED.

Invitation For Bid

Version: 5

Bid invitation number: 5400011744

Description: STATEWIDE FOR CAB & CHASSIS

Bidder Response: Y

Bidder Certifies that they are Current with all Admin Fee Reporting and Payments for Current and previously held Statewide Term Contracts.

Bidder Response: Y

Bid details

Line Number: 0001

CC-1: 8,600 GVWR, Gas Engine

Item Category: Material

Product Category: 07210 - Trucks Cab & Chassis Only

Internal Item Number: 1

Target Quantity of Bid Invitation: 10.00 each

Price: **22,543.00 (United States Dollar) Per 1 each**

Information from purchaser - item tendering text

CC-1: 8,600 GVWR, Gas Engine, Single Rear Wheels

Item attributes

Are you entering a bid for this line item? If so, then all remaining attribute questions must be answered. Failure to respond to any attribute question may result in your bid being determined non-responsive.

Bidder Response: Y

Questionnaire - Year

Bidder Response: **2017**

Questionnaire - Make

Bidder Response: **FORD**

Questionnaire - Model

Bidder Response: **F250**

Questionnaire - Series

Bidder Response: **XL**

Questionnaire - Engine (Cylinder)

Bidder Response: **V8**

Questionnaire - Engine (Liter)

Bidder Response: **6.2L**

QUESTIONNAIRE - STANDARD FACTORY COLORS EXTERIOR

Bidder Response: **ALL**

QUESTIONNAIRE - STANDARD FACTORY COLORS - INTERIOR

Invitation For Bid

Version: 5

Bid invitation number: 5400011744

Description: STATEWIDE FOR CAB & CHASSIS

Bidder Response: **ALL**

INDICATE DELIVERY TIME DAYS ARO

Bidder Response: **16 Days**

ADD - BODY INSTALLATION FEE FOR ARRANGEMENT OF BODIES TO BE INSTALLED BY STATE CONTRACT VENDOR

Bidder Response: **300.00 (United States Dollar)**

ADD - LARGER DIESEL ENGINE (SPECIFY HP & MANUFACTURER)

Bidder Response: **8,398.00 (United States Dollar)**

Add - Mirrors, Manual, Extending, Trailer Towing (Min 9.50" x 6.75"

Bidder Response: **0.01 (United States Dollar)**

ADD - OPERATORS MANUAL

Bidder Response: **0.01 (United States Dollar)**

ADD - OPERATOR TRAINING

Bidder Response: **0.01 (United States Dollar)**

Add - Posi-Traction or Limited Slip or Locking Differential

Bidder Response: **379.00 (United States Dollar)**

ADD - REPAIR TECHNICIAN TRAINING

Bidder Response: **0.01 (United States Dollar)**

ADD - SHOP MANUAL (FOR ALL COMPONENTS - CD OR DVD PREFERRED SPECIFY)

Bidder Response: **159.00 (United States Dollar)**

ADDS - TOTAL OF ALL ADDS

Bidder Response: **9,236.00 (United States Dollar)**

ADDS - TOTAL ADDS X 0.25

Bidder Response: **2,309.00 (United States Dollar)**

DEDUCT - Auxiliary Power Connection

Bidder Response: **50.00 (United States Dollar)**

Deduct - Step-Entry/Egress (Standard State Spec)

Bidder Response: **265.00 (United States Dollar)**

DEDUCTS - TOTAL OF ALL DEDUCTS

Bidder Response: **315.00 (United States Dollar)**

DEDUCTS - TOTAL DEDUCTS X 0.25

Bidder Response: **78.00 (United States Dollar)**

EVALUATED AMOUNT - (BASE PRICE) PLUS (TOTAL ADDS X 0.25) MINUS (TOTAL DEDUCTS X 0.25)

Bidder Response: **24,774.00 (United States Dollar)**