

State of South Carolina

Invitation For Bid

Amendment #1

Solicitation:	5400020158
Date Issued:	09/11/2020
ocurement Officer:	DeAna Reed-Sharpe

Procurement Officer: Phone: B03-896-6389 E-Mail Address: drsharpe@mmo.sc.gov Mailing Address: SFAA, Div. of Procurement Services, MMO PO Box 101103 Columbia SC 29211

LOCATION: This meeting will be WebEx

only. Refer to Section IIB, "Conference Pre-Bid/Proposal" for instructions to attend the

DESCRIPTION: STC FOR PICKUP TRUCKS

USING GOVERNMENTAL UNIT: Statewide Term Contract

SUBMIT YOUR OFFER ON-LINE AT THE FOLLOWING URL: http://www.procurement.sc.gov

SUBMIT OFFER BY (Opening Date/Time): 09/29/2020 11:00 AM (See "Deadline For Submission Of Offer" provision)

QUESTIONS MUST BE RECEIVED BY: 09/02/2020 5:00 PM 09/17/2020 10:00 AM Questions limited to Amended Parts Only

NUMBER OF COPIES TO BE SUBMITTED: One (1) - Electronic Submission Preferred

CONFERENCE TYPE: Pre-Bid DATE & TIME: 09/02/2020 9:30 AM

(As appropriate, see "Conferences - Pre-Bid/Proposal" & "Site Visit" provisions)

AWARD & Award will be posted on **10/09/2020**. The award, this solicitation, any amendments, and any related notices will be posted at the following web address: <u>http://www.procurement.sc.gov</u>

meeting.

You must submit a signed copy of this form with Your Offer. By signing, You agree to be bound by the terms of the Solicitation. You agree to hold Your Offer open for a minimum of thirty (30) calendar days after the Opening Date. (See "Signing Your Offer" provision.)

NAME OF OFFEROR ALAN JAY CHEVY BUICK GMC CADILLAC (full legal name of business submitting the offer)	Any award issued will be issued to, and the contract will be formed with, the entity identified as the Offeror. The entity named as the offeror must be a single and distinct legal entity. Do not use the name of a branch office or a division of a larger entity if the branch or division is not a separate legal entity, i.e., a separate corporation, partnership, sole proprietorship, etc.
AUTHORIZED SIGNATURE	DATE SIGNED
(Person must be authorized to submit binding offer to contract on behalf of Offeror.)	9-28-20
TITLE	STATE VENDOR NO.
GOVERNMENT ACCOUNT MANAGER OF SE	7000205330
(business title of person signing above)	(Register to Obtain S.C. Vendor No. at <u>www.procurement.sc.gov</u>)
PRINTED NAME	STATE OF INCORPORATION
MATTHEW FORTE	FLORIDA
(printed name of person signing above)	(If you are a corporation, identify the state of incorporation.)

OFFEROR'S TYPE OF ENTITY: (Check one) (See "Signing Your Offer" provision.)	
Sole Proprietorship Other	
Corporate entity (not tax-exempt) Corporation (tax-exempt) Government entity (federal, state, or local)	

COVER PAGE - ON-LINE ONLY (MAR. 2015)

PAGE TWO Return Page Two with Your Offer)

(Return Fage 1 wo with 10th Oher)		
HOME OFFICE ADDRESS (Address for offeror's home office / principal place of business)	NOTICE ADDRESS (Address to which all procurement and contract related notices should be sent.) (See "Notice" clause)	
441 US HWY 27 NORTH SEBRING, FL 33871	PO BOX 9200 SEBRING, FL 33870	
	863-402-4216 904-505-9682 Area Code - Number - Extension Facsimile Area Code - Area Code -	
	MATT.FORTE@ALANJAY.COM E-mail	
PAYMENT ADDRESS (Address to which payments will be sent.) (See "Payment" clause)	ORDER ADDRESS (Address to which purchase orders will be sent) (See "Purchase Orders and "Contract Documents" clauses)	

Payment Address same as Home Office Address	Order Address same as Home Office Address
Payment Address same as Notice Address (check only one)	Order Address same as Notice Address (check only one)

ACKNOWLEDGMENT OF AMENDMENTS

Offerors acknowledges receipt of amendments by indicating amendment number and its date of issue. (See "Amendments to Solicitation" Provision)

Amendment No.	Amendment Issue Date						
1 TERMS	9-11-20						
1 SPECS	9-11-20						

DISCOUNT FOR	10 Calendar Days (%)	20 Calendar Days (%)	30 Calendar Days (%)	Calendar Days (%)
PROMPT PAYMENT (See "Discount for Prompt Payment" clause)	NA	NA	NA	NA

PREFERENCES - A NOTICE TO VENDORS (SEP. 2009):

Preferences do not apply to vehicle procurements per 11-35-1524(E)(5)

PREFERENCES - ADDRESS AND PHONE OF IN-STATE OFFICE:

Preferences do not apply to vehicle procurements per 11-35-1524(E)(5)

_In-State Office Address same as Home Office Address _____In-State Office Address same as Notice Address (check only one)

STATE OF SOUTH CAROLINA – STANDARDIZED VEHICLE SPECIFICATIONS

(Revised 7/23/2020)

Introduction:

The following specifications are applicable if they are listed as "Factory Installed Items" (included in the "Base Price") or "Option Equipment" (Add or Deduct Pricing). If they are not referenced by the spec item name (example: "Tow Package") in the individual vehicle spec, they do not apply.

Should it be necessary to deviate from a standard spec, the deviation(s) will be expressly stated within the individual vehicle spec. The individual vehicle spec takes precedence over the standardized vehicle spec. Unless defined otherwise in an individual vehicle's specification, the following standardized specifications apply where applicable and as listed in each vehicle spec.

Important Notice:

Contractors/vendors should review purchase orders carefully for items such as drawbar, pin, clip and shank configuration, as well as anything else needing further description for the order, as provided in the contract documents. They should notify the ordering governmental entity when needed information is missing. This office will require delivery of all specified items unless the ordering governmental entity provides specific notice of relief from same in writing. These type items are to be included in the contract prices.

Specification Name	Description
Colors – Exterior	 The cost for all factory-standard "no-charge" paints and factory-standard paint palette colors for additional charges, shall all be factored into the vehicle price as contracted. The State will not pay any additional color charges, unless a non-standard/premium color is requested by the purchasing agency. The colors white, black, gray and silver are all required colors for state contract pricing.
Daytime Running Lights	If standard equipment, daytime running lights are to be made inoperable prior to delivery of vehicles purchased by and for law enforcement entities.
Engines - Diesel	For Diesel-powered vehicles and equipment, fuel system components and Diesel engines shall be compatible with B20 bio-diesel blends, minimum.
Engines – Gasoline/Unleaded/E10	 For gasoline-powered vehicles and equipment, fuel system components and gasoline engines shall be compatible with E10 ethanol blends, minimum. These engines are to perform as follows: No noticeable degradation in vehicle drivability; Minimal impact on vehicle operating efficiency (defined to be no more than 10% decrease in fuel economy); Maintenance sensors and warning systems are to display normally (i.e. use of E10 is not to cause the check engine light to illuminate). NOTICE: The State of South Carolina has transitioned to the E10 Unleaded Fuel Blend. The fuel contracts reflect the same.

Floor Mats	 Unless stated otherwise in the individual vehicle specifications, the following applies: In vehicles with <u>carpeted</u> flooring, the manufacturer's vehicle-specific floor mats are to be supplied for all major seating points of the vehicle. If a manufacturer is unable to supply floor mats for carpeted vehicles (i.e. due to specific vehicle packages), equivalent (in quality and fit) aftermarket mats must be provided for all major seating points. In vehicles with <u>vinyl or heavy-duty rubber flooring</u>, floor mats are <u>not</u> to be provided, and may not be requested by the ordering governmental entity. NOTICE: Should an individual vehicle's specifications with carpeted interior request rubber or vinyl floor mats, those mats will be of a high quality, heavy duty construction.
Four-wheel Drive (4x4) & All-Wheel Drive (AWD)	 4x4 Definition: The State of South Carolina recognizes the definition of a 4x4 (four-wheel drive)-equipped vehicle as follows: The vehicle is primarily rear-wheel drive, and equipped with locking differentials, low-range gearing, and is controlled by transfer case. Power distribution is not distributed/vectored alternately between wheels by the vehicle computer. The 4x4 system can be selected for 4x2/rear wheel drive, low, and high settings on part-time 4x4 vehicles (either by lever or electronic selection). Full-time 4x4 vehicles do not have computer-controlled power vectoring to the wheels but may allow for low and high range selection. 4x4 Package: For vehicles equipped with 4x4 as defined above, the State requires the following to be provided on said vehicle: Transfer case with auto locking hubs (operator may lock hubs without leaving the cab). Factory installed protection for fuel cell and transfer case. Protection must be adequate to prevent puncture to either system. Locking or limited slip differential or electronic traction control. Suspension – all changes recommended by the manufacturer for 4x4 operation to be provided and completed. All-Wheel Drive (AWD) Definition: The State of South Carolina recognizes the definition of an AWD-equipped vehicle as follows: The vehicle computer controls the amount and timing of power distribution/vectoring to each of the wheels. The vehicle is typically always readily engaged in an All-Wheel Drive power distribution whether or not the computer has selected all wheels to receive power at any given moment. AWD Package: The State requires AWD vehicles to be fully equipped with all warranty-necessary suspension and protective devices as defined by the manufacturer.<

-	
	NOTICE: The State of South Carolina does not consider AWD to be equivalent to 4x4. Therefore, AWD will not be accepted as a substitute for 4x4. Refer to individual vehicle specifications to determine if a vehicle must be either 4x4 or AWD, or if either option is acceptable for the individual vehicle spec.
	All outboard seating positions shall have factory installed head restraints via head rests or high back seats. The head restraints shall meet all requirements of US Department of Transportation, National Highway Traffic Safety Administration, and Federal Motor Vehicle Standards.
Head Restraints	NOTICE: If head restraints are not available, the contractor shall provide each ordering governmental entity notification from the manufacturer verifying that head restraints are not available. If head restraints are available from the manufacturer as an optional item, they must be included in the offer and incorporated into the base price of the vehicle.
Keys	 Three (3) ignition-capable (and programmed) keys and two (2) fobs/remotes are to be provided for each vehicle delivered. The two (2) fobs/remotes are only required if the vehicle is equipped with power locks. For manufacturers whose keys are an integrated key/fob, three (3) fully functional (ignition-capable) integrated key/fobs are required. Cost for the key and fob sets are to be included in the base price.
Pickup Box Removal and Lamp Detection	Trucks provided with a pickup box removal shall have lamp detection turned "Off" to allow exterior turn signal lights and interior audible and/or visual turn signal indictors to work properly.
Privacy Glass Extended & Crew Cab Pickups, Cargo & Passenger Vans, Utility Vehicles	 If "Privacy Glass" is required as part of the individual vehicle spec (or as an add-on item), for a qualifying vehicle class as defined below, the State of South Carolina defines privacy glass and its applicable vehicular location as: Deep tint not to exceed factory standard option shading: Only applicable to glass aft of the B pillar for the specifically defined vehicle classes within this spec. Qualifying Vehicles: Extended and crew cab pickups Cargo and passenger vans Utility Vehicles – which are specifically on state contracts defined for SUVs Crossovers State contract law enforcement vehicles
	 NOTICE: Sedans, exclusive of law enforcement contracts, do not qualify for privacy glass.

Radio Noise Suppression	Governmental fleet vehicles may have an approximate 150-watt mobile (two-way) radio installed, operating on the frequencies of 44-47 MHz as designated by the FCC (CFR 47, Part 90). To anticipate possible installation of such radio equipment, the vehicle shall be fully compatible with the above radio installation and all vehicle components and equipment shall not interfere with the operation (transmitting or receiving) of the mobile radio.
Rear View Camera Systems (All vehicles under 10,000 GVWR)	Vendor shall provide an installed rear view camera system complete with camera, cabling, and hardware meeting requirements of Federal Motor Vehicle Safety Standards (FMVSS) 111 Standard for rear vehicle visibility. The rearview camera system shall provide a compliant image from a factory standard screen. If available and not already standard, the ability to upgrade to an in-dash monitor shall be allowed through the cost + 10% charge when requested by the purchasing agency.
Step Bar – Entry/Egress	 Definitions: Door threshold – point of the vehicle where the driver & passengers place their foot upon entering the cabin. Step Bar – shall be a 3" diameter bully single, extended, or double step bar, or equivalent. The bar must have a minimum weight capacity of 250 lbs. and must be of metal construction. Running board – an elongated platform step that measures no less than six inches deep and must be installed to allow entry and egress from all side doors (including driver's as measures dictate). The board must have a minimum weight capacity of 250lbs. Method of Measurement: From level ground (not including curbing), measure the vertical clearance from the ground to the threshold for each passenger and driver entry door as defined above. Spec for Vans (including Cutaways): Running boards, as defined above, are required at all doors where the ground-to-threshold clearance exceeds 19". The astern rear door is exempt from this spec. Please be sure to measure all entry points, particularly on redesigned or new models, to prevent rejection at time of delivery and inspection. Note that tire & wheel changes could affect measurements – be sure to check for such changes on new model years. Spec for Pickups & Large Trucks: Step bars, as defined above, are required at all doors where the ground-to-threshold clearance exceeds 21". For vehicles with extended, quad, or crew cabs (no matter the manufacturer's marketing description), an extended length or double step bar shall be installed that services the entry and egress for all doors. Please be sure to measure all entry points, particularly on redesigned or new models, to prevent rejection at time of delivery and inspection. Note bar shall be installed that service

	<u>that tire & wheel changes could affect measurements – be sure to check</u> for such changes on new model years.
	 <u>for such changes on new model years.</u> <u>Spec for Utilities (SUV & Crossover):</u> <u>Running boards</u>, as defined above, are required when any passenger (including driver) door's ground-to-threshold clearance on a utility vehicle exceeds 21". The running board shall cover the length of the rocker panel from the forward point of the front doors, to the rearward point of the rear passenger doors. The astern rear door/hatch is exempt from this spec. Please be sure to measure all entry points, particularly on redesigned or new models, to prevent rejection at time of delivery and inspection. Note that tire & wheel changes could affect measurements – be sure to check for such changes on new model years.
	 NOTICES: In all cases, overall manufacturer-desired ground clearances must be maintained. All step bars and running boards shall be the type that are customarily manufactured and marked to be used as steps (not décor). Step bars must be black powder coated and certified for a minimum weight capacity of 250lbs. Running boards should be black in color. Molded plastic running boards (OEM or aftermarket) are acceptable, so long as they are certified to a minimum weight capacity of 250lbs. Steps are not required for astern rear doors/hatches on vans or utilities.
Tires	 Tires are to be mounted with black walls turned to the outside. All tire walls with contrasting colors such as white, red, raised white lettering, etc. are to be turned and mounted to the inside. The ordering governmental entity may reject delivery if black walls are not turned to the outside. Spare Tires: Vehicle specs indicating the requirement of a spare tire (full or temporary) shall also be supplied with a vehicle manufacturer-approved jack and lug wrench. Vehicle specs indicating <u>full</u> size spare tires shall be equipped with spares that are <u>equivalent</u> to the vehicle's installed tires as delivered to the State. Law Enforcement Vehicles: <u>ALL</u> Law Enforcement vehicles shall be equipped with full size spares that are <u>identical</u> to the installed tires as delivered to the State.
Tow Package	State of South Carolina Tow Package: Factory installed hitch plus all necessary components to match or exceed the maximum rated towing capacity of the vehicle are to be included.

	 both 4-way and 7-way wiring harnesses. Standard configuration for drawbar, ball, pin, and clip: Standard is the DNR specification below, unless otherwise stated by the ordering governmental entity. Department of Natural Resources (DNR) configuration is: drawbar with 2" drop, pin, clip, and 2" ball w/ 1" solid shank. 				
	 NOTICES: This spec applies when: A governmental agency specifically requests the tow package as part of the vehicle order, or The individual vehicle spec includes the tow package as required/standard equipment. If the drawbar, pin, clip, and shank configuration is inadvertently omitted from a purchase order (i.e. "tow package" was the only description provided on the PO), it does not relieve the contractor of the requirement to provide the standard configuration above, or as outlined in the individual vehicle specifications. If a vendor's vehicle is provided factory-equipped (factory standard) with the hitch assembly, the vendor does <u>not</u> have to supply the standard configuration of the State of South Carolina tow package (wiring, drawbar & ball) when: The ordering governmental entity has not requested the tow package as part of the purchase, or The individual vehicle spec does not require the tow package as a standard/base item for the contract. 				
Winch	 The standard specification winch is as follows: Warn model Zeon 12 (89120) Electric Front Mount 12,000lb. capacity, with roller fairlead (5742) 80'cable Grille guard with center horizontal bar and mounting bracket NOTICES: The mounting bracket must not extend below the height of the front bumper. The winch package may be installed by the contractor/factory, or an approved up-fitter. 				
Vehicle Up-fits – Unapproved / Not Ordered	If a vendor <u>chooses</u> to fulfill an order with dealer stock / retail units that were up- fitted beyond factory-standard/equipped accessories (i.e. tow package, bed liner, toolboxes, satellite radio, navigation, etc.), but not requested by the ordering governmental entity, the vendor may <u>not</u> petition the ordering governmental entity for reimbursement of the up-fit(s).				

.....

End of Standard State Specifications.

.....

	FY21 Vehicle Specification PU9 - Truck, Pickup, 3/4 Ton, Exte	nded Cab. Henry Du	ty 4x4 Diesel							
Image: sector s		NOTE: Vendo	ors must complete all b	locks highlighted in B	LUE below. Failure to com	plete ALL blo	cks highlighted in BLUE may deem your offer non-responsive.			
Normal substratement of the second s	Vendor-suggested Model Name	2002 2021 CHEVROLET SUVERADO 2500HD AWD DOURLE CAR 140" (CK20752)								
indexindexindexindexindexindexindexindexarray (a)array (a)	and Model Number: Base Price:	mber auf all for four a second a second and a second a se								
Image: state in the					NOTE: If Add is included in the base price enter \$0.00 in the BLUE cell below and indicate "standard" in the GREEN cell. Use the GREEN cell below also to indicate whether an Add or Deduct requires an additional Add or Deduct. Be Specific.					
initial initial initial initial initial initial initial initial Reserved Reserved<	Measures & Capacities	Requirement	Required Equipment	Requirement	Additions	Add-on Amount	Addition Comments			
Mathem Markam Markam Markam Markam Markam Markam Markam Markam Markam Indersonal Kon Same Same Same Same Same Markam Same Same Same Same Sa	Battery - Min. CCA	600	safety components	Required	Short to Long Bed (8ft.)	\$486.00				
intermin	Alternator (min.)	Single, 220 amps		Required (unless otherwise stated)	Spray-in Bedliner	\$500.00				
index index index index index index index index index index index index index index index index index index index index index index index index index index	Base Engine - Cylinders	N/A	Additional Colors	(Ford#W8002H,	Tow Package (per state spec)	\$0.00				
concept transmissionconcept transmissionconcept transmissionconcept transmissionconcept transmissionconcept transmissionconcept transmissionconcept transmissionconcept transmissionconcept transmissionconcept transmissionconcept transmissionconcept 	Base Engine - Fuel Type	Diesel	Factory-Std. Colors		Utility Body Installation Fee					
diam diam <thdiam< th=""> diam diam <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<></thdiam<>										
n.m. of horica for horica				4x4	front passenger doors	\$130.00				
Money Note of the second of	(ft.lbs.)					Deduction				
Marka Marka Marka Marka Marka Marka Marka Gradinational R. Reference Reference <t< td=""><td></td><td>Pickup Extended (aka:</td><td>Auxiliary Power</td><td></td><td></td><td>Amount</td><td></td></t<>		Pickup Extended (aka:	Auxiliary Power			Amount				
Upper large l	Cab Type		Connection (per state spec)		Calling	NA	NOT ABLE TO DELETE BLUETOOTH			
n n n n n 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 </td <td></td> <td>6</td> <td></td> <td>standard)</td> <td>Fuel V8 Engine (min. 5.9L)</td> <td>\$8,185.00</td> <td></td>		6		standard)	Fuel V8 Engine (min. 5.9L)	\$8,185.00				
Antione of the state	Cargo Volume (in Cargo Box) (cu. ft.)	56	Bluetooth/Hands Free Calling	Required w/deduct option	factory as cab/chassis)	\$498.00				
Monter With With With With With With With With					Power Locks & Windows to Manual	\$2,318.00	FOR MANUEL EXTERIOR DOOK LOCKS, REAR DEFROSTER, POWER DRIVER SEAT. POWER LOCKS AND WINDOWS ARE			
number of the second	0 1 11	(E85/Regular)		under storage						
Beach England Line Line Line Line Line Line Line Line	Horsepower			Required						
integrade best-Model best-Model best-Model best-Model best-Model best-Model best-Modelintegrade best-Model best-Model best-Modelintegrade best-Model best-Model best-Modelintegrade best-Model best-Model best-Model best-Modelintegrade best-Model 	Deduct Engine - Min, Liters	3.3		No						
Mathematical Barbon Mark Barbon Mark Barbon Mark 	(ft.lbs.)	4 - 2 primary, 2 - 1/4 length		,						
InterfactorFactorStatume <td>Drive Type</td> <td>seat access 4x4 (per state spec) to include</td> <td>HD Oil Cooler</td> <td>Required</td> <td></td> <td></td> <td></td>	Drive Type	seat access 4x4 (per state spec) to include	HD Oil Cooler	Required						
indication: for into intermed Year intermed Year into intermed Year i	Fuel Capacity		HD Suspension	Required						
inst Sorr, Par (n) in St in Statute Register Register Ref 1(set s), res Note National Statute Register Register Parameter, Ma, it Statute Register Register Register Register Ref Source Statute Register Register Register Register Register Torser, MG, RM, it Statute Register Register Register Register Register Register Torser, MG, RM, it Statute Register	GVWR - Min/Max (lbs.)									
Key Iter is specify Iter is specify Registed is specify Registe	Head Room - Rear (in.)		Locking Tailgate							
Pheagen: Wind is a constraint of the second of the seco	Keys	3 (see std. specs)	Wheel Disc, w/HD front &	Required						
Radiate (piece Leiper et autor) Poece Sek Mirors (scale leiper et autor) Po	-		Power Door Locks w/Keyless Entry	-						
Gasole Joint Collection Service Joint Collectin Joint Collection Service Joint Collection Service	Radiator (Diesel Engine or	Heavy Duty w/ HD	Power Side Mirrors							
Rest Supportion Support Privacy Glass (per state species Privacy Glass (per state species Required species Required species Required species Tordingt-Min, Dis Obstate (Min, Scated) (Min, Scated)	Gasoline) Rear Axle Type & Ratio - Min.	Pos. Trac./Ltd. Slip,								
Tordingt - Min (No.) Jackson (Min. 5-specifie) Permet Windows Regularid Regulari Regularid Regularid Regularid Regulari Regularid Re	Rear Suspension	Heavy Duty w/ HD Coil Springs &		Required						
Transmission Type Mean Suspension Required (ex dit, secs) Mean (ex dit, secs)		14000	Power Windows	Required						
(Max, H.) (Au) (Max)			Radio Noise Suppression	Required (see std. specs)						
hite length - Min / Max / Max 230/285 Seting Configuring Forth - 40/204 / Min / Barch ehde Wheelbase - Min / Max 142/200 Setating Configuring Forth - 40/204 / Min / Barch ehde Wheelbase - Min / Max 142/200 Setating Construction Forth - 40/204 / Min / Barch Vehde Wdh - Min (m) 7 Setating Construction Setating Construction Setating Construction Setating Construction Setating Construction Setating Construction Setating Construction Setating	(Max. ft.)									
Vehicle With - Min. (n.) 78 Spare Tree full Site mathing in the Site All mather all mathing in the Site All mathing in the Site All mathing in	Vehicle Length - Min./Max. (in.)			Front: 40/20/40, with power driver's side; Rear:						
Vertike Wngur mitte (iv) 10 200 2000000000000000000000000000000000000	Vehicle Wheelbase - Min/Max.	148/160	Seating Construction							
Image: Constraint of Baster Price Seguritation tig Baster Price Seguritation tig Baster Price Seguritation tig Baster Price Image: Constraint Price Price Price Factor Standard Standard	Vehicle Width - Min. (in.)	78		Full Size matching mounted tires & rims						
Column Column Column Column Column Factor Standard Size, All Trains, TLains Include Size, All Trains, TLains Include Size, All Trains, TLains Column Factor Standard Size, All Trains, TLains Trains, TLains Column Trains, TLains Include Size, All Trains, TLains Column Trains, TLains Column Trains, TLains Column Trains, TLains Column Trains, TLains Column Column Column Standard Size, All Trains, TLains Column Standard Size, All Size			Steps/Running Boards							
Image: Constraint of Base S200000 Toreine, Italia Toreine, Italia Image: Constraint of Base S200000 Total of All DEDUCTS S389.25 Image: Base Price: S20000 Total of All DEDUCTS S389.25 Image: Base Price: S20000 Total of All DEDUCTS S180.00 Image: Base Price: S20000 Total of All DEDUCTS S180.00 Image: Base Price: S20000 Total of All DEDUCTS S180.00 Image: Base Price: S20000 Total of All DEDUCTS S180.00 Image: Base Price: S20000 Total of All DEDUCTS S180.00 Image: Base Price: S20000 Total of All DEDUCTS S180.00 Image: Base Price: S20000 Total of All DEDUCTS S180.00 Image: Base Price: S20000 Total of All DEDUCTS S180.00			Column	Required						
Image: section section were researche & service memory memo				Terrain, E Load Required & must have 7-						
Dataset from believing in SPM SS1 Descendent of SPM SS1 Descendent from believing in SPM SS1 Base Price: (4:3,590,00) Total of All ADDS: \$5890,25 Total of All ADDS: S200,000 Total of All ADDS: \$5890,25 Total of All ADDS: S200,000 Total of All ADDS: \$5890,25 Total of All ADDS: S200,000 Total of All ADDS: \$5890,25 Total of All ADDS: S200,000 Total of All ADDS: \$5890,25 Total of All DEDUCTS: \$11,001,00 25% of All DEDUCTS: \$12,750,25			spec)	adaptor						
Delations from Delativery Form (in Mits) 511 Total of All ADDS: 53,561.00 Amount of Base Price Allocations \$200,000 25% of all ADDS: \$890.25 Delativery form (in Mits) \$0.39 Total of All DEDUCTS: \$11.001 Total of All DEDUCTS: \$21.001 25% of All DEDUCTS: \$11.001 Data for Mit Bulkery Data for All ADDS: \$25% of All DEDUCTS: \$21.001			Optional Addron							
Belance from Description to STM Metal Metal Description to STM S11 Total of All ADDS: \$33,561.00 R field will automatically Delevery boxfm \$200,000 25% of all ADDS: \$380.25 R field will automatically Delevery boxfm \$0.39 Total of All DEDUCTS: \$11.001 R field will automatically Delevery boxfm DAYS ARO; 140 25% of All DEDUCTS: \$12.001	DELI				(These cells automatical Base Price:	\$42,549.00				
Answard of Rate Price Allocation S2000.00 16 Med will automatically patient from the Delivery matching and the Delivery matching and the Delivery for the days ARO: S2000.00 16 Med will automatically patient from the Delivery matching and the Delivery for the days ARO: S2000.00 16 Med will automatically patient from the Delivery for the days ARO: S2000.00 17 Med and Mill DEDUCTS: S21.001.00 25% of All DEDUCTS: S21.001.00		Dealership to SFM Delivery Point (In	511							
public from the Delivery Contractor May \$0.39 Total of All DEDUCTS: \$11,001.00 ter the days ARD in the BLUE DAYS ARD: 140 25% of All DEDUCTS: \$2,750.25		Price Allocated to Delivery to SFM	\$200.00		25% of all ADDS:	\$890.25				
ter the days ARO in the BLUE DAYS ARO: 140 25% of All DEDUCTS: \$2,750.25	This field will automatically populate from the Delivery Information entered above.	Contractor May	\$0.39		Total of All DEDUCTS:	\$11,001.00				
Evaluated Amount: \$40,689.00 ENTER THIS AS YOUR BID IN SCEIS	Enter the days ARO in the BLUE cell		140	I						
					Evaluated Amount:	\$40,689.00	ENTER THIS AS YOUR BID IN SCEIS			