

State of South Carolina

Invitation for Bid

Amendment #1

Solicitation: Date Issued: Procurement Officer: Phone: E-Mail Address: Mailing Address:

5400020202 9/11/2020 Michael Speakmon (803) 737-9816 mspeakmon@mmo.sc.gov SFAA, Div. of Procurement Services, MMO PO Box 101103 Columbia SC 29211

DESCRIPTION: STC FOR VANS

USING GOVERNMENTAL UNIT: Statewide Term Contract

SUBMIT YOUR OFFER ON-LINE AT THE FOLLOWING URL: http://www.procurement.sc.gov

SUBMIT OFFER BY (Opening Date/Time): 09/29/2020 11:00 AM (See "Deadline For Submission Of Offer" provision)

QUESTIONS MUST BE RECEIVED BY: 09/02/2020 5:00 PM 9/17/2020 10:00 AM Questions limited to Amended **Parts Only**

NUMBER OF COPIES TO BE SUBMITTED: ONE (1)

CONFERENCE TYPE: Non-Mandatory Pre-Bid Conference	LC
DATE & TIME: 09/02/2020 9:30 AM	only

(As appropriate, see "Conferences - Pre-Bid/Proposal" & "Site Visit" provisions)

OCATION: This meeting will be Webex only. Refer to Section IIB, "Conference Pre-Bid/Proposal" for instructions to attend the meeting.

AWARD &	
AMENDMENTS	

Award will be posted on 10/09/2020. The award, this solicitation, any amendments, and any related notices will be posted at the following web address: http://www.procurement.sc.gov

You must submit a signed copy of this form with Your Offer. Solicitation. You agree to hold Your Offer open for a minimu "Signing Your Offer" provision.)	By signing, You agree to be bound by the terms of the um of thirty (30) calendar days after the Opening Date. (See
NAME OF OFFEROR Dick Sw. w. Ford (full legal name of business submitting the offer)	Any award issued will be issued to, and the contract will be formed with, the entity identified as the Offeror. The entity named as the offeror must be a single and distinct legal entity. Do not use the name of a branch office or a division of a larger entity if the branch or division is not a separate legal entity, i.e., a separate corporation, partnership, sole proprietorship, etc.
AUTHORIZED SIGNATURE (Person must be authorized to submit binding offer to contract on behalf of Offeror.)	DATE SIGNED No. 175 25 25
TITLE Commeta: at \ Plear Wardger (business title of person signing above)	STATE VENDOR NO. 700088455 (Register to Obtain S.C. Vendor No. at www.procurement.sc.gov)
PRINTED NAME (printed name of person signing above)	STATE OF INCORPORATION South Carolina (If you are a corporation, identify the state of incorporation.)

OFFEROR'S TYPE OF ENTITY: (Check one) (See "Signing Your Offer" provision.)	
Sole Proprietorship Partnership Other	
Corporate entity (not tax-exempt) Corporation (tax-exempt) Government entity (federal, state, or local)	
OVER PAGE - ONLINE ONLY (MAR. 2015)	_

COVER PAGE - ON-LINE ONLY (MAR. 2015)

PAGE TWO
(Return Page Two with Your Offer)

HOME OFFI principal place o	CE ADDRESS (f business)	Address for offero	or's home office /	NOTICE AI related notices s	DDRESS (Address should be sent.) (See '	to which all procu 'Notice" clause)	rement and contract
-	1201 Ca	grow Fe	ory Rd	73	201 CARNE	ers Ferr	7 Rd
	رماسائم,	SC 25	209	C	. slumbia	Sc 2	5209
				Number - Exter	o3 - 376 sion Facsimile	-6237	Area Code -
				Marko	iswardel	J: ck5m;4	L. CE-mail
DAYMENT /	ADDRESS (A.11)	17-1	911	ODDED AD	DDEGG		200
(See "Payment" of	ADDRESS (Addre clause)	ess to which payme	ents will be sent.)	(See "Purchase	DRESS (Address to Orders and "Contract	which purchase of Documents" claus	orders will be sent) ses)
	Address same as H Address same as N		ress (check only one)		dress same as Hom dress same as Noti		SS heck only one)
				•			
	EDGMENT OF A ledges receipt of ame			mber and its date	of issue. (See "Ameno	dments to Solicitar	tion" Provision)
Amendment No.	Amendment Issue Date	Amendment No.	Amendment Issue Date	Amendment No.	Amendment Issue Date	Amendment No.	Amendment Issue Date
14	9/11/20						
	•						
DISCOUN	T FOR 10	Calendar Days (%)	20 Calenda	ar Days (%)	30 Calendar Days	(9/)	S-1
PROMPT PA	YMENT	a l	20 Calcilua	ai Days (70)	30 Calcildar Days	(70)	Calendar Days (%)
Payment" c.		MA			ar.		
DDEEEDENG	EG Drugforon			1		35 450 4/70	
PREFERENC	ES - Preieren	ces do not a	pply to venic	ele procurei	ments per 11-	35-1524(E)((5)
PREFERENC	ES - Preferen	ces do not a	pply to vehic	ele procurei	ments per 11-	35-1524(E)((5)
				X10			
In-State Of	ffice Address same	e as Home Office	e Address II	n-State Office A	Address same as No	tice Address	(check only one)
PAGE TWO (SEP			End of PA				check only one)

STATE OF SOUTH CAROLINA – STANDARDIZED VEHICLE SPECIFICATIONS

(Revised 7/23/2020)

Introduction:

The following specifications are applicable if they are listed as "Factory Installed Items" (included in the "Base Price") or "Option Equipment" (Add or Deduct Pricing). If they are not referenced by the spec item name (example: "Tow Package") in the individual vehicle spec, they do not apply.

Should it be necessary to deviate from a standard spec, the deviation(s) will be expressly stated within the individual vehicle spec. The individual vehicle spec takes precedence over the standardized vehicle spec. Unless defined otherwise in an individual vehicle's specification, the following standardized specifications apply where applicable and as listed in each vehicle spec.

Important Notice:

Contractors/vendors should review purchase orders carefully for items such as drawbar, pin, clip and shank configuration, as well as anything else needing further description for the order, as provided in the contract documents. They should notify the ordering governmental entity when needed information is missing. This office will require delivery of all specified items unless the ordering governmental entity provides specific notice of relief from same in writing. These type items are to be included in the contract prices.

Specification Name	<u>Description</u>			
Colors – Exterior	 The cost for all factory-standard "no-charge" paints and factory-standard pain palette colors for additional charges, shall all be factored into the vehicle price a contracted. The State will not pay any additional color charges, unless a not standard/premium color is requested by the purchasing agency. The colors white, black, gray and silver are all required colors for state contract pricing. 			
Daytime Running Lights	If standard equipment, daytime running lights are to be made inoperable prior to delivery of vehicles purchased by and for law enforcement entities.			
Engines - Diesel	For Diesel-powered vehicles and equipment, fuel system components and Diesel engines shall be compatible with B20 bio-diesel blends, minimum.			
Engines – Gasoline/Unleaded/E10	For gasoline-powered vehicles and equipment, fuel system components gasoline engines shall be compatible with E10 ethanol blends, minimum. T engines are to perform as follows: • No noticeable degradation in vehicle drivability; • Minimal impact on vehicle operating efficiency (defined to be no r than 10% decrease in fuel economy); • Maintenance sensors and warning systems are to display normally (i.e of E10 is not to cause the check engine light to illuminate).			

	NOTICE: The State of South Carolina has transitioned to the E10 Unleaded Fuel			
	Blend. The fuel contracts reflect the same.			
Floor Mats	 Unless stated otherwise in the individual vehicle specifications, the following applies: In vehicles with <u>carpeted</u> flooring, the manufacturer's vehicle-specific floor mats are to be supplied for all major seating points of the vehicle. If a manufacturer is unable to supply floor mats for carpeted vehicles (i.e. due to specific vehicle packages), equivalent (in quality and fit) aftermarket mats must be provided for all major seating points. In vehicles with <u>vinyl or heavy-duty rubber flooring</u>, floor mats are <u>not</u> to be provided, and may not be requested by the ordering governmental entity. NOTICE: Should an individual vehicle's specifications with carpeted interior request rubber or vinyl floor mats, those mats will be of a high quality, heavy duty construction. 			
Four-wheel Drive (4x4) & All-Wheel Drive (AWD)	 4x4 Definition: The State of South Carolina recognizes the definition of a 4x4 (fourwheel drive)-equipped vehicle as follows: The vehicle is primarily rear-wheel drive, and equipped with locking differentials, low-range gearing, and is controlled by transfer case. Power distribution is not distributed/vectored alternately between wheels by the vehicle computer. The 4x4 system can be selected for 4x2/rear wheel drive, low, and high settings on part-time 4x4 vehicles (either by lever or electronic selection). Full-time 4x4 vehicles do not have computer-controlled power vectoring to the wheels but may allow for low and high range selection. 4x4 Package: For vehicles equipped with 4x4 as defined above, the State requires the following to be provided on said vehicle:			

	AWD Package: The State requires AWD vehicles to be fully equipped with all warranty-necessary suspension and protective devices as defined by the manufacturer. NOTICE: The State of South Carolina does not consider AWD to be equivalent to 4x4. Therefore, AWD will not be accepted as a substitute for 4x4. Refer to individual vehicle specifications to determine if a vehicle must be either 4x4 or AWD, or if either option is acceptable for the individual vehicle spec.			
Head Restraints	All outboard seating positions shall have factory installed head restraints via head rests or high back seats. The head restraints shall meet all requirements of US Department of Transportation, National Highway Traffic Safety Administration, and Federal Motor Vehicle Standards. NOTICE: If head restraints are not available, the contractor shall provide each ordering governmental entity notification from the manufacturer verifying that head restraints are not available. If head restraints are available from the manufacturer as an optional item, they must be included in the offer and incorporated into the base price of the vehicle.			
Keys	 Three (3) ignition-capable (and programmed) keys and two (2) fobs/remotes are to be provided for each vehicle delivered. The two (2) fobs/remotes are only required if the vehicle is equipped with power locks. For manufacturers whose keys are an integrated key/fob, three (3) fully functional (ignition-capable) integrated key/fobs are required. Cost for the key and fob sets are to be included in the base price. 			
Pickup Box Removal and Lamp Detection	Trucks provided with a pickup box removal shall have lamp detection turned "Off" to allow exterior turn signal lights and interior audible and/or visual turn signal indictors to work properly.			
Privacy Glass Extended & Crew Cab Pickups, Cargo & Passenger Vans, Utility Vehicles	If "Privacy Glass" is required as part of the individual vehicle spec (or as an add-on item), for a qualifying vehicle class as defined below, the State of South Carolina defines privacy glass and its applicable vehicular location as: • Deeptint not to exceed factory standard option shading: • Only applicable to glass aft of the B pillar for the specifically defined vehicle classes within this spec. Qualifying Vehicles: • Extended and crew cab pickups • Cargo and passenger vans • Utility Vehicles – which are specifically on state contracts defined for SUVs • Crossovers • State contract law enforcement vehicles			
	NOTICE:			

	Sedans, exclusive of law enforcement contracts, do not qualify for privacy glass.			
Radio Noise Suppression	Governmental fleet vehicles may have an approximate 150-watt mobile (two-way) radio installed, operating on the frequencies of 44-47 MHz as designated by the FCC (CFR 47, Part 90). To anticipate possible installation of such radio equipment, the vehicle shall be fully compatible with the above radio installation and all vehicle components and equipment shall not interfere with the operation (transmitting or receiving) of the mobile radio.			
Rear View Camera Systems (All vehicles under 10,000 GVWR)	Vendor shall provide an installed rear view camera system complete with camera, cabling, and hardware meeting requirements of Federal Motor Vehicle Safety Standards (FMVSS) 111 Standard for rear vehicle visibility. The rearview camera system shall provide a compliant image from a factory standard screen. If available and not already standard, the ability to upgrade to an in-dash monitor shall be allowed through the cost + 10% charge when requested by the purchasing agency.			
Step Bar – Entry/Egress	 Definitions: Door threshold – point of the vehicle where the driver & passengers place their foot upon entering the cabin. Step Bar – shall be a 3" diameter bully single, extended, or double step bar, or equivalent. The bar must have a minimum weight capacity of 250 lbs. and must be of metal construction. Running board – an elongated platform step that measures no less than six inches deep and must be installed to allow entry and egress from all side doors (including driver's as measures dictate). The board must have a minimum weight capacity of 250lbs. Method of Measurement: From level ground (not including curbing), measure the vertical clearance from the ground to the threshold for each passenger and driver entry door as defined above. Spec for Vans (including Cutaways): Running boards, as defined above, are required at all doors where the ground-to-threshold clearance exceeds 19". The astern rear door is exempt from this spec. Please be sure to measure all entry points, particularly on redesigned or new models, to prevent rejection at time of delivery and inspection. Note that tire & wheel changes could affect measurements – be sure to check for such changes on new model years. Spec for Pickups & Large Trucks: Step bars, as defined above, are required at all doors where the ground- 			

- For vehicles with extended, quad, or crew cabs (no matter the manufacturer's marketing description), an extended length or double step bar shall be installed that services the entry and egress for all doors.
- Please be sure to measure all entry points, particularly on redesigned or new models, to prevent rejection at time of delivery and inspection. <u>Note</u> that tire & wheel changes could affect measurements – be sure to check for such changes on new model years.

Spec for Utilities (SUV & Crossover):

- Running boards, as defined above, are required when any passenger (including driver) door's ground-to-threshold clearance on a utility vehicle exceeds 21".
- The running board shall cover the length of the rocker panel from the forward point of the front doors, to the rearward point of the rear passenger doors.
- The astern rear door/hatch is exempt from this spec.
- Please be sure to measure all entry points, particularly on redesigned or new models, to prevent rejection at time of delivery and inspection. <u>Note</u> that tire & wheel changes could affect measurements – be sure to check for such changes on new model years.

NOTICES:

- In all cases, overall manufacturer-desired ground clearances must be maintained.
- All step bars and running boards shall be the type that are customarily manufactured and marked to be used as steps (not décor).
- Step bars must be black powder coated and certified for a minimum weight capacity of 250lbs.
- Running boards should be black in color. Molded plastic running boards (OEM or aftermarket) are acceptable, so long as they are certified to a minimum weight capacity of 250lbs.
- Steps are not required for astern rear doors/hatches on vans or utilities.

Tires are to be mounted with black walls turned to the outside.

- All tire walls with contrasting colors such as white, red, raised white lettering, etc. are to be turned and mounted to the inside.
- The ordering governmental entity may reject delivery if black walls are not turned to the outside.

Tires

Spare Tires:

- Vehicle specs indicating the requirement of a spare tire (full or temporary) shall also be supplied with a vehicle manufacturer-approved jack and lug wrench.
- Vehicle specs indicating <u>full</u> size spare tires shall be equipped with spares that are <u>equivalent</u> to the vehicle's installed tires as delivered to the State.
- <u>Law Enforcement Vehicles</u>: <u>ALL</u> Law Enforcement vehicles shall be equipped with full size spares that are <u>identical</u> to the installed tires as delivered to the State.

	 State of South Carolina Tow Package: Factory installed hitch plus all necessary components to match or exceed the maximum rated towing capacity of the vehicle are to be included. Wiring will be completed to include all necessary components to utilize both 4-way and 7-way wiring harnesses. Standard configuration for drawbar, ball, pin, and clip:
Tow Package	NOTICES: This spec applies when: A governmental agency specifically requests the tow package as part of the vehicle order, or The individual vehicle spec includes the tow package as required/standard equipment. If the drawbar, pin, clip, and shank configuration is inadvertently omitted from a purchase order (i.e. "tow package" was the only description provided on the PO), it does not relieve the contractor of the requirement to provide the standard configuration above, or as outlined in the individual vehicle specifications. If a vendor's vehicle is provided factory-equipped (factory standard) with the hitch assembly, the vendor does not have to supply the standard configuration of the State of South Carolina tow package (wiring, drawbar & ball) when: The ordering governmental entity has not requested the tow package as part of the purchase, or The individual vehicle spec does not require the tow package as a standard/base item for the contract.
Winch	The standard specification winch is as follows: • Warn model Zeon 12 (89120) • Electric • Front Mount • 12,000lb. capacity, with roller fairlead (5742) • 80'cable • Grille guard with center horizontal bar and mounting bracket NOTICES: • The mounting bracket must not extend below the height of the front bumper. • The winch package may be installed by the contractor/factory, or an approved up-fitter.
Vehicle Up-fits – Unapproved / Not Ordered	If a vendor <u>chooses</u> to fulfill an order with dealer stock/retail units that were upfitted beyond factory-standard/equipped accessories (i.e. tow package, bed liner,

toolboxes, satellite radio, navigation, etc.), but not requested by the ordering governmental entity, the vendor may <u>not</u> petition the ordering governmental entity for reimbursement of the up-fit(s).
 End of Standard State Specifications.

NOTE: Vendors r	nust complete all blocks DICK SMITH FORD	highlighted in BLUE belov	v. Failure to complete	ALL blocks highlighted in	BLUE may deem	your offer non-responsive.
Vendor-suggested Model Name and Model Number:	TRANSIT 150/ F1C					
Base Price	: \$24,771.00		lo de la compa			
				"standard" in the GREEN cell.	Use the GREEN cell b	0.00 in the BLUE cell below and indicate relow also to indicate whether an Add o or Deduct. Be Specific.
Measures & Capacities	Requirement	Required Equipment	Requirement	Additions	Add-on Amount	Add Comments
Build/Body Style	Cargo Full Size Van	All federally-required safety components	Required	Body Glass - All sides	\$440.00	
Doors - Min. #	4 - Driver, Passenger, Hinged Passenger Side Access,	Must contain all components as retail base model	Required (unless otherwise stated)	Cargo Bay Paneling	\$461.00	
Engine - Fuel Type	Flex Fuel (E85 capable)	Colors	See State Std. Spec.	Cargo/Cab Divider (with door accessible to rear cargo area)	\$751.00	
Engine - Liters	Factory Std.	Factory-Std. Solar Glass	Required	Extended Body Length	\$1,200.00	
Engine - Min. Horsepower	Factory Std.	Air Conditioning	Required	Privacy Glass (state std. spec.)	\$483.00	
Engine - Min. Torque (ft.lbs.)	Factory Std.	AM/FM Stereo Radio	Required	Tow Package (per state std. spec)	\$478.00	
Fuel Capacity	Factory Std.	Bluetooth/Hands Free Calling	Required	Vinyl Floor Covering - Front & Rear	\$302.00	
Keys	3 (see std. specs)	Body Glass	Rear & Side Pass Door			
Passengers - Maximum #	2	Cruise Control w/Resume	Required	<u>Deductions</u>	Deduct Amount	Add Comments
Transmission Type	Automatic	Floor Mats	N/A	Body Glass - None	\$250.00	
Vehicle Height - Min. (in.)	82	Flooring	Vinyl Front	Body Glass - Rear Only	\$175.00	
Vehicle Length - Min./Max. (in.)	213/220	Intermittent Wipers	Required			
Vehicle Wheelbase - Min./Max (in.)	130/136	Power Brakes	Required, 4-wheel ABS			
GVWR - Min. Lbs.	8500	Power Door Locks w/Keyless Entry	Required			
		Power Driver Seat	No (Unless standard)			
		Power Side Mirrors (Passenger & Driver)	Required			
		Power Steering	Required			
		Power Windows	Required			
		Radio Noise Suppression	Required (see std. specs)			
		Rear Window Defroster	No (Unless standard)			
		Rearview/Backing Camera	Required			
		Running Boards/Steps	Required (state std. spec.)			
		Seating Configuration	Factory Standard			
		Seating Construction	Vinyl			
		Spare Tire	Full Size w/jack			
		Adjustable Steering Column	Required			
	<u>DELIVERY INFORMATION</u>			PRICE CALCULA (These cells automatics		
	Distance from Dealership to SFM Delivery Point (In Miles)	10 Miles		Base Price:	\$24,771.00	
	Amount of Base Price Allocated to Delivery to SFM	\$100.00		Total of All ADDS:	\$4,115.00	1
is field will automatically	Price Per Mile Contractor May Charge	#VALUE!		25% of all ADDS:	\$1,028.75	1
iter the days ARO in the UE cell	DAYS ARO:	180 Days		Total of All DEDUCTS:	-\$425.00	
				25% of All DEDUCTS:	-\$106.25	1
				Evaluated Amount:	\$25,693.50	ENTER THIS AS YOUR BID IN

FY21 Vehicle Specification