Vehicle Lifts and Garage Associated Equipment NASPO Master Contract 0316

Max Contract Period: 03/31/2017 -02/09/2022

Page last update: 2/1/2021

The six vendors on this contract offer vehicle lifts and other garage/repair equipment. Links to pricing and product information may be found below, by vendor.

DO NOT SIGN ANY DOCUMENTS THAT CONTAIN ADDITIONAL TERMS AND CONDITIONS

VENDORS

Hennessy Industries (Contract Ended- 02/18/18) Mohawk Lifts LLC Snap-on Stertil-Koni Vehicle Service Group

Hennessy Industries

includes Coats, BaseLine, Bada and Ammco products Alan Greene 1601 JP Hennessy Drive, LaVegne, TN 37086 Phone: 615-471-5554 ext 7354 Cell: 615-476-0212 Email: alan.greene@ammcoats.com

Contract Number: 4400015926

Mohawk Lifts LLC

Steve Perlstein PO Box 110, Amsterdam, NY 12010 Phone: 800-833-2006

Email: contracts@mohawklifts.com

Contract 4400025448 Number: Mohawk price and <u>www.govlifts.com/sc</u> product info:

To View PA, click the link below and click on The State of South Carolina

<u>Mohawk</u> Participating

<u>Addendum</u>

<u>Addendum</u>

Snap-on IndustrialBobby Draper2801 80th Street, Kenosha, WI 53143Phone:985-807-3111Fax:425-984-9041Email:robert.l.draper@snapon.com

Contract Number: 4400015734 Snap-on price and product info: <u>https://www1.snapon.com/Industrial/Government_Military/NVP-Lift-SC.html</u>

Snap-on Participating Addendum

Stertil-Koni

Kellie Boehm 200 Log Canoe Circle, Stevensville, MD 21666 Phone: 410-643-4434 toll free: 800-336-6637 Email: <u>kellie@stertil-koni.com</u>

Contract Number: 4400015740 Stertil-Koni price and product info: <u>http://naspo.stertil-koni.com/</u> <u>Stertil-Koni Participating</u> Addendum

Vehicle Service Group

includes Rotary products Christine Bilz 2700 Lanier Drive, Madison, IN 47250 Phone: 800-445-5438 ext 5655 Email: bilz@rotarylift.com

Contract Number:4400015978VSG price and product info:http://www.rotarylift.com/Government-Purchasing-Assistance/NASPO/VSG Participating Addendumhttp://www.rotarylift.com/Government-Purchasing-Assistance/NASPO/

South Carolina Pricing Sheet for Vehicle Service Group (VSG)

Supplier Supplier	. curr struk		Unit	of reading
Support	- Alexandre	Unite	Une	asure lead
SPOA10-SW SPOA10-RASW	2 Post Surface Lift 10,000lb Asymmetric With Shockwave Flip Up Adapters 2 Stage Arms 2 Post Surface Lift 10,000lb Asymmetric With Shockwave Round Adapters TRIO Arms	5364 19, 5768.59	EA 💎	15 N 15
SPOA10-TASW	2 Post Surface Lift 10,000lb Asymmetric With Shockwave Truck Adapters TRIO Arms	5768.59	EA	15
SPOA10-FASW SPOA7-MPSW	2 Post Surface Lift 10,000lb Asymmetric With Shockwave Flip Up Adapters TRIO Arms 2 Post Surface Lift 7,000lb Asymmetric With Shockwave and Drive Over Movable Pad	5768.59 7096.34	EA EA	15 15
SPO10-SW	2 Post Surface Lift 10,000lb Symmetric With Shockwave Flip Up Adapters 2 Stage Arms	5364.19	EA	15
SPO10-RASW SPO10-TASW	2 Post Surface Lift 10,000lb Symmetric With Shockwave Round Adapters 3 Stage Arms 2 Post Surface Lift 10,000lb Symmetric With Shockwave Truck Adapters 3 Stage Arms	5872.51 5872.51	EA EA	15 15
SPO12-SW	2 Post Surface Lift 12,000lb With Shockwave Flip Up Adapters 3 Stage Arms	7558.95	EA	15
SL210-MP8SW SL210-FASW	Shockwave Equipped Smart Lift With Movable Pads and Standard Controls 10K Shockwave Equipped Smart Lift With TRIO Superstructure and Flip Up Adapters 10K	9174.66 9174.66	EA EA	15 15
SL210-RASW	Shockwave Equipped Smart Lift With TRIO Superstructure and Round Adapters 10K	9174.66	EA	15
SL210-TASW SL212-TASW	Shockwave Equipped Smart Lift With TRIO Superstructure and Truck Adapters 10K Shockwave Equipped Smart Lift With TRIO Superstructure and Flip Up Adapters 12K	9174.66 11339.99	EA EA	15 15
Bench Controls	Shockwave Equipped Bench Control	563.40	EA	15
T110555 SL210-MP-Finish	Shockwave Inground Portion Only For Split Orders Shockwave Equipped Finish Kit With Movable Pad	5675.32 3567.57	EA EA	15 15
SL210-FASW-Finish	Shockwave Equipped Finish Kit With TRIO Superstructure and Flip Up Adapters 10K	3567.57	EA	15
SL210-RASW-Finish SL210-TASW-Finish	Shockwave Equipped Finish Kit With TRIO Superstructure and Round Adapters 10K Shockwave Equipped Finish Kit With TRIO Superstructure and Truck Adapters 10K	3567.57 3567.57	EA EA	15 15
SL212-TASW-Finish	Shockwave Equipped Finish Kit With TRIO Superstructure and Truck Adapters 10K	5621.48	EA	15
T100275 T100276	SL210 and SL212 Shockwave Equipped Completion Kit Equips Existing SL210 With 8" Plungers and Arm Style Superstructures With Shockwave	4597.34 3066.15	EA EA	15 15
T100277	Equips Existing Sez to With 6 " Hungers and Anni style superstructures with shockwave Equips Existing Smart Lift With 8" Plungers and Movable Pad Style Superstructures	3066.15	EA	15
T100281 T100282	Equips Existing Smart Lift With 8" Plungers and Arm Style Superstructures With Bench Controls Equips Existing Smart Lift With 8" Plungers and Movable Pad Style Superstructures With Shockwave Bench Controls	3664.60 3664.60	EA EA	15 15
T100290BK	SL210 Shockwave Bench Control Conversion Kit	2788.83	EA	15
T100291BK N539	SL212 Shockwave Bench Control Conversion Kit	2788.83 30.67	EA EA	15 15
FA7814BK	Column Baseplate Cover Spotline Laster Spotting Retrofit Kit	379.98	EA	15
T110606	Smart Lift DC Control Pedestal Kit	123.95	EA	15
SPOA10 SPOA10-RA	2 Post Surface Lift 10,000lb Asymmetric With 2 Stage Arms and Flip Up Adapters 2 Post Surface Lift 10,000lb Asymmetric With TRIO Arms and Round Adapters	3862.42 4214.23	EA EA	10 10
SPOA10-TA	2 Post Surface Lift 10,000lb Asymmetric With TRIO Arms and Truck Adapters	4214.23	EA	10
SPOA10-FA ATO7	2 Post Surface Lift 10,000lb Asymmetric With TRIO Arms and Flip Up Adapters 7,000lb Capacity Narrow 10' 3" Wide Asymetric 2 Post With 45 Degree Rotation	4214.23 3622.04	EA EA	10 10
SPOA7-LP-A	Surface Mounted 2 Stage Low Profile RA Arms With 3 1/2" Height	4090.28	EA	10
SPOA7-MP N2244YL	Surface Mounted Movable Pad Drive Over Type With Asymmetrical Design 3 Stage Telescoping Arms for Acoommodating Smaller Vheicles For Models SPOA9 and SPOA7	5586.42 1061.70	EA EA	10 10
N2224N2225YL	3 Stage Telescoping Arms for Acoommodating Smaller Vheicles For Models SPOA10	1061.70	EA	10
FJ6227 T100271	Movable Pad Retro Kit for Model SPOA10-500 Series and Above Adapter Extension Kit for SL210 With TRIO Superstructure	2758.16 196.56	EA EA	10 10
T100272	Round Adapter Kit for the TRIO Superstructure	259.79	EA	10
T100273 T100274	Truck Adapter Kit for the Superstructure Flip Up Adapter Kit for the TRIO Superstructure	259.79 259.79	EA EA	10 10
FJ6115BK	EH Auxiliary Adapters for Use When Raising Certain Vans or Pick Ups	249.15	EA	10
FJ6212KITYL FJ6195YL	Shorter Version of FJ6115 Extended Height Auxiliary Adapters	222.86 166.52	EA EA	10 10
FJ6133BK	EH Required To Lift 1988 or Newer GM Pickup Trucks	264.80	EA	10
FA5974 Three Dhose Dower	Wheel Wing Kit	137.72	EA EA	10 10
Three Phase Power SPO10	Optional 4 HP 3 Phase 60 Hz Power Unit For Use on 4 Post, SL, 2 Post Overhead Design 2 Post Surface Lift 10,000lb Symmetric With 2 Stage Arms and Flip Up Adapters	219.73 3862.42	EA	10
SPO10-RA	2 Post Surface Lift 10,000lb Symmetric With Front and Rear 3 Stage Arms With Round Adapters	4368.23	EA	10
SPO10-TA SPO12-TA	2 Post Surface Lift 10,000lb Symmetric With Front and Rear 3 Stage Arms With Truck Adapters 2 Post Surface Lift 12,000lb Symmetric With Front and Rear 3 Stage Arms With Truck Adapters	4368.23 6046.53	EA EA	10 10
SPO12-TALC	2 Post Surface Lift 12,000lb Symmetric With Front and Rear 3 Stage Arms With Truck Adapters and Height of 11' 8"	6338.25	EA	10
SPO12-WIDE	2 Post Surface Lift 12,000lb Symmetric Wider To Accommodate Wider Vehilces	6551.09	EA	10
SPO12-WIDE-EH1 SPO15	2 Post Surface Lift 12,000lb Symmetric With Height Overall 14' 11 1/2" 2 Post Surface Lift 15,000lb Capacity Lift	6872.23 11426.38	EA EA	10 10
SPO15-TALC	2 Post Surface Lift 15,000lb Symmetric Lift With Overall Adjustments of 13' 6", 14' 6"	11426.38	EA	10
FJ5115 SPO18	Aircraft Tug Adapters	1942.48 15730.75	EA EA	10 10
SPO18 SPO18-TALC	2 Post Surface Lift 18,000lb Capacity Lift 2 Post Surface Lift 18,000lb Symmetric Lift With Overall Adjustments of 13' 6", 14' 6"	15730.75	EA	10
Additional Rise	Additional 3" Rise Available for SPO10 AND SPOA10 Models	161.51	EA	10
EH1 (10) EH1 (12)	Extended 1' Height For 10,000lb Models Extended 1' Height For 12,000lb Models	314.25 498.92	EA EA	10 10
EH2 (10)	Extended 2' Height For 10,000lb Models	508.31	EA	10
EH2 (12) EH3 (12)	Extended 2' Height For 12,000lb Models Extended 3' Height For 12,000lb Models	679.21	EA	10
Seismic Option	Seismic Option	1152.47 93.90	EA EA	10 10
RLP77	2 Stage Low Profile Scissor With Fixed Pad	8513.60	EA	30
XX100018 XX100019	Hose Kit 4.5' Extension Hose Kit 8' Extension	72.62 77.62	EA EA	30 30
XX100003BK	Flush Mount Kit	348.06	EA	30
SMO14S-SW	Shockwave Equipped Open Front 4 Post Surface Lift 14,000lb Cap 158" Wheelbase	7476.94	EA	10
SMO14L-SW SMO14EL2-SW	Shockwave Equipped Open Front 4 Post Surface Lift 14,000lb Cap 182" Wheelbase Shockwave Equipped Open Front 4 Post Surface Lift 14,000lb Cap 215" Wheelbase	7476.94 7796.83	EA EA	10 10
SM14S-SW	Shockwave Equipped Closed Front 4 Post Surface Lift 14,000lb Cap 158" Wheelbase	6098.46	EA	10
SM14L-SW SM14EL2-SW	Shockwave Equipped Closed Front 4 Post Surface Lift 14,000lb Cap 182" Wheelbase Shockwave Equipped Closed Front 4 Post Surface Lift 14,000lb Cap 215" Wheelbase	6098.46 6407.74	EA EA	10 10
ARO14S-SW	Shockwave Equipped Open Front 4 Post Wheel Alignment Rack 14,000lg Cap 158" Wheelbase	19042.92	EA	30
ARO14L-SW	Shockwave Equipped Open Front 4 Post Wheel Alignment Rack 14,000lb Cap 182" Wheelbase	19042.92	EA	30
ARO14EL2-SW AR14S-SW	Shockwave Equipped Open Front 4 Post Wheel Alignment Rack 14,000lb Cap 215" Wheelbase Shockwave Equipped Closed Front 4 Post Wheel Alignment Rack 14,000lg Cap 158" Wheelbase	19355.29 18687.98	EA EA	30 30
AR14L-SW	Shockwave Equipped Closed Front 4 Post Wheel Alignment Rack 14,000lb Cap 182" Wheelbase	18687.98	EA	30
AR14EL2-SW	Shockwave Equipped Closed Front 4 Post Wheel Alignment Rack 14,000lb Cap 215" Wheelbase	19745.29	EA	30
S100077KIT S100129-S	Package Includes Two RJ7000 Rolling Bridges and Airline Kit for SM/SMO14 Bolt On Alignment Kit Converts SM/SMO To Alignment Racks 158" Wheelbase	5444.95 3849.90	EA EA	30 30
S100130-L	Bolt On Alignment Kit Converts SM/SMO To Alignment Racks 182" Wheelbase	3849.90	EA	30
S100131-EL2 S100135-S	Bolt On Alignment Kit Converts SM/SMO To Alignment Racks 215" Wheelbase Bolt On Alignment Kit Converts SM/SMO To Alignment Racks 158" Wheelbase With No Radius Gauges	4100.30 2862.07	EA EA	30 30
5100100 0	Ser Chr. mg.m.o.k. Hit Converte Chillonine To Anghinioni, Hadike Tob. Wheelinges With Ho Hadike Cauges	2002.01		

S100135-L	Bolt On Alignment Kit Converts SM/SMO To Alignment Racks 182" Wheelbase With No Radius Gauges	2862.07	EA	30
S100135-EL2	Bolt On Alignment Kit Converts SM/SMO To Alignment Racks 215" Wheelbase With No Radius Gauges	3112.47	EA	30
S100166	Bolt On Alignment Kit Converts SM18/SM18EL2 To Alignment Racks 194" Wheelbase	3849.90	EA	30
S1000128	Bolt On Alignment Kit Converts SM18/SM18EL2 To Alignment Racks 230" Wheelbase	3913.13	EA	30
SMO14S	Open Front 4 Post Surface Lift 14,000lb Cap 158" Wheelbase	6247.48	EA	10
SMO14L SMO14EL2	Open Front 4 Post Surface Lift 14,000lb Cap 182" Wheelbase Open Front 4 Post Surface Lift 14,000lb Cap 215" Wheelbase	6247.48 6566.74	EA EA	10 10
SM14S	Closed Front 4 Post Surface Lift 14,000lb Cap 158" Wheelbase	4803.92	EA	10
SM14L	Closed Front 4 Post Surface Lift 14,000lb Cap 182" Wheelbase	4803.92	EA	10
SM14EL2	Closed Front 4 Post Surface Lift 14,000lb Cap 215" Wheelbase	5113.17	EA	10
S100142Y	2 Ft Runway Extension for SM 14,000lb (not for open front lifts)	568.41	EA	10
Narrow Bay Application	Available for SM/AR Series	463.24	EA	10
SM18	Heavy Duty 4 Post Lift 18,000lb Capacity With 194" Wheelbase	7813.73	EA	10
SM18-EL2	Heavy Duty 4 Post Lift 18,000lb Capacity With 230" Wheelbase	8561.18	EA	10
SM30S	Heavy Duty 4 Post Lift 30,000lb Capacity With 235" Wheelbase	14590.81	EA	30
SM30L SM30-EL3	Heavy Duty 4 Post Lift 30,000lb Capacity With 271" Wheelbase Heavy Duty 4 Post Lift 30,000lb Capacity With 307" Wheelbase	15919.81	EA	30 30
S100012	2 Ft Runway Extension for SM18 and SM180	17246.30 568.41	EA EA	30
S100018	3 Ft Runway Extension for SM300-200/300 and SM30 Series	1199.42	EA	30
FA641-18	3 Ft Runway Extension for SM300-100 Series	1622.59	EA	30
RFL25	Heavy Duty Surface Mounted Runway Type Drive On Lift 25,000lb Capacity	19399.74	EA	30
ARO14S	4 Post Open Front Wheel Alignment Rack 14,000lb Capacity With 158" Wheelbase	17774.64	EA	10
ARO14L	4 Post Open Front Wheel Alignment Rack 14,000lb Capacity With 182" Wheelbase	17774.64	EA	10
ARO14EL2	4 Post Open Front Wheel Alignment Rack 14,000lb Capacity With 215" Wheelbase	18086.39	EA	10
AR14S	4 Post Closed Front Wheel Alignment Rack 14,000lb Capacity With 158" Wheelbase	16508.25	EA	10
AR14L AR14EL2	4 Post Closed Front Wheel Alignment Rack 14,000lb Capacity With 182" Wheelbase	16508.25 16821.25	EA EA	10 10
AR14EL2	4 Post Closed Front Wheel Alignment Rack 14,000lb Capacity With 215" Wheelbase Heavy Duty 4 Post Alignment Rack 18,000lb Capacity With 194" Wheelbase	17787.79	EA	30
AR18-EL	Heavy Duty 4 Post Alignment Rack 18,000lb Capacity With 94 Wheelbase	19119.29	EA	30
YA12	Drive On Space Saver Alignment Rack 12,000lb Capacity 179 1/2" Wheelbase	21366.01	EA	40
YA12-EL1	Drive On Space Saver Alignment Rack 12,000lb Capacity 189 1/2" Wheelbase	21366.01	EA	40
Y12	Drive On Space Saver General Service 4 Post Lift 12,000lb Capacity With 179 1/2" Wheelbase	14199.56	EA	40
Y12-EL1	Drive On Space Saver General Service 4 Post Lift 12,000lb Capacity With 189 1/2" Wheelbase	14199.56	EA	40
VLXS7	Surface Mounted Fixed Pad Low Rise Lift 7,000lb Capacity With 22" Rise	2269.88	EA	10
VLXS10	Surface Mounted Fixed Pad Low Rise Lift 10,000lb Capacity With 22" Rise	3390.42	EA	10
TLO7	Turf Maintenance Lift 7,000lb Capacity Turf Maintenance Lift 7,000lb Capacity Provides 2' Extra Height and 3" Additional Rise	5888.78	EA EA	10 10
TLO7-EH2 TLO7-EH4	Turf Maintenance Lift 7,000lb Capacity Provides 2' Extra Height and 3' Additional Rise	6397.09 6783.34	EA	10
N257KITYL	FA Arm Kit To Convert TLO7-200/400 Series Lift to a Lift for Passenger Cars and Light Trucks	1064.83	EA	10
N2206YL	FA Arm Kit To Convert TLO7-500 Series Lift to a Lift for Passenger Cars and Light Trucks	1064.83	EA	10
FJ5123YL	Rail Boster Kit for SPO9-200/400 Series Derates Lift to 7,000lb Capacity	3071.16	EA	10
FJ5204YL	Rail Boster Kit for SPO10-500 Series and Above Derates Lift To 7,000lb Capacity	3071.16	EA	10
SL210-MP8	Conventional Smart Lift 8,000lb Capacity With Movable Pads and Standard Controls	7932.67	EA	20
SL210-FA	Conventional Smart Lift 10,000lb Capacity With TRIO Superstructure and Flip Up Adapters	7932.67	EA	10
SL210-RA	Conventional Smart Lift 10,000lb Capacity With TRIO Superstructure and Round Adapters	7932.67	EA	10
SL210-TA SL212-TA	Conventional Smart Lift 10,000lb Capacity With TRIO Superstructure and Truck Adapters	7932.67 10103.64	EA EA	10 10
SL212-DOR	Conventional Smart Lift 12,000lb Capacity With TRIO Superstructure and Truck Adapters Combines SL212 With DOR 10 Runways 10,000lb Capacity	11795.09	EA	10
SL210-BU	Two Plunger Side By Side Fully Contained For Use With Drive On Runways 10,000lb Capacity	6298.81	EA	10
SL212-BU	Two Plunger Side By Side Fully Contained For Use With Drive On Runways 12,000lb Capacity	7284.14	EA	10
SL210i-MP8	8,000lb Capacity Smart Lift With Movable Pads, One Touch Controls and LDC	8261.95	EA	20
SL210i-FA	Smart Lift With TRIO Superstructure and Flip Up Adapters 10,000lb Capacity	8261.95	EA	10
SL210i-RA	Smart Lift With TRIO Superstructure and Round Adapters 10,000lb Capacity	8261.95	EA	10
SL210i-TA	Smart Lift With TRIO Superstructure and Truck Adapters 10,000lb Capacity	8261.95	EA	10
SL212i-TA	Smart Lift With TRIO Superstructure and Truck Adapters 12,000lb Capacity	10446.06	EA	10
SL212-DORi SL210-BUi	Combines SL212i With DOR 10 Runways 10,000lb Capacity Two Plunger Side By Side Fully Contained For Use With Drive On Runways 10,000lb Capacity With Liquid Detection	12434.86 6519.16	EA EA	10 10
SL212-BUi	Two Plunger Side By Side Fully Contained For Use With Drive On Runways 10,000lb Capacity With Liquid Detection	7619.67	EA	10
T110165	Power Unit Stand For Use With Three Phase One Touch Controls For Mounting On Power Unit	130.21	EA	10
T110280	Power Unit Stand For Use With Conventional and Single Phase One Touch Controls For Mounting On Power Unit	130.21	EA	10
T110425	Inground Portion Only For Split Smart Lift Orders	5491.27	EA	10
SL210-MP8-Finish	Finish Kits To Complete Conventional Smart Lift Base Unit With Movable Pad Superstructure	2509.63	EA	10
SL210-FA Finish	Finish Kits To Complete Conventional Smart Lift Base Unit With TRIO Superstructure and Flip Up Adapters 10,000lb Cap	2509.63	EA	10
SL210-RA Finish	Finish Kits To Complete Conventional Smart Lift Base Unit With TRIO Superstructure and Round Adapters 10,000lb Cap	2509.63	EA	10
SL210-TA Finish	Finish Kits To Complete Conventional Smart Lift Base Unit With TRIO Superstructure and Truck Adapters 10,000lb Cap	2509.63	EA	10
SL212-TA Finish SL212-DOR Finish	Finish Kits To Complete Conventional Smart Lift Base Unit With TRIO Superstructure and Truck Adapters 12,000lb Cap Finish Kit To Complete Base Units Combines SL212 With DOR 10 Runways 10,000lb Capacity	4482.16 6372.05	EA EA	10 10
SL210-BU Finish	Finish Kit For Conventional Smart Lift Base Unit 10,000lb Capacity	888.29	EA	10
SL212-BU Finish	Finish Kit For Conventional Smart Lift Base Unit 12,000lb Capacity	1860.47	EA	10
SL210i-MP8 Finish	Finish Kit To Complete Smart Lift Base Units With Movable Pad Superstructure 8,000lb Capacity	2837.66	EA	10
SL210i-FA Finish	Finish Kit To Complete Smart Lift Base Units With TRIO Superstructure and Flip Up Adapters 10,000lb Capacity	2837.66	EA	10
SL210i-TA Finish	Finish Kit To Complete Smart Lift Base Units With TRIO Superstructure and Truck Adapters 10,000lb Capacity	2837.66	EA	10
SL212i-TA Finish	Finish Kit To Complete Smart Lift Base Units With TRIO Superstructure and Truck Adapters 12,000lb Capacity	4914.10	EA	10
SL212-DORi Finish	Finish Kit To Complete Base Unit Combines SL212i With DOR 10 Runway 10,000lb Capacity	6899.15	EA	10
SL210-BUi Finish SL212-BUi Finish	Finish Kit For Conventional Smart Lift Base Unit 10,000lb Capacity Includes Liquid Detection System Finish Kit For Conventional Smart Lift Base Unit 12,000lb Capacity Includes Liquid Detection System	1095.50 2196.01	EA EA	10 10
T100249	Movable Pad Superstructure for Smart Lift With 8 1/2" Piston Diameter	1851.08	EA	10
T100270	TRIO Flip Up Superstructure Kit for 8" Plungers	1851.08	EA	10
T100268	TRIO Round Superstructure Kit for 8" Plungers	1851.08	EA	10
T100269	TRIO Truck Superstructure Kit for 8" Plungers	1851.08	EA	10
T110325	SL212 Superstructure Kit for 8" Plungers	2609.79	EA	10
T100210	3 Stage Superstructure Kit for 6" Plungers	1817.28	EA	10
T110177 T100094	Future Kit for 500 Series and Later SL212 and SL210 Completion Kit for 6" Plungers for T110126 Relocation Kit No Superstructure	2892.52 4413.30	EA EA	10 10
T100035	For 6" Plungers Completion Kits	1269.53	EA	10
T100239	SL210, SL210i, SL212 and SL212i Completion Kit for the T110177 Future Kit	3302.15	EA	10
T110270	Gasket and Cover Kit for 400SL Models	304.24	EA	10
T100236	LDS Conversion Kit for SL210, SL212, and SL29 Converts Conventional Control Lifts to LDS Controls	968.42	EA	10
T100183	Liquid Removal System	497.04	EA	10
T100011 Hose Kit	Pre-Cut Hose Kit Including 25' Hydraulic Hose Air Regulator	184.04	EA	10
T140072	Mobil 1 Anitwear Grease	11.27	EA	10
DOR10-S DOR10-L	2 Runways, 2 Auto Ramp Chocks and Yoke Bolts 10,000lb Capacity 158" Wheelbase 2 Runways, 2 Auto Ramp Chocks and Yoke Bolts 10,000lb Capacity 182" Wheelbase	4090.28 4090.28	EA EA	10 10
S100045	DOR Drive Thru Ramp Kit for Smart Lift	4090.28	EA	10
S100016	Drive On Runway Efficiency Alignment Package With Rolling Jacks	7055.02	EA	10
S100023	Drive On Runway Efficiency Alignment Package With Swing Air Jacks	7615.29	EA	10

FA5700	Light Kit Four 48" Long Light Wands With 216 LEDS Each (8) Magnetic Mounting Clips	562.15	EA	10
FA5701	Light Kit Two Light Wands With 95 LEDS Each Magnetic Mounting Clips	343.05	EA	10
FA5702	Rechargeable LED Inspection Light Top Spot Light and Light Wand	93.90	EA	10
RTP9	9,000lb Capacity Base Plate Style Open Top 2 Post Lift	3056.76	EA	10
R10	Surface Mounted Frame Contact Lift With 3 Stage Arms 10,000lb Capacity	2689.30	EA	10
RTP10	Surface Mounted Frame Contact Lift With 3 Stage Arms 10,000lb Capacity With Spot Rite Arms	2932.18	EA	10
R12	12,000lb Capacity 2 Post Lift With 2 Stage Arms	4697.50	EA	10
RTP12	12,000lb Capacity 2 Post Lift With 3 Stage Arms	5459.97	EA	10
RFP8	8,000lb Capacity With Accessories 115v Operation	2738.12	EA	10
RFP9	9,000lb Capacity 4 Post Storage Lift	3669.61	EA	10
RFP14	General Service 4 Post 14,000lb Capacity	4521.60	EA	10
RJ35BK RRJ45G	3,500lb Capacity Rolling Bridge Jack With Arms and Stack Adapters	644.78 910.20	EA EA	10 10
RRJ70G	4,500lb Capacity Rolling Bridge Jack With Arms and Stack Adapters		EA	10
RMR6	7,000lb Capacity Rolling Bridge Jack With Arms and Stack Adapters Fully Portable Mid Rise Lift 6,000lb Capacity	1984.42 2191.63	EA	10
RXLDT	1,000lb Scissor Style Drop Tail Motorcycle Lift	1160.60	EA	10
S100046	To Move Power Unit To Front of Column for Additional Space	21.91	EA	10
FC5760-14	Internal Airline Kit	304.86	EA	10
S100142YBL	2 Foot Bolt On Runway Extension Kit for RFP14	568.41	EA	10
S1000130MBL	Bolt On Kit To Convert RFP14 To Alignment Rack	3849.90	EA	10
S100150YBL	Drive Thru Ramps 51" Long for RFP14 Only	429.44	EA	10
S100160	Extended Aluminum Ramps	688.60	EA	10
FC663BK	7,000lb Rolling Jack Tray for RFP14 Only	408.15	EA	10
SH4D-5555	Additional Drip Tray for Complete Coverage RFP9 Only	16.28	EA	10
SHAD-6000G	Drive Thru Ramps 36.5" Long for RFP9 Only	85.76	EA	10
SHAD-8050	Additional Jack Tray for RFP9 Only	112.68	EA	10
SHAD-9000	Flooring Panel for RFP9 Lift To Convert Lift To Solid Deck for Storage	87.64	EA	10
H4D-8000	Flooring Panel for RFP8 Lift To Convert Lift To Solid Deck for Storage	48.20	EA	10
TPB10-D1	Door Bumper Kit Includes (2) PV-3005 Bumpers and Hardware	34.43	EA	10
T100285BK	Truck Adapter Kit Includes (4) T110564ZN Adapters, Adapter Rack and Attachment Hardware	259.79	EA	10
FJ6137BK	Required for Raising Mini Vans With Running Boards	289.21	EA	10
FJ6138BK	Polymer Pad Adapter Provides 1/2" Additional Clearance	153.37	EA	10
FJ6190YL	Step Polymer Poad Adapter Provides 1" Additional Clearance	160.88	EA	10
FJ6139BK	High Step Polymer Pad Adapter Provides 2 1/2" Additonal Clearance	160.88	EA	10
FJ6100BK	Includes (4) FJ696 (4) FJ697 and (4) FJ698 Plus 2 Piece Column or Wall Mounted Adapter Organizer	488.28	EA	10
FJ6104BK	Includes (4) FJ6101 (4) FJ697 and (4) FJ698 Plus 2 Piece Column or Wall Mounted Adapter Organizer	505.81	EA	10
FJ6105BK	Includes (2) FJ696 (2) FJ6101 (4) FJ697 (4) FJ698 Plus 2Piece Column or Wall Mounted Adapter Organizer Rack	498.30	EA	10
FJ6117BK	Includes (4) FJ7858 (4) FJ697 (4) FJ698 Plus 2 Piece Column Adapter Organizer Rakc	513.32	EA	10
FJ6197	Set of (4) FJ6214 Truck Adapters	254.78	EA	10
FJ6225	Set of (4) FJ6202 Round Adapters	254.78	EA	10
FJ7880BK	Adapter Extension Kit	192.81	EA	10
FJ6200	Set of Four FJ6201 Thread Up Adapters for SPO12	324.27	EA	10
FA5911BK	Air Electric Utility Box On Any 2 Post Lift	344.93	EA	10
FA5910BK	Air Electric Utility Box Excluding Filter Lubricator Regulator	216.60	EA	10
FA915	Air Electric Utility Box On Any 4 Post Lift Excluding SM30	344.93	EA	10
FA916KIT	Air Electric Utility Box On Any 4 Post Lift Excluding SM30 Excluding Filter Lubricator Regulator	214.72	EA	10
FA2259	Air Electric Utility Box Including Filter Lubricator Regulator for SM30 Lift	344.93	EA	10
FA2260	Air Electric Utility Box Excluding Filter Lubricator Regulator for SM30	223.48	EA	10
FA5202	Dual Air Electric RFL Kit for Inbay Lifts	582.18	EA	10
FA5112	Full Size Shim Kit for 2 Post Light Duty Models	148.36	EA	10
FJ864BK	Power Unit Stand for Low Rise Lifts-Power Unit Not Included	65.10	EA	10
S100136-L	Bolt On Alignment Kit-No Radius Gauges for SM/SMO14 To An Alignment Rack 182" Wheelbase	2862.07	EA	10
S100136-EL2	Bolt On Alignment Kit-No Radius Gauges for SM/SMO14 To An Alignment Rack 215" Wheelbase	3112.47	EA	10
S100128	Bolt On Alignment Kit Converts SM18 To Alignment Rack	3913.13	EA	10
FA5501-1	4-Wheel Alignment Retrofit Kit for DOR Series 2 Post Lifts	2737.50	EA	10
FC5396	Wheel Alignment Conversion Package for SM30 Series Lifts	4004.52	EA	10
FC5117 KIT	Filler Adapter Kit for Alignment Racks/Bolt On Alignment Kit	31.93	EA	10
FC5974	Radius Gauge Filler Plate Kit Fits Lift With Long Recess	176.53	EA	10
FC5102	Radius Gauge Filler Plate Kit Fits Lifts With Standard Recess	148.36	EA	10
RJ6000Y	Rolling Jack for SM12, Y-Lift Includes Rubber Adapter Blocks	2428.25 2428.25	EA EA	10 10
RJ6000Y-R RJ7000Y	Rolling Jack for SM121, SM/SMO122 and AR/ARO122 Prior To April 2000 Rolling Jack for SM/SMO14, AR/ARO14		EA	10
RJ9000YBK	Rolling Jack for SM18 Series Lift	2572.23 2928.43	EA	10
RJ9000Y-1BK	Rolling Jack for SM181 Only Series Lift	2920.45	EA	10
RJ9000Y-2BK	Rolling Jack for SM30 Series Lift	3250.19	EA	10
RJ150BK	Heavy Duty Rolling Jack for SM30 15,000lb Capacity	6420.88	EA	10
SJ6000	Swing Air Jack for AR/SM Series Lift 6,0001b Capacity	3439.87	EA	10
SJ8000	Swing Air Jack for AR/SM Series Lift 8,000lb Capacity	3439.87	EA	10
SB700071Y	Flat Polymer Pad Adapter Adds 1/2" Height	9.39	EA	10
FJ2427E	Flat Polymer Pad Adapter Adds 1 1/2" Height	9.39	EA	10
FJ2428E	Flat Polymer Pad Adapter Adds 3" Height	17.53	EA	10
SB100040YL	Extended Height Adapter Kit for RJ9000Y	97.03	EA	10
SB100017YL	Extended Height Adapter Kit for RJ7000	97.03	EA	10
SB100003YL	Extended Height Adapter Kit for RJ6000	97.03	EA	10
S100017	Efficiency Package Includes (2) RJ6000 Rolling Jacks Airline Kit	7235.93	EA	10
FJ6211BK	Extended Height Adapters for Pad Lifts	215.34	EA	10
FA5211	7,500lb Stainless Steel Alignment Turntable	907.70	EA	10
FA5211KIT	7,500lb Alignment Turntable Kit With Retainer Hardware	1772.21	EA	10
S100151Y	Ramp Chock Kit for Drive Thru Bay Operations	429.44	EA	10
S100152Y	Extended Ramp Chock Kit for Model SM/SMO14 and SM101	441.96	EA	10
S100013	Extended Ramp Chock Kit for Model SM18	610.98	EA	10
FC5825	Ramp Chock Kit for Drive Thru Bay Operations for Model SM18	562.15	EA	10
FC5780-3	Additional Ramp Chocks for Drive Thr Bay Operations for SM300-200 and SM30	344.93	EA	10
FC5781-7	Extended Ramp Chocks for SM300-200 Series Lift	557.77	EA	10
FC613BK	Rolling Tray for SM30 Series Lifts	2127.77	EA	10
FC5378BK	2 Bolt On Work Steps for All 4 Post Series Lift	410.03	EA	10
FC5967	30 Gallon Low Profile Rolling Drain Pan	634.14	EA	10
FC5393BK FC5414	Full Size 1/4" Shim Kits for ARO123, QL, SM18 and SM30 Lifts	184.67 268.55	EA EA	10 10
S100093	Full Size 1/4" Shim Kits for SM/SMO Series AR/ARO123, QL, SM18 and SM30		EA	
FA647	Full Size Shim Kit for Front of SMO/ARO14 Open Front Lifts 2 Ft Runway Extension for SM/SMO 12,000lb Series	148.36 425.05	EA	10 10
S100060	2 Ft Runway Extension for SM/SMO 12,000lb Series 2 Ft Runway Extension for SM/SMO 14,000lb Series	425.05 568.41	EA	10
Z100006	Extended Rear Ramps	522.71	EA	10
Z100006 Z100007	Extended Rear Ramps	522.71	EA	10
Z100007 Z100008	Standard 54" Front Ramps	512.69	EA	10
Z100009	Extended 70 15/16" Front Ramps	532.73	EA	10

Z100010	Flush Front Ramps	532.73	EA	10
Z100011	Y-Lift Rear Slip Plate Refurbish Kit	920.85	EA	10
Z100012 Z100013	Full Size Base Shim Kit (6 shims @ 1/4" & 6 shims @ 1/8" Full Size Base Shim Kit (4 shims @ 1/2"	242.89 242.89	EA EA	10 10
Z100014	Stainless Steel Rear Slip Plate Base Kit	2447.66	EA	10
Z100017	Hose Relocate Kit	266.68	EA	10
Z100020	Spacer Tool	71.36	EA	10
FA5157	Carbon Steel 1/2" x 14" x 1 1/2" Radius Gauge	388.75	EA	10
S130205 Z100022	Stainless Steel 12" x 14" x1 1/2" Radius Gauge Y-Lift Radius Gauge Filler Kit	493.91 219.10	EA EA	10 10
FA5310	Crossbeam Kit for Movable Pad Lifts	1263.27	EA	10
FJ2498	Flat Polymer Pad Adapter Kit Adds 1/2" Height	35.06	EA	10
FJ2439	Flat Polymer Pad Adapter Kit Adds 1 1/2" Height	46.95	EA	10
FJ2440	Flat Polyer Pad Adapter Kit Adds 3" Height	67.61	EA	10
FA834-KIT		237.88	EA	10
N823 FA5191E	Door Defender Tool Holder	71.99 55.71	EA EA	10 10
RS4	4,000lb Jack Stand	98.91	EA	20
Wash Bay	Stainless Steel Equalizer Cables, Stainless Steel Latch Vable and Splash Guard	458.86	EA	20
N326/N325	Stainless Steel Equalizer Cables for SPO9/SPOA9 Lifts	183.42	EA	20
N3106/N3105	Stainless Steel Equalizer Cables for SPO10/SPOA10	183.42	EA	20
FJ7923	Stainless Steel Latch Cable	33.80	EA	20
FA595 FA7129	Splash Guard To Protect Power Unit Motor Power Unit Bracket Extension	44.45 28.80	EA EA	20 20
TT1001	Stainless Steel Turning Radius Gauge Kit	1168.87	EA	20
FA5155	Standard Turning Radius Gauge Kit	815.05	EA	20
S130237	AR18 Stainless Steel Radius Gauge	579.05	EA	20
FC5268	Four Wheel Steer Slip Plate Kit	649.79	EA	20
S100147	Rear Stainless Steel Shield Kit for AR/ARO14 100 Series	920.85	EA	20
S100148 S100096	Front Stainless Steel Shield Kit for AR/ARO14 100 Series Rear Stainless Steel Shield Kit for AR/ARO14	826.95 920.85	EA EA	20 20
S100095	Front Stainless Steel Shield Kit for AR/ARO14	826.95	EA	20
FC7118	Rear Stainless Steel Shield Kif for AR/ARO12	718.65	EA	20
S100052	Front Stainless Steel Shield Kit for AR/ARO12	826.95	EA	20
MW-200	200lb Capacity Air Operated Tire and Wheel Lift	1270.78	EA	20
MW-500	500lb Capacity Air Operated Tire and Wheel Lift	2100.86	EA	20
FA7118	Overhead Cutoff Switch Assembly Overhead Cutoff Switch Assembly for Three Phase	192.81 235.38	EA EA	20 20
FA7385 LP20041	Optional Extended Parts Warranty 30,000lb and Under	109.55	EA	5
SV0058	Optional Extended Parts Warranty Parallelogram, HDC and VR Lifts Additional 2 Years	1878.00	EA	5
SV0059	Optional Extended Parts Warranty Parallelogram, HDC and VR Lifts Additional 4 Years	2504.00	EA	5
SV0060	Optional Extended Parts Warranty Heavy Duty In-ground Additional 2 Years	1878.00	EA	5
SV0061	Optional Extended Parts Warranty Heavy Duty In-ground Additional 4 Years	2504.00	EA	5
SV0062	Optional Extended Parts Warranty Mobile Columns Additional 2 Years	187.80	EA	5
SV0063 MCH 13 Wired 2 Unit	Optional Extended Parts Warranty Mobile Columns Additional 4 Years Portable Lift Wheel Pickup 2-Unit System With Movable Forks and Battery Operated 2 Columns 26,000lb Capacity Wired	313.00 13238.65	EA EA	5 30
MCH 13 Wired 4 Unit	Portable Lift Wheel Pickup 4-Unit System With Movable Forks and Battery Operated 2 Columns 52,000lb Capacity Wired	26476.67	EA	30
MCH 13 Wired 6 Unit	Portable Lift Wheel Pickup 6-Unit System With Movable Forks and Battery Operated 6 Columns 78,000lb Capacity Wired	39715.32	EA	30
MCH18 Wired 2 Unit	Portable Lift Wheel Pickup 2-Unit System With Movable Forks and Battery Operated 2 Columns 36,000lb Capacity Wired	19659.53	EA	30
MCH18 Wired 4 Unit	Portable Lift Wheel Pickup 4-Unit System With Movable Forks and Battery Operated 2 Columns 72,000lb Capacity Wired	39319.06	EA	30
MCH18 Wired 6 Unit	Portable Lift Wheel Pickup 6-Unit System With Movable Forks and Battery Operated 2 Columns 108,000lb Capacity Wired	58976.71	EA	30
MCH18 Wireless 2 Unit MCH18 Wireless 4 Unit	Portable Lift Wheel Pickup 2-Unit System With Movable Forks and Battery Operated 2 Columns 36,000lb Capacity Wirele Portable Lift Wheel Pickup 4-Unit System With Movable Forks and Battery Operated 2 Columns 72,000lb Capacity Wirele	22382.63 44765.26	EA EA	30 30
MCH18 Wireless 6 Unit	Portable Lift Wheel Pickup 4-Onit System With Movable Forks and Battery Operated 2 Columns 12,000b Capacity Wirel	67148.52	EA	30
MCH18 AC Wired 2 Unit	Portable Lift Wheel Pickup 2-Unit System With Movable Forks and Battery Operated 2 Columns 36,000lb Capacity AC Wir	21625.80	EA	30
MCH18 AC Wired 4 Unit	Portable Lift Wheel Pickup 4-Unit System With Movable Forks and Battery Operated 2 Columns 72,000lb Capacity AC Wir	43250.97	EA	30
MCH18 AC Wired 6 Unit	Portable Lift Wheel Pickup 6-Unit System With Movable Forks and Battery Operated 2 Columns 108,000lb Capacity AC W	64875.51	EA	30
M140112	Locklight MCH Kit	297.35	EA	30
M140115 ML41YL	Locklight MCH Kit for AC Models Saddle Cree Beam With Two Support Blacks for Frame Bick Lin	396.88	EA	30
M140070YL	Saddle Cros Beam With Two Support Blocks for Frame Pick Up Low Profile Cross Beam With Two Support Blocks for Frame Pick Up	1437.30 3147.53	EA EA	30 30
FD2353KITYL	Ramp Style Cross Beam With Two Ramps for RV Pick Up	1659.53	EA	30
RS13YL	Adjustable Jack Stand 13,000lb Capacity 56.1"-82.3"	620.37	EA	30
RS18YL	Adjustable Jack Stand 18,000lb Capacity 56.1"-82.3"	652.92	EA	30
RS1852SYL	Adjustable Jack Stand 33,000lb Capacity 34.3"-55.5"	580.93	EA	30
RS33SYL	Adjustable Jack Stand 18,000lb Capacity 55.31"-82.28"	1136.82	EA	30
M140004RD M140012RD	Forklift Ramp Kit Forklift Ramp Kit for Drive Through Operation	5326.01 5326.01	EA EA	30 30
M140005YL	Fore and Aft Truck Frame Kit	1881.13	EA	30
M110108BK	Cart for Fore and Aft Truck Frame Kit	597.83	EA	30
M140079YL	Fore and Aft Truck Frame Kit for MCH13 Models	1881.13	EA	30
M140002BK	24VDC Led Service Lamp Kit (2 Rectangle Lamps) for MCH18 Series Lifts Only	533.98	EA	30
M140082BL	24VDC Led Service Lamp Kit (2 Round Lamps) for MCH13 and MCH18 Series Lifts	479.52	EA	30
M140001RD M140041RD	Long Fork Kit Includes Two 22" Forks and Two 8" Leg Extensions Long Fork Kit Includes Two 20" Forks and Two 8" Leg Extensions	673.58 673.58	EA EA	30 30
M140015RD	Drive-On Runway Assembly	26083.54	EA	30
RJ25001BK	25,000lb Rolling Jack	8057.87	EA	30
M140003	Pendant for MCH Mobile Column Lift Syste	1065.45	EA	30
M140014	Service Chip for MCH's	30.05	EA	30
M140024	Wireless Upgrade Kit	1621.97	EA	30
M140019RD M140107	Weight Gauge for MCH18 Weight Gauge for MCH13	125.20 125.20	EA EA	30 30
M120304BK	Large Wheel Adapter	89.52	EA	30
FA835-KIT	Locklight	237.88	EA	30
FC5247	8" Long Oil Drain Hose	80.13	EA	30
MOD35M-10	Modular Movable Jack Unit 10' Long Track	52614.05	EA	90
MOD35M-18 MOD35M-21	Modular Movable Jack Unit 18' Long Track	52614.05	EA	90
MOD35M-21 MOD35M-24	Modular Movable Jack Unit 21' Long Track Modular Movable Jack Unit 24' Long Track	52614.05 52614.05	EA EA	90 90
MOD35M Less Housing	MODIAI MOVADIE SACK ON 24 LONG MACK	27810.05	EA	90
MOD35M Housing Only	Housing Only	24804.00	EA	90
MOD35S	Modular Stationary Jack Unit	31708.15	EA	90
MOD35S Less Housing	MOD35S Less Housing	17937.40	EA	90
MOD35S Housing Only MC235C	MOD 35S Housing Only For 2 Post Lift Config Separate Papel With VEC Equalized Control Papel In Bay	13770.75	EA	90
MC235C MC335C	For 2 Post Lift Config Separate Panel With VEC Equalized Control Panel In Bay For 3 Post Lift Config Separate Panel With VEC Equalized Control Panel In Bay	11367.53 16873.20	EA EA	90 90
	,			

MC235CP	For 2 Post Lift Config Separate Panel With VEC Equalized Control Panel In Bay and Tethered Pandant	12122.49	EA	90
MC335CP	For 3 Post Lift Config Separate Panel With VEC Equalized Control Panel In Bay and Tethered Pandant	17628.16	EA	90
MC235PO	For 2 Post Lift Config Separate Panel With VEC Equalized Control Panel Remote Mounted Pendant Only Controls	12732.84	EA	90
MC335PO	For 3 Post Lift Config Separate Panel With VEC Equalized Control Panel Remote Mounted Pendant Only Controls	19404.12	EA	90
AK-SBA70-2PK	Adapter Kit for Most School Bus Applications	4504.70	EA	90
AK-HTA70-2PK AK-ULP70-2[L	Adapter Kit for Most Heavy Duty Truck Applications Adapter Kit for Most Low Profile Transit Bus Operations	4504.70 5327.26	EA EA	90 90
AK-ULP105-3PK	Adapter Kit for Most Transit Bus Applications For Use on 3 Post Lift Configuration	7273.49	EA	90
AK-HTA105-3PK	Adapter Kit for Most Heavy Duty Truck Applications For Use on 3 Post Lift Config	6450.30	EA	90
FD2361BK	Universal Adapter Stand Kit	124.57	EA	90
FD2438BK	Mobile Adapter Cart	566.53	EA	90
	2 2 Post MOD35 Pit Pre Install Cover Plate Kit	1757.81	EA	90
	3 3 Post MOD35 Pit Pre Install Cover Plate Kit	2637.34	EA	90
MC100021BK	Liquid Evacuation Kit for 2 Post MOD35	1755.93	EA	90
MC100022BK	Liquid Evacuation Kit for 3 Post MOD35	2394.45	EA EA	90
MC100040 MC100039RD	Cord Reel-No Festoon Special Low Voltage, Clutch Contats Pedestal Kit	2003.20 167.77	EA	90 90
FD6798	Preconfigured #5 Rebar Mat (Price is per each 3'x4' Section)	113.93	EA	90
EFX-10	Movable Scissor Unit With 10' Track	42784.60	EA	90
EFX-13	Movable Scissor Unit With 13' Track	42784.60	EA	90
EFX-17	Movable Scissor Unit With 17' Track	42784.60	EA	90
EFX-TANDEM	Movable Scissor Unit With Stationary Scissor 84" of Travel, Not Equipped With Adapter Kits, Cover Plates Included	67390.78	EA	90
EFX-60-S	Stationary Scissor 48" Pocket Opening, Not Equipped With Adapter Kits	24605.56	EA	90
2 Scissor Control	2 Post Configuration Console, 10hp 3ph Motor Available in 208, 230, 460, and 575v	10544.97	EA	90
3 Scissor Control AK-SBA60-2PK	3 Post Configuration Console, 15hp 3ph Motor Available in 208, 230, 460, and 575v Adapter Kit for Most School Bus Applications For Use on 2 Post Lift Configuration	16069.42 3916.88	EA EA	90 90
AK-HTA60-2PK	Adapter Kit for Most Beavy Duty Truck Application For Use on 2 Post Lift Configuration	3916.88	EA	90
AK-TRLP60-2PK	Adapter Kit for Most Low Profile Transit Bus Operations For Use on 2 Post Lift Configuration	3916.88	EA	90
AK-THTA90-3PK	Adapter Kit for Most Heavy Duty Truck Applications For Use on 3 Post Lift Configuration	5608.96	EA	90
AK-TRLP90-3PK	Adapter Kit for Most Low Profile Transit Bus Applications For Use on 3 Post Lift Configuration	5608.96	EA	90
EFX1402165000	2 Scissor Pendant Hand Held No Festoon	4217.36	EA	90
EFX1402165100	3 Scissor Pendant Hand Held No Festoon	5524.45	EA	90
EFX0906211002	Shims Available in 1/8" Thickness	4.38	EA	90
EFX0906211003	Shims Available in 1/4" Thickness	5.01	EA EA	90 90
EFX0906211004 EFX140131200	Shims Available in 1/2" Thickness Three (3) Hole Sliding Adapter for Rear EFX	5.63 1757.81	EA	90
EFX60-EQAWBFL	(Factory Option Only) Upgrate To Active Equalization on Scissors 60K	4812.69	EA	90
EFX90-EQAWBFL	(Factory Option Only) Upgrate To Active Equalization on Scissors 90K	6344.51	EA	90
EFX0809511200	6" Cover for 48" Wide Pit	173.40	EA	90
EFX0809531200	12" Cover for 48" Wide Pit	177.78	EA	90
EFX0809471200	24" Cover for 48" Wide Pit	302.36	EA	90
EFX1207511200	6" Cover for 50" Wide Pit (Tandem)	197.19	EA	90
EFX1207521200	12" Cover for 50" Wide Pit (Tandem)	287.33	EA	90
EFX1207531200	24" Cover for 50" Wide Pit (Tandem) Light Duty Movable Plunger Lifts for Cars, Trucks and Vans Not Designed for In-Pit Power Units 20,000lb Cap	411.28 20291.16	EA EA	90 90
60C 60P	Light Duty Movable Plunger Lifts for Cars, Trucks and Vans Not Designed for In-Pit Power Units 20,0001b Cap	20291.10	EA	90
60HC	Light Duty Movable Plunger Lifts for Cars, Trucks and Vans Not Designed for In-Pit Power Units 18,500lb Cap	21203.25	EA	90
68C	Light Duty Movable Plunger Lifts for Cars, Trucks and Vans Not Designed for In-Pit Power Units 32,000lb Cap	21945.06	EA	90
68P	Light Duty Movable Plunger Lifts for Cars, Trucks and Vans Designed for In-Pit Power Units 32,000lb Cap	21945.06	EA	90
70C	Movable Plunger Lifts for Trucks and Buses Not Designed for In-Pit Power Units 50,000lb Cap	21945.06	EA	90
70P	Movable Plunger Lifts for Trucks and Buses Designed for In-Pit Power Units 50,000lb Cap	21945.06	EA	90
R70C	Movable Plunger Lifts for Trucks and Buses Not Designed for In-Pit Power Units 50,000lb Cap Recessed Front Frame	28068.59	EA	90
R70P R70Q	Movable Plunger Lifts for Trucks and Buses Designed for In-Pit Power Units 50,000lb Cap Recessed Front Frame 52 Gall Movable Plunger Lifts for Trucks and Buses Designed for In-Pit Power Units 50,000lb Cap Recessed Front Frame In Pit	28068.59 28068.59	EA EA	90 90
10210C	Light Duty Movable Plunger Lifts for Cars, Trucks and Vans Not Designed for In-Pit Power Units 75,000lb Cap	32010.51	EA	90
10210P	Light Duty Movable Plunger Lifts for Cars, Trucks and Vans Designed for In-Pit Power Units 75,000lb Cap 76 Gallons	32010.51	EA	90
10210Q	Light Duty Movable Plunger Lifts for Cars, Trucks and Vans Designed for In-Pit Power Units 75,000lb Cap	32010.51	EA	90
R10210C	Movable Plunger Lifts for Trucks and Buses Not Designed for In-Pit Power Units 75,000lb Cap Recessed Front Frame 78	38371.30	EA	90
R10210P	Movable Plunger Lifts for Trucks and Buses Designed for In-Pit Power Units 75,000lb Cap Recessed Front Frame 78 Gall	38371.30	EA	90
R10210Q	Movable Plunger Lifts for Trucks and Buses Designed for In-Pit Power Units 75,000lb Cap Recessed Front Frame In Pit	38371.30	EA	90
703C 703P	Movable Plunger Lifts for Trucks and Buses Not Designed for In-Pit Power Units 75,000lb Cap	34304.80 34304.80	EA EA	90 90
R703C	Movable Plunger Lifts for Trucks and Buses Designed for In-Pit Power Units 75,000lb Cap Movable Plunger Lifts for Trucks and Buses Not Designed for In-Pit Power Units 75,000lb Cap Recessed Front Frame	47035.14	EA	90
R703P	Movable Plunger Lifts for Trucks and Buses Designed for In-Pit Power Units 75,000lb Cap Recessed Front Frame	47035.14	EA	90
R703Q	Movable Plunger Lifts for Trucks and Buses Designed for In-Pit Power Units 50,000lb Cap Recessed Front Frame	47035.14	EA	90
RU70P	Shutter Plate Lifts 50,000lb Cap Designed for In-Pit Power Unit Recessed Front and Frame 52 Gallons	40207.35	EA	90
RU70Q	Shutter Plate Lifts 50,000lb Cap Designed for In-Pit Power Unit Recessed Front and Frame	40207.35	EA	90
RU10210P	Shutter Plate Lifts 75,000lb Cap Designed for In-Pit Power Unit Recessed Front Frame 78 Gallons	50491.91	EA	90
RU10210Q RU703P	Shutter Plate Lifts 75,000lb Cap Designed for In-Pit Power Unit Recessed Front Frame Shutter Plate Lifts 75,000lb Cap Designed for In-Pit Power Unit Recessed Front and Rear Frame 78 Gallons	50491.91	EA EA	90 90
RU703Q	Shutter Plate Lifts 75,000b Cap Designed for In-Pit Power Unit Recessed Front and Rear Frame	59405.52 59405.52	EA	90
70QEXXX	2 Post Certified Inground Traditional Lift	35263.21	EA	90
703QEXXX	3 Post Certified Inground Traditional Lift	52004.32	EA	90
P5117	Above Ground Power Unit With Motor 98 Gal Tank Capacity 82 Gal Usable Gallons	5829.31	EA	90
P5118	Above Ground Power Unit With Motor 161 Gal Tank Capacity 146 Gal Usable Gallons	5976.42	EA	90
P5120	Above Ground Power Unit With Motor 159 Gal Tank Capacity 144 Gal Usable Gallons	9719.28	EA	90
P5121	Above Ground Power Unit With Motor 240 Gal Tank Capacity 224 Gal Usable Gallons	10565.63	EA	90
P5123 Single Phase Reward Unit	Above Ground Power Unit With Motor 106 Gal Tank Capacity 87 Gal Usable Gallons s Single Phase Power Units Adder	5829.31 547.75	EA EA	90 90
Dual Motor Units	Dual Motor Units Adder	1126.80	EA	90
P5122	In-Pit Power Units 99 Gal Tank 85 Gal Usable Gallons	9449.47	EA	90
P5110	In-Pit Power Units 53 Gal Tank 47 Gal Usable Gallons	8025.95	EA	90
P5124	In-Pit Power Units 106 Gal Tank 88 Gal Usable Gallons	9449.47	EA	90
208V Apps	208V Apps Adder	1126.80	EA	90
P863	Equalized In Pit Power Units 99 Gal Tank 85 Gal Usable Gallons	10706.48	EA	90
P862 FA74	Equalized In Pit Power Units	13847.75	EA	90
FA74 FA714	Magnetic Starter Magnetic Starter Includes Transformer	645.41 905.82	EA EA	90 90
FA75	Push Button Station	125.83	EA	90
FD5293YL	Saddles and Adapter Kit For Front or Rear 10 5/8" Jack With Lock Leg Located to the Rear	1546.85	EA	90
FD5294YL	Saddles and Adapter Kit For Front or Rear 10 5/8" Jack With W/8-Gland Bolts Per Jack	1646.38	EA	90
Chrome Plated Piston	Chrome Plated Piston for Extra Protection From the Caustic Conditions of the Wash Bay	1692.70	EA	90
FD2386YL	Ultra Low Saddle for 10" Traditional 4 Les Surface Maunted Clear Floer Onen Rece Vertical Rice Lift 200" Max Wheelbace 44 000lb Capacity 28' Rumuny	2207.90	EA	90
V44-28S	4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 300" Max Wheelbase 44,000lb Capacity 28' Runway	74495.25	EA	90
	4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 300" Max Wheelbase 44,000th Capacity 28' Pursuay	70431 80	FΔ	an
V44-28F V44-30S	4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 300" Max Wheelbase 44,000lb Capacity 28' Runway 4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 324" Max Wheelbase 44,000lb Capacity 30' Runway	70431.89 76317.54	EA EA	90 90

V44-30F	4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 324" Max Wheelbase 44,000lb Capacity 30' Runway	72254.17	EA	90
V44-32S	4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 348" Max Wheelbase 44,000lb Capacity 32' Runway	78035.91	EA	90
V44-32F	4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 348" Max Wheelbase 44,000lb Capacity 32' Runway	73972.54	EA	90
V44-36S	4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 396" Max Wheelbase 44,000lb Capacity 36' Runway	82869.25	EA	90
V44-36F	4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 396" Max Wheelbase 44,000lb Capacity 36' Runway	78805.89	EA	90
V64-28S	4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 300" Max Wheelbase 64,000lb Capacity 28' Runway	76576.70	EA	90
V64-28F V64-30S	4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 300" Max Wheelbase 64,000lb Capacity 28' Runway 4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 324" Max Wheelbase 64,000lb Capacity 30' Runway	72513.34 78399.61	EA EA	90 90
V64-30F	4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 324" Max Wheelbase 64,000lb Capacity 28' Runway	74336.25	EA	90
V64-32S	4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 348" Max Wheelbase 64,000lb Capacity 32' Runway	80216.89	EA	90
V64-32F	4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 348" Max Wheelbase 64,000lb Capacity 32' Runway	76153.53	EA	90
V64-36S	4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 396" Max Wheelbase 64,000lb Capacity 36' Runway	85449.00	EA	90
V64-36F	4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 396* Max Wheelbase 64,000lb Capacity 36* Runway	81385.63	EA	90
V64-48S V64-48F	4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 540" Max Wheelbase 64,000lb Capacity 48' Runway 4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 540" Max Wheelbase 64,000lb Capacity48' Runway	93496.86 89433.49	EA EA	90 90
V80-28S	4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 300" Max Wheelbase 60,000lb Capacity 28' Runway	82501.17	EA	90
V80-28F	4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 300" Max Wheelbase 80,000lb Capacity 28" Runway	78437.80	EA	90
V80-30S	4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 324" Max Wheelbase 80,000lb Capacity 30' Runway	83404.48	EA	90
V80-30F	4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 324" Max Wheelbase 80,000lb Capacity 30' Runway	79341.12	EA	90
V80-32S	4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 348" Max Wheelbase 80,000lb Capacity 32' Runway	85828.98	EA	90
V80-32F V80-48S	4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 348" Max Wheelbase 80,000lb Capacity 32' Runway	81765.62	EA	90
V80-48F	4-Leg Surface Mounted Clear Floor Open Base Vertical Rise Lift 540" Max Wheelbase 80,000lb Capacity 48' Runway 4-Leg Flush Mounted Clear Floor Open Base Vertical Rise Lift 540" Max Wheelbase 80,000lb Capacity 48' Runway	98002.80 93939.44	EA EA	90 90
RJ25000LBK	25,000lb Rolling Jack With Lock	8057.87	EA	90
RJ36000LBK	36,000lb Rolling Jack With Lock	8230.02	EA	90
APAIRKIT	Built-in Air	1982.54	EA	90
APRAMP10	10' Ramps (adder to standard lift cost)	4063.37	EA	90
	Light Kit (pair)	631.63	EA	90
APAUDALARM APAUXHT	Audible Descent Alarm Height Limiter	342.42 316.76	EA EA	90 90
AB100004RD	Retractable Wheel Kit for Rolling Jack	2307.44	EA	90
Tapeswitch	Tapeswitch per foot	71.36	EA	90
V30101	Programmer With Cord-Software For Laptop Running Windows XP and Win7/8	465.75	EA	90
V30100	Lap Top Programmer Cord	227.24	EA	90
Washbay Kit	All lifts include zinc galvanized primer with marine grade epoxy top coat. Baseplates are also painted with marine grade a	2715.59	EA	90
30/26 S 30/26 F	4-Leg Surface Mounted Clear Floor Open Base Parallelogram Lift 276" Wheelbase and 30,000lb Capacity With 26' Runwa 4-Leg Flush Mounted Clear Floor Open Base Parallelogram Lift 276" Wheelbase and 30,000lb Capacity With 26' Runway	63341.18 71789.05	EA EA	90 90
36/28 S	4-Leg Surface Mounted Clear Floor Open Base Parallelogram Lift 300" Wheelbase and 36,000lb Capacity With 28' Runwa		EA	90
36/28 F	4-Leg Flush Mounted Clear Floor Open Base Parallelogram Lift 300" Wheelbase and 36,000lb Capacity With 28' Runway	75978.25	EA	90
50/26 S	4-Leg Surface Mounted Clear Floor Open Base Parallelogram Lift 276" Wheelbase and 50,000lb Capacity With 26' Runwa		EA	90
50/26 F	4-Leg Flush Mounted Clear Floor Open Base Parallelogram Lift 276" Wheelbase and 50,000lb Capacity With 26' Runway	82679.58	EA	90
50/28 S	4-Leg Surface Mounted Clear Floor Open Base Parallelogram Lift 290" Wheelbase and 50,000Ib Capacity With 28 1/2 Ru	78210.56	EA	90
50/28 F	4-Leg Flush Mounted Clear Floor Open Base Parallelogram Lift 290" Wheelbase and 50,000lb Capacity With 28 1/2' Runw		EA	90
45/35 S 45/35 F	6-Leg Surface Mounted Clear Floor Open Base Parallelogram Lift 384" Wheelbase and 45,000lb Capacity With 35' Runwa 6-Leg Flush Mounted Clear Floor Open Base Parallelogram Lift 384" Wheelbase and 45,000lb Capacity With 35' Runway	89389.67 98319.56	EA EA	90 90
50/32 S	6-Leg Surface Mounted Clear Floor Open Base Parallelogram Lift 348" Wheelbase and 50,000lb Capacity With 32' Runwa		EA	90
50/32 F	6-Leg Flush Mounted Clear Floor Open Base Parallelogram Lift 348" Wheelbase and 50,000lb Capacity With 32' Runway	91618.23	EA	90
50/48 S	6-Leg Surface Mounted Clear Floor Open Base Parallelogram Lift 540" Wheelbase and 50,000lb Capacity With 48' Runwa	115262.87	EA	90
50/48 F		126635.41	EA	90
75/30 S	6-Leg Surface Mounted Clear Floor Open Base Parallelogram Lift 324" Wheelbase and 75,000lb Capacity With 30' Runwa		EA	90
75/30 F 75/48 S	6-Leg Flush Mounted Clear Floor Open Base Parallelogram Lift 324" Wheelbase and 75,000lb Capacity With 30' Runway 8-Leg Surface Mounted Clear Floor Open Base Parallelogram Lift 540" Wheelbase and 75,000lb Capacity With 48' Runwa	100557.51	EA EA	90 90
75/48 F	8-Leg Flush Mounted Clear Floor Open Base Parallelogram Lift 540" Wheelbase and 75,000lb Capacity With 48' Runway		EA	90
100/42 S	8-Leg Surface Mounted Clear Floor Open Base Parallelogram Lift 468" Wheelbase and 100,000lb Capacity With 42' Runw		EA	90
100/42 F	8-Leg Flush Mounted Clear Floor Open Base Parallelogram Lift 468" Wheelbase and 100,000lb Capacity With 42' Runway		EA	90
RJ42000LBK	42,000lb Rolling Jack With Lock	8401.55	EA	90
RJ50000LBK	50,000lb Rolling Jack With Lock	8743.97	EA	90
ARAMP8 APRAMP8DTKIT	8' Drive Thru Ramp Kit With Lift 8' Drive Thru Ramp Kit Without Lift	3423.59 4212.98	EA EA	90 90
APRAMP10DTKIT	10' Drive Thru Ramp Kit Without Lift	4212.98	EA	90 90
AP00405	1/16" x 4" x 4" Finger Shims	3.76	EA	90
AP00406	1/8" x 4" x 4" Finger Shims	4.38	EA	90
AP00407	1/4" x 4" x 4" Finger Shims	5.01	EA	90
Shim Plate	Full Base Plate Shim for Gen 5 6 and 7" Cylinder Machines	261.67	EA	90
AC100005 AC100003	Programmer With Cord (Gen 2, 3, 4, 5)-Software For Laptop Running Windows XP and Win7/8	465.74 227.24	EA EA	90 90
AP02508	Laptop Programmer Cord Hand Held Prgrammer Cord	69.49	EA	90 90
Adjustable Foot Pad	Adjustable Foot Pad	4788.90	EA	90
	e Includes zinc galvanized primer with marine grade epoxy top coat. Baseplates are also painted with marine grade and ep	7618.42	EA	90
	e Includes zinc galvanized primer with marine grade epoxy top coat. Baseplates are also painted with marine grade and ep	11516.52	EA	90
	e Includes zinc galvanized primer with marine grade epoxy top coat. Baseplates are also painted with marine grade and ep	15683.80	EA	90
	p Zinc galvanized primer with marine grade epoxy top coat only.	4902.83	EA	90
	se Stainless steel baseplates. Price is adder to standard baseplates for 4-leg lift. se Stainless steel baseplates. Price is adder to standard baseplates for 6-leg lift.	7345.48 11018.23	EA EA	90 90
	se Stainless steel baseplates. Price is adder to standard baseplates for 8-leg lift.	14690.97	EA	90
HDC50	Heavy Duty Truck/RV Lift 4 Post 50,000lb Capacity	52779.94	EA	90
HDC50L	Same as HDC50 except 33' runways	57530.03	EA	90
HDC60	Heavy Duty Truck/RV Lift 4 Post 60,000lb Capacity	59113.81	EA	90
HDC60L	Same as HDC60 except 33' runways	63807.55	EA	90
RJ30001LBK FC5968BK	Air Operated Rolling Bridge 20 Gallen Low Profile Bolling Drain Ban With Splach Guard, Drain Valvo and Dust Can	8260.07	EA EA	90 90
M1400099RD	30 Gallon Low Profile Rolling Drain Pan With Splash Guard, Drain Valve and Dust Cap Drive-Thru Ramp Kit for All HDC Models	803.16 1066.70	EA	90 90
M1400000112	HDC Column Mobility Kit	1986.30	EA	90
M140105	2" Shim Kit for HDC	895.18	EA	90
M140106	1" Shim Kit for HDC	480.14	EA	90
BLITZR20-15	Floor Running Rail Type Pit Lift With Chrome Piston, Patended Rust Protection, Needle Bearing Rollers and Hydraulic Pn	8771.51	EA	90
BLITZX20-15 CHUSLP14	Floor Running Free Moving Pit Lift With Automatic Load Stroke Air Motor, Hydrauli	8563.68 7580.23	EA	90
GHUSLP14 GA4	Suspended Pit Lift Flat Style Transmission and Accessory Table With Large Rubber Supports, Two Straps and a 12 Degree Tilt, Easily Moun	7580.23 1084.23	EA EA	90 90
ATS	Adjustable Height and Width Saddle and Adapter Assembly to Support a Vehicle Tranversely. Easily Mounted to Any Pit J	1655.77	EA	90
GSB	Support Bridge to Support the Vehicle While Allowing the Pit Lift to Be Moved Elsewhere	2639.22	EA	90
Junior-Jack2	Portable High Rise Jack Assembly for Removal and Transportation of Fuel Tanks, Transmissions, Transfer Cases and Ot	3561.94	EA	90
3134101	Adapter for GA5	130.21	EA	90
	BoSpecial Size Stationary Box	1429.78	EA	90
	ac Special Non-Standard Jack Rise Height ra Special Non-Standard Frame Size	857.62 748.70	EA EA	90 90
	•			

Special Resubscripting 1972 34 R.4 90 Risca Lessing Lessing South					
R1:30 Lavestes Carles Free Cleansing [12:18:2 C.A. 0 R1:40 R1:					
R1497 TLBBAY VCC PLA DA DA R1497 TLBBAY VCC PLA DA DA R1447 Barrya, Am Disp. R148 Barrya, Am Disp. PLA DA R1447 Barrya, Am Disp. R148 Barrya, Am Disp. PLA DA R1418 Barrya, Am Disp. R141 Barrya, Am Disp. PLA DA R141 Exercises HD R141 Exercises HD R148 Exercises HD R148 Exercises HD R143 Exercises HD R148 Exercises HD R148 Exercises HD R148 Exercises HD R143 Exercises HD R148 Exercises HD R148 Exercises HD R148 Exercises HD R148 Exercises HD R148 Exercises HD R148 Exercises HD R148 Exercises H					
R145 Titlebash R145 Display PL					
R145 Baref Monitory P127 2000 P14 Sectory					
BIOM Securit Description SPA 10	R146 Swing Arm Pro	R146 Swing Arm Pro	3848.65	EA	90
RedD Model HD RedD Mod					
Bit 11 control (B) Bit 11 control (B) Bit 10 Bit 10<					
01000.472 Unuessel Parage for Reverse from the 100 45.8 CA 00 01000.472 Devalac Clark Answers Campany Network (Net) Thorps Louing Inter (N 150 32.8 CA 00 PLUSSSM Al-Donne Inter Company Network (Net) Thorps Louing Inter (N 150 139.8 CA 00 PLUSSSM Al-Donne Inter Company Network (Net) Thorps Louing Inter (N 150 139.8 CA 00 PLUSSSM Al-Donne Inter Company Network (Net) Thorps Louing Inter (N 150 139.8 CA 00 GROMAINT GROMAINT GROMAINT 63.0 CA 00 GROMAINT GROMAINT GROMAINT GROMAINT CA 00 GROMAINT GROMAINT GROMAINT GROMAINT CA 00 GROMAINT GROMAINT GROMAINT GROMAINT GROMAINT GROMA					
01000.A12 Petet Cald Adapter to Campy Wrest Transp. Locking Holes Fir (11:0) 1000 <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
FILUSIBIN Ac-Deven Heiper With Roden Links A. FIGD TB back Units 192.59 FA 00 CHUBEND AC Down Jonatoms in Models R145, R1450 and R140 Set of a 18.78 E.A 00 GB00.0117 GB00.0117 GB00.0117 35.8 E.A 00 GB00.0117 GB00.0117 GB00.0117 53.7 E.A 00 GB00.0117 GB00.0117 GB00.0117 53.7 E.A 00 GB00.0117 GB00.0117 GB00.0117 53.7 E.A 00 GB00.0117					
PLUSDISA AP. Down Heigher for Models Manner H14S Shift And Changer 132.84 PLA 00 CBSDAG 4 Camp Protections for Models F14S, F145D and F144B Stei of A 132.8 CA 00 CBSDAG 4 Camp Protections for Models F14S, F145D and F144B Stei of A 132.8 CA 00 CBSDAG 4 Camp Protections for Models F151F. F145.8 F145.8 CA 00 CHSDAG Patial Tool Protection for Models F151F. F146.8 F					
PLUSIPIN					
GB00.117					
C6000.11 Bead Braker Biolo Photosin R140, R1450 and R145 50.4 60 C6000.2 Data Car Viness R000, R150,		G800A117		EA	90
GBUAB Auminum Frün Champ für Models HS01N, HS02 and HS11 51900 FA.6 60 GBUAB Parts T. Call Properties für Model HS01N 5.00 FA.6 60 GBUAB Parts T. Call Properties für Model HS01N FA.6 60 GBUAB FA.6 60 67.12 EA. 60 GBUAB Call Properity MS1 FA.6 60 67.00					
C1058-0 Plast Tod Protection for Model R501N 59.3 E.A. 80 C1058-0.4 Date for Wheek Mucka (Rig and Applicatual) Wheek Model R501N 59.1 E.A. 80 C1058-0.4 Entra for Start Mucka (Rig and Applicatual) Wheek Model R501N 101.4 E.A. 80 C1058-0.4 Entra for Start Mucka (Rig and Applicatual) Wheek Model R501N 407.1 E.A. 80 C1058-0.4 Musel Balancer Auto 407.1 E.A. 80 C1058-0.4 Witeel Balancer Par Tot					
G108A24 Die for Wheels Will Lock Rig Wild Add R00 547 1 E.A. 90 G108A22 Die for Wheels Will Lock Rig Wild Add R00 574 2 F.A. 90 G108A23 Camp for Earth Moring Wheels Str Moder S011 774 2 F.A. 90 G108A23 Camp for Earth Moring Wheels Str Moder S011 774 2 F.A. 90 G108A24 Wheel Balancer Pro 30 785 5 F.A. 90 G108A21 Wheel Balancer Pro 30 775 55 F.A. 90 G101A1 Wheel Balancer Pro Tock 20 775 55 F.A. 90 G101A1 Qualt Locksop for Auksnow Pro2 Tock 20 F.A. 90 GAR111 Qualt Locksop for Auksnow Pro2 Tock 20 F.A. 90 GAR111 Unward Fangs for All Balancer Fro Tock 20 F.A. 90 GAR111 Unward Fangs for All Balancer Fro Tock 20 F.A. 90 GAR111 Unward Fangs for All Balancer Fro Tock 20 F.A. 90 GAR111 Unward Fangs for All Balancer Fro Tock 20 F.A. 90 GAR121 Unward Fangs fo					
CHB1MA1 Run Locking Accessories WinG Center Hole 97.11 EA. 90 GR180ATS Clams No E affin Monog Winetis Hous GlaS 11 97.11 EA. 90 R135 Pro 3D Wheel Balancer Pro 2D 270.81 EA. 90 R135 Pro 3D Wheel Balancer Pro 2D 270.81 EA. 90 R122 Final Spin Wheel Balancer Hou Sgin D 71.25 EA. 90 R122 Final Spin Small LTINC Com 71.25 EA. 90 GR411 1 Standard Accessory GL 110.51 EA. 90 GR411 1 Standard Accessory GL 110.51 EA. 90 GR412 1 Courcl Locing Actamotics R122, R136, R165, R180 110.51 EA. 90 GR412 1 Courcl Locing Actamotics R120, R156, R544 80 85.2 EA. 90 GR412 1 Courcl Locing Actamotics R120, R156, R544 85.2 EA. 90 GR412 1 GR414 65.4 85.2 EA. 90 GR412 1 GR414 1 GR414 1 GR414 1 GR414 1 FA.					
G10825 Clamp for Jam Moreing Samours Auto F141 E.A. 60 R138 Pro 20 Wheel Balancer Hox 20 207031 E.A. 60 R138 Pro 20 Wheel Balancer Hox 20 720531 E.A. 60 R24 Pro 10x, 20 Wheel Balancer Hox 20 720531 E.A. 60 R24 Pro 10x, 20 Wheel Balancer Hox 10x, 20 720531 E.A. 60 R24 Pro 10x, 20 Wheel Balancer Hox 10x, 20 720531 E.A. 60 GAR1101 Outsk Locking for Automotile R122, R138, R155, R180 61515 E.A. 60 GAR131 Dualy R10 Conserve for Model R180 F183, R155, R180 633 E.A. 60 GAR132 Dualy R10 Conserve for Model R180 F184, R185, R185, R180 633 E.A. 60 GAR132 Dualy R10 Conserve for Model R180 F184 FA4 E.A. 60 GAR132 Distoch PModel R184 Balancer F184 F34 E.A. 60 GAR131 CLAN 100 Kin Model R544 GAR131 E.A. 60 F34					
R180 Pro 3D Aulo Weel Balancer Aulo 67.40 (2) F.A. 60 R152 Pro 3D 45.30 (2) 45.30 (2) F.A. 60 R122 Prod Spin Weel Balancer Frod Spin 725.50 (2) F.A. 60 R121 Prod Spin Weel Balancer Frod Spin 725.5 (2) F.A. 60 GAR11 T Small LTruck Cose 725.5 (2) F.A. 60 GAR11 T Diably Kit Doubel Side Core With Meal Backing Flate for Vans and Light Trucks 417.33 (2) F.A. 60 GAR13 T Duably Kit Doubel Side Core With Meal Backing Flate for Vans and Light Trucks 425.7 (2) F.A. 60 GAR13 T Duably Kit Doubel Side Core With Meal Backing Flate for Vans and Light Trucks 432.7 (2) F.A. 60 GAR13 C Proceson Adjustob Flategrin Flate Mall Tree Backing Flate for Vans and Light Trucks 432.7 (2) F.A. 60 GAR13 C Diabard Accessory for Model R13 G.A. 60 62.7 (2) 62.7 (2) 62.7 (2) 62.7 (2) 62.7 (2) 62.7 (2) 62.7 (2) 62.7 (2) 62.7 (2) 62.7 (2) 62.7 (2) 62.7 (2)<					
FIRSD Pro 2D Wine Blancer Pro 3D 423 bit LA 00 FIRSD Pro 2D Wine Blancer Pro 3D 207.01 F.A. 00 FIRSD Pro 2D Wine Blancer Hers Spr D 105.30 F.A. 00 FIRSD Pro 2D Small LINCA Cone 115.30 F.A. 00 GAR111 Standard Accessory KI 115.41 F.A. 00 GAR111 Standard Accessory KI 115.41 F.A. 00 GAR111 Standard Accessory KI 115.41 F.A. 00 GAR131 Durwenal Fungs for All Balancers 423.57 F.A. 00 GAR131 Durbennal Fungs for All Balancers 423.57 F.A. 00 GAR320 Blancerh Mickel Nuther R12, R138, R155, R144 423.69 F.A. 00 GAR331 Urbananz RA (LAS Nuther Model R124 423.61 F.A. 00 GAR122 GAR122 Spacer to R544 828.6 F.A. 00 GAR171 For Model R344 S Frager Alarger for Model R124 826.7 F.A. 00 GAR1721 For Model R344 S Frager Alarger for Model R124 827.6 F.A. 00					
R138 Pro 2D Wheel Balancer Pro 2D 2070 81 E.A. 90 R22 Hund Spin Minel Balancer Hund Spin 153.0 E.A. 90 R3A Pro Truck 2D Minel Balancer Hund Spin 153.0 E.A. 90 R3A Pro Truck 2D Minel Balancer Hund Spin 153.5 E.A. 90 GAR111 Quick Locking for Autsmother R122, R138, R155, R160 161.51 E.A. 90 GAR131 Dualy AC Double Stand Core Wink Mala Backing Plate for Yunn and Light Trucka 317.3 E.A. 90 GAR131 Dualy AC Double Stand Core Wink Mala Backing Plate for Yunn and Light Trucka 421.5 E.A. 90 GAR232 Blatedon Processory for Model R100 163.9 E.A. 90 GAR333 Ultassound Run Cut Sensor for Model R100 163.9 E.A. 90 GAR214 GAR114 Core Nor Model R104 30.1 E.A. 90 GAR121 Core Nor Model R104 30.5 F.A. 90 GAR214 Core Nor Model R404 30.5 F.A. 90 GAR214 Core Nor Model R404 R24.4 R24.7 E.A. 90 <					
R644 Protuck 20 Wheel Balancer Po Truck 2D 755 05 F.A. 90 CAR101 Oukle Locking for Automotive R122, R138, R165, R160 116 15 F.A. 90 CAR101 Oukle Locking for Automotive R122, R138, R165, R160 116 15 F.A. 90 CAR131 Universal Filings for All Balancers 420 05 F.A. 90 CAR131 Universal Filings for All Balancers 420 05 F.A. 90 CAR132 Precision Alighted Filings Filing File for All Tin Balancers 420 05 F.A. 90 CAR333 Ulinasound Run Cut Sensor for Model R130 168 30 F.A. 90 CAR161 Standard Accessor for Model R132 81 44 80 F.A. 90 CAR114 CAR141 Conse for R544 Balancer 314 38 F.A. 90 81 43 84 48 F.A. 90 CAR141 Conse for R544 Balancer 710, 118, 205, 222, 24 5 21 45 F.A. 90 CAR141 Conse for R544 Balancer Col					
GAR112 Small LTuck Come 78.2 FA 00 CAR101 Conscionery KG 191.3 FA 00 CAR101 Conscionery KG 191.3 FA 00 CAR131 Universal Finge for Al Baincer 420.05 FA 00 CAR132 Precision Adjustable Finge Finds for All The Baincers 422.57 FA 00 CAR132 Decision Adjustable Finge Finds for All The Baincers 422.57 FA 00 CAR232 Baincon Finner K1 for Model R160 144.54 FA 00 CAR233 Ulinasourd FA 104.64 FA 00 CAR315 Standard Actock Mt for Model R54 76.4 FA 00 CAR121 CAR124 77.6 76.4 FA 00 CAR121 CAR124 77.6 FA 60 00 CAR124 CAR124 77.6 FA 60 00 CAR124 CAR124 77.6 FA 00 00 00 00 00 00					
GAR111 Standard Accessory Kt 181.4 EA 00 GAR101 Duak Locks for Automalies R122, R138, R156, R10 31.7 EA 00 GAR131 Dualy K1 Double Side Cone Wm Medi Backing Piete for Yunn and Light Trucks 31.7 EA 00 GAR132 Decision Automative R124, R138, R155, R544 20.30 EA 00 GAR333 Untascund Find Cone Wm Medi R180, R155, R544 20.30 EA 00 GAR122 Standard Accessory for Model R138 RA 00 00 GAR122 GAR122, Standard Accessory for Model R138 RA 00 GAR122 GAR122, Standard Accessory for Model R138 RA 00 GAR141 GAR114 GAR114, GAR114 Cores for R544 Balance 90 GAR1171 For Model R544 Stander 33.3 EA 90 GAR141 GAR144 GAR144 GAR144 GAR144 GAR144 GAR142 71.6 EA 90 GAR141 For Model R544 Stander for Automatic Measure of Run Wdth GAR2207-17.5 33.86 FA 90 <td></td> <td></td> <td></td> <td></td> <td></td>					
GAR101 Oukik Looking for Automalie R122, R138, R155, R180 111 EA 90 GAR1311 Universal Flags for All Balancer 420,6 EA 90 GAR13111 Universal Flags for All Balancer 420,6 EA 90 GAR1321 Decktom Alguabatie Flags for All Balancer 420,6 EA 90 GAR132 Decktom Alguabatie Flags for All Balancer 420,8 EA 90 GAR153 Standard Accessory for Model R133 EA 90 90 93,4 EA 90 GAR154 Standard Accessory for Model R132 81,43 EA 90 93,4 EA 90 GAR114 GAR114 Cons for R544 Balancer 74,4 EA 90 94,7 14,7 For Inger Adagter for Model R24 90 94,7					
GAR131 Unlewsi Funge frait Bakengr Pite for Van Beakengr Pite for Vans and Light Trucks 317.3 F.A. 50 GAR1314 Unlewsi Funge frait Bakeners 422.57 F.A. 50 GAR1312 Precision Adjustable Finange Fills for All The Bakeners 422.57 F.A. 50 GAR1312 Bandard Accessory for Model R138 F.G. 50 5					
GAR12 Precision Adjuinable Flange Plate for All The Balamons 42.57 EA 90 GAR230 Bluetoofh Thirrer Ki for Model R120 149.42 EA 90 GAR231 Standard AL Lock Nuffor Model R120 169.32 EA 90 GAR231 Standard AL Lock Nuffor Model R121 81.33 EA 90 GAR231 Standard AL Lock Nuffor Model R544 83.31 EA 90 GAR131 GAR114 GAR1144 GAR114 GAR144 GAR144 <td>GAR113</td> <td></td> <td>317.38</td> <td>EA</td> <td>90</td>	GAR113		317.38	EA	90
GAR230 Bluetooth Primer Kit or Model R180, N125, R544 20.99 EA 90 GAR333 Uttrassouth Rin Out Semant or Model R180 188.39 EA 90 GAR1012 Standard Accessory for Model R138 EA 90 GAR102 Standard Accessory for Model R124 80 <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
GAR33 Ultrasound Run Out Semont for Model R180 145.42 EA 90 GAR102 Standard Accessory for Model R123 80.92 EA 80 GAR311 GAR114 GAR114 81.52 EA 80 GAR311 GAR114 GAR114 GAR114 87.54 EA 80 GAR114 GAR114 GAR114 GAR114 87.54 EA 80 GAR172 Four Finger Adapter for Model R544 80.05 272.22,22 218.47 FA 80 GAR173 For Model R544 Samot for Alternatic Massure of Rm With 195.84 EA 80 GAR2051 For Model R544 Samot for Alternatic Massure of Rm With 195.84 EA 90 R1900 Bay Sawr 30 Portable Console Witeless of Paphys Porgama and Data in 30 Garghis for Alternatic Massure of Rm With 195.84 EA 90 R1900 Bay Sawr 30 Portable Console Witeless of Paphys Porgama and Call Samot for Alternatic Massure of Rm Model Samot Sam					
GAR102 Standard Accessory for Model R133 EA 90 GAR105 Standard Accessory for Model R122 88.92 88.93 87.64 <					
GAR351 Sinudard Air Lock Nut for Model R544 87.64 EA 90 GAR114 GAR114 Cornes for R544 Bilancer 394.38 EA 90 GAR114 GAR114 Cornes for R544 Bilancer 394.38 EA 90 GAR117 Five Finger Adapter for Model R544 394.38 EA 90 GAR117 Five Finger Adapter for Model R544 394.38 EA 90 GAR124 For Model R544 Spacer for CAR1 122 159.44 EA 90 GAR214TK For Model R544 Winel Tire Sensor Electronic Decke for Runoul Measureen film Width 485.77 EA 90 GAR200 COR Space Portable Console and Equipped Wilth Nulli-Ade S-CCD Sensor System 90481.78 EA 90 F100 COR Space Portable Console Writelss and Equipped Wilth Nulli-Ade S-CCD Sensor System 9469.78 EA 90 F100 Tro Proc Sole Titheres Space Fort Amm 10,0001b Capacity 323.34 EA 90 F100 Tro Proc Sole Titheres Space Sole R10,0000 Capacity 328.45 EA 90 F100 Tro Proc Sole Three Sbage Sole R10,0000 Capacity 328.45 EA 90 <					
GAR122 GAR124 Space for R544 S83.13 EA 90 GAR171 For Model R54.3 Finger Adapter 3 X10, 186, 205, 222, 245 216.47 EA 90 GAR171 For Model R54.4 Shinger Adapter for Model R54.4 287.69 EA 90 GAR171 Fire Finger Adapter for Model R54.4 287.69 EA 90 GAR171 Fire Model R54.3 X10 fire Sensor Caller for Automatic Measure of Rim Width 377.35 EA 90 GAR2347 For Model R54.3 X10 fire Sensor Caller for Automatic Measure of Rim Width A28.66 75 EA 90 GAR2347 For Model R54.3 Michael Trie Sensor Science R600 Fire Science Science 28.63 EA 90 R100 Por CCD Portable Console Wirelessing and Equipped With Rivel Caller Advising Caster Adjustment Without Steering 28.63 EA 90 F10 Two Post Lin Trines Stagge Soft Ris 10.0001: Capacity 28.23 EA 90 F10 Two Post Three Stagge Soft Ris Advision Collangic Caller Michael Advision Capacity 28.44 EA 90 F10 Two Post Three Stagge Soft Ris Advision Collangic Cal	GAR105	Standard Accessory for Model R122	89.52	EA	
CAR114 CAR114 Cones for R244 3 lancer 394.38 EA 90 CAR172 Four Finger Adapter for Model R544 287.69 EA 90 CAR172 Four Finger Adapter for Model R544 287.69 EA 90 CAR124 For Model R244 30 Wheel The Sensor Calify for Adapter for Model R544 195.49 EA 90 CAR214 For Model R244 30 Wheel The Sensor Calify for Adapter for Model R544 195.49 EA 90 CAR214 For Model R244 30 Wheel The Sensor Calify for Adapter for Model R544 195.49 EA 90 R1080 Gay Saver 30 Portable Console writesiasy Dipalys Programs and Data in 30 Garphics Mobile Calify for Adapter for Model R543 80 90 R1090 FOR COCD Song Portable Console Writesiasy Dipalys Programs and Data in 30 Garphics Mobile Calify for Adapter for Model R544 90 90 F10 Two Post Lift Three Stage Spot R184 T0,000 Capacity 283.54 EA 90 DP10A Two Post Symmetric Arms & Columns Direar Hui 10,000 Capacity 2 Taler Than Standard 346.75 EA 90 DP10A Two Post Rear Mass Symmetric Caluma Direar Hui 10,000 Capacity 2 Taler Than Standard 346.75 <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
GAR171 For Model R544 3 Finger Adapter 3X 170, 186, 205, 222, 245 218.47 EA 90 GAR172 Five Finger Adapter for Model R544 374, 35 EA 90 GAR173 Five Finger Adapter for Model R544 374, 35 EA 90 GAR214 For Model R544 300 Wheel Tire Sensor Callinger for Automatic Measure of Rm Withh 439 90 GAR204TY For Model R544 300 Wheel Tire Sensor Callinger for Automatic Measure of Rm Woth 439 90 GAR204TY Portable Console Wrielessly Displays Programs and Data in 30 Graphics Mubile Calling for Automatic Measure of Rm Without Steering 2821, 73 EA 90 R1000 Por CCD Portable Console Wrieless Portage Spo R181 (10000 Capacity 2823, 42 EA 90 R100 Tor Port Lift Three Stage Spo R181 (10000 Capacity 2823, 42 EA 90 F10 Two Post Lift Three Stage Spo R181 (10000 Capacity 320, 31 EA 90 F10. Two Post Lift Three Stage Spo R181 (10000 Capacity 320, 31 EA 90 F10 Two Post Lift Three Stage Spo R181 (10000 Capacity 320, 31 EA 90 F10.00 Two					
CAR172 Four Finger Adapter for Model R544 287.68 EA 90 CAR173 Four Finger Adapter for Model R544 195.44 EA 90 CAR124 For Model R544 Spacer for GAR 122 195.44 EA 90 CAR261T For Model R544 Spacer for GAR 122 195.44 EA 90 CAR261T For Model R544 Wheel Tire Sensor Electronic Device for Runoul Measumement and Used With GAR 260T-17/S 132.86 EA 90 CAR261T For Model R544 Wheel Tire Sensor Electronic Device for Runoul Measumement and Used With GAR 260T-17/S 132.86 80					
CAR121 For Modil R544 Space for CAR 122 195 EA 90 CAR2261T For Model R544 Sy Meel Tire Sensor Caliper for Automatic Measure of Rim Width 495.79 132.862 EA 90 CAR214TK For Model R544 Wheel Tire Sensor Electronic Device for Runout Measurement and Used Mic AR 2661-TIS 132.862 EA 90 R1070 Pro CCD Portable Console Winelessity Displays Programs and Data in 3D Graphics Mobile Cabinet for Attaching and Charging Sens 128.17.3 EA 90 R1000 Pro CCD Portable Console Winelessity Displays Programs and Data in 3D Graphics Mobile Cabinet for Attaching and Charging Sensor 200.866.70 228.34.2 EA 90 R100 CD Shop Portable Console Wineless and Equipped With MultiX-Ade C-CD Sensor System 288.95.2 EA 90 F10 Two Post Lift Times Stage Sport Rise Arms Symmetric Columns Direct Pail 10.000 Capacity 283.34 EA 90 DPAA Two Post Lift Times Stage Sport Rise Arms Symmetric Columns Direct Pail 10.0000 Capacity 574.41 EA 90 DPAA Two Post Heavy Duty 3 Stage Symmetric Arms & Columns Covreal Height 174 12.0000 Capacity 574.41 EA 90 DR303 Two Post Heavy Duty 3 Stage Symmetric A					
CAR280T For Model R544 Xbp United Tire Sensor Caliper for Automatic Measure of Rim Width 495 EA 90 CAR214TK For Model R544 Xbp Tire Sensor Calcutoric Device for Runot Measurement and Used With CAR266T-TIS 1329.62 235.64.57 EA 90 R1080 Bay Saver 3D Portable Console Writess and Equipped With Muth-Atle 8-CCD Sensor System 8469.78 EA 90 R1080 CCD Shop Portable Console Writess and Equipped With Muth-Atle 8-CCD Sensor System 8469.78 EA 90 R000HD CTP RO Commercial Truck Algner Equipped With Muth-Atle 8-CCD Sensor System 2383.24 EA 90 PD10 Two Post Lift Three Stage Spot Rife Ams Symmetric Columns Dired Pul 10.000L Capacity 3322.41 EA 90 DP10A Two Post Three Stage Spot Rife Ams Symmetric Columns Dired Pul 10.000L Capacity 7344.18 EA 90 112X301 Two Post Heavy Duty 3 Stage Symmetric Ams & Columns Colural Height 157 12.000L Capacity 574.4.18 EA 90 112X302 Two Post Heavy Duty 3 Stage Symmetric Ams & Columns Colural Height 157 12.000L Capacity 574.4.18 EA 90 112X303 Two Post Heavy Duty 3 Stage Symmetric Ams & Columns Colural Height 157 12.000L Capacit					
CAR214TK For Model R544 Wheel Tire Sensor Electronic Device for Runout Measurement and Used Mit CAR 2661-T/S 139.62 EA 90 R1080 Bay Svars Portable Console and Equipped With Fusce Cameras Tire Grabbing Wheel Champs and Renote Controlled Sensors 128.17.3 EA 90 R1007 DP oC CD Portable Console Witelessity Displays Programs and Data in 3D Graphics Mobile Cabinet or Natching and Charging Sens 128.47.3 EA 90 R1007 DP oC CD Portable Console Witelessity Displays Programs and Data in 3D Graphics Mobile Cabinet or Natching and Charging Sens 128.43.30 EA 90 R100 DP Tor CD Stati Three Stage Spol Rel 10.000th Capacity 228.93.4 EA 90 P10 A Two Post Lift Three Stage Spol Rel 40.000th Capacity 302.31 EA 90 P10A T Two Post Three Stage Spot Rife Ams Symmetric Columns Direct Pui 10.000th Capacity 714.18 EA 90 P10A T Two Post Heav Duty 3 Stage Symmetric Ams & Columns Chargine Train Standard 3466.78 EA 90 P12AS01 Two Post Heav Duty 3 Stage Symmetric Ams & Columns Chargin Height 174.12.000th Capacity 574.41 EA 90 F12AS03 Two Post Heavy Duty 3 Stage Symmetric Ams & Columns Charal Height 147.12.					
Pritable Console and Equipped With Fixed Cameras Tire Grabbing Wheel Clamps and Remote Controlled Sensors 20546.57 EA 90 R1070 Pro CCD Portable Console Wireless and Equipped With Multi-Aule 8-CCD Sensor System 2426.73 EA 90 R1080 CCD Shop Portable Console Wireless and Equipped With Multi-Aule 8-CCD Sensor System 2485.33 EA 90 R1080 CCD Shop Portable Console Wireless and Equipped With Multi-Aule 8-CCD Sensor System 2485.33 EA 90 R100 Two Post Lift Three Stage Spot Rite 10.000b Capacity 2333.44 EA 90 P10A Two Post Symmetric Amma & Columns Direct Pull 10.000b Capacity 3302.31 EA 90 P10A Two Post Spot Three Stage Spot Rite Amma Symmetric Columns Direct Pull 10.000b Capacity 7344.18 EA 90 P12A0D Two Post Heavy Dury 3 Stage Symmetric Amma & Columns Overall Height 154'12.000b Capacity 5744.18 EA 90 P12A0D Two Post Heavy Dury 3 Stage Symmetric Amma & Columns Overall Height 154'12.000b Capacity 5744.18 EA 90 P12A030 Two Post Heavy Dury 3 Stage Symmetric Amma & Columns Overall Height 143'12.000b Capacity 5744.18 EA 90					
F1070 Pro CCD Portable Console Wireless'n Diaphays Programs and Data in 3D Graphics Mobile Cabinet For Attaching and Charging Sem 12821.73 EA 90 R1060 CCD SNP Portable Console Wireless and Equipped With Mult Adve Ac-CCD Sensor System 8469.73 EA 90 R5000HD CTA PRO Commercial Truck Aligner Equipped With Mult Adve Ac-CCD Sensor System 2833.44 EA 90 F10 Two Post Lift Three Stage Sport R18 10,000b Capacity 2833.44 EA 90 DP10A Two Post Intere Stage Sport R18 (non Symmetric Columns Direct Pull 10,000b Capacity 3323.31 EA 90 DP10A Two Post Three Stage Sport R18 Arms Symmetric Columns Direct Pull 10,000b Capacity 5744.18 EA 90 112N301 Two Post Heavy Duty 3 Stage Symmetric Arms & Columns Overall Height 1787 12,000b Capacity 5744.18 EA 90 112N302 Two Post Heavy Duty 3 Stage Symmetric Arms & Columns Overall Height 147 12,000b Capacity 5744.18 EA 90 112N303 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 147 12,000b Capacity 5744.18 EA 90 112N303 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 147 12,000b Capacity 4976.70					
FS000HD CTA PRO Commercial Truck Aligner Equipped With a Double Inclinometer Allowing Caster Adjustment Without Steering 2945.33 EA 90 F10 Two Post Lift Three Stage Sport Rit 10,000b Capacity 2829.52 EA 90 BP9 Two Post Lift Three Stage Sport Rit Arms 30,000b Capacity 3320.31 EA 90 DP10A Two Post Three Stage Sport Rite Arms Symmetric Columns Direct Pull 10,000b Capacity 3744.18 EA 90 DP10A Two Post Three Stage Sport Rite Arms Symmetric Columns Overall Height 16* 12,000b Capacity 5744.18 EA 90 112X300 Two Post Heavy Duty 3 Stage Symmetric Arms & Columns Overall Height 16* 12,000b Capacity 5744.18 EA 90 112X301 Two Post Heavy Duty 3 Stage Symmetric Arms & Columns Overall Height 16* 12,000b Capacity 5744.18 EA 90 112X303 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 16* 12,000b Capacity 4767.70 EA 90 F12X301 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 16* 12,000b Capacity 4767.70 EA 90 P12X302 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 16* 7 806.8 A					
110 Two Post Lift Three Stage Sport Rite 10,000b Capacity 2933.44 EA 90 PF10 Two Post Lift Three Stage Font Arms 10,000b Capacity 3023.24 EA 90 DP10A Two Post Symmetric Arms & Schumns Chain Driven Non Overhead 9,000b Capacity 3323.34 EA 90 DP10A-EH2 Two Post Three Stage Spot Rite Arms Symmetric Columns Direct Pul 10,000b Capacity Taller Than Standard 3466.79 EA 90 112N300 Two Post Heavy Duty 3 Stage Symmetric Arms & Columns Overall Height 16° 12,000b Capacity 5744.18 EA 90 112N303 Two Post Heavy Duty 3 Stage Symmetric Arms & Columns Overall Height 15° 12,000b Capacity 5744.18 EA 90 112N303 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 15° 12,000b Capacity 476.70 EA 90 F12N301 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 15° 12,000b Capacity 4976.70 EA 90 F12N302 Two Post Heavy Duty Symmetric Arms & Columns Overall Height 15° 12,000b Capacity 4976.70 EA 90 PO15 Two Post Heavy Duty Symmetric Arms & Columns Overall Height 15° 12,000b Capacity 4976.70 EA					
F10 Two Post Lift Three Stage Front Arms 10,000b Capacity 228,52 EA 90 DP10A Two Post Symmetric Arms & Columns Direct Pull 10,000b Capacity 3320.31 EA 90 DP10A Two Post Three Stage Spot Rile Arms Symmetric Columns Direct Pull 10,000b Capacity 3320.31 EA 90 1/2X300 Two Post Heavy Duty 3 Stage Symmetric Arms & Columns Overall Height 168" 12,000b Capacity 5744.18 EA 90 1/2X301 Two Post Heavy Duty 3 Stage Symmetric Arms & Columns Overall Height 154" 12,000b Capacity 5744.18 EA 90 1/2X302 Two Post Heavy Duty 3 Stage Symmetric Arms & Columns Overall Height 154" 12,000b Capacity 5744.18 EA 90 1/2X301 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 154" 12,000b Capacity 4767.00 EA 90 F12X301 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 154" 12,000b Capacity 4767.00 EA 90 F12X302 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 154" 12,000b Capacity 4767.00 EA 90 F12X302 Two Post Heavy Duty Symmetric Arms Direct Pull Overall Height 164" 7 790.26 EA 90<					
BP9 Two Post Symmetric Arms & Columns Chain Driven Non Overhead 9,0001c Capacity 302.34 EA 90 DP10A Two Post Three Stage Spot Rite Arms Symmetric Columns Direct Pull 10,0001b Capacity Talk 320.31 EA 90 12X800 Two Post Three Stage Spot Rite Arms Symmetric Columns Overall Height 167 12,000b Capacity 574.18 EA 90 12X801 Two Post Heavy Duty 3 Stage Symmetric Arms & Columns Overall Height 154 12,000b Capacity 574.18 EA 90 12X803 Two Post Heavy Duty 3 Stage Symmetric Arms & Columns Overall Height 147 12,000b Capacity 574.18 EA 90 12X803 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 147 12,000b Capacity 4976.70 EA 90 F12X801 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 147 12,000b Capacity 4976.70 EA 90 F12X802 Two Post Heavy Duty 2 Stage Symmetric Arms Direct Pull Overall Height 147 12,000b Capacity 4976.70 EA 90 DP015 Two Post Heavy Duty 2 Stage Symmetric Arms Direct Pull Overall Height 147 12,000b Capacity 4976.70 EA 90 EFP9 Four Post Heavy Duty Symmetric Arms Direct Pull Overall Height 147 12,000b Capacity					
DP10AcH2 Two Post Hiesy Duty 3 Stage Symmetric Arms & Columns Overall Height 166 ^{+12.000b} Capacity 5744.18 EA 90 112N301 Two Post Heavy Duty 3 Stage Symmetric Arms & Columns Overall Height 167 ^{+12.000b} Capacity 5744.18 EA 90 112N302 Two Post Heavy Duty 3 Stage Symmetric Arms & Columns Overall Height 167 ^{+12.000b} Capacity 5744.18 EA 90 112N302 Two Post Heavy Duty 3 Stage Symmetric Arms & Columns Overall Height 167 ^{+12.000b} Capacity 476.70 EA 90 F12N301 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 167 ^{+12.000b} Capacity 497.67.0 EA 90 F12N302 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 167 ^{+12.000b} Capacity 497.67.0 EA 90 P12N303 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 167 ^{+12.000b} Capacity 497.67.0 EA 90 P12N303 Two Post Heavy Duty Symmetric Arms & Columns Overall Height 167 ^{+12.000b} Capacity 497.67.0 EA 90 P12N301 Two Post Heavy Duty Symmetric Arms & Columns Overall Height 164 ^{+14.5^{+12.000b} Capacity 297.10 EA 90 P12N302 Two Post Heavy Duty Symmetric Arms & Columns Overall}					
i128300 Two Post Heavy Duty 3 Stage Symmetric Arms & Columns Overall Height 16°1 2,000b Capacity 574.18 EA 90 i128301 Two Post Heavy Duty 3 Stage Symmetric Arms & Columns Overall Height 178'12,000b Capacity 574.18 EA 90 i128303 Two Post Heavy Duty 3 Stage Symmetric Arms & Columns Overall Height 161'12,000b Capacity 574.18 EA 90 F12N301 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 161'12,000b Capacity 4976.70 EA 90 F12N302 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 161'12,000b Capacity 4976.70 EA 90 F12N303 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 161'12,000b Capacity 4976.70 EA 90 F12N303 Two Post Heavy Duty Symmetric Arms & Columns Overall Height 161'12,000b Capacity 4976.70 EA 90 DPO15 Two Post Heavy Duty Symmetric Arms & Columns Overall Height 161'12,000b Capacity 4976.70 EA 90 DPO15 Two Post Heavy Duty Symmetric Arms & Columns Overall Height 161'7 790.26 EA 90 DPO15 Two Post Heavy Duty Symmetric Arms & Columns Overall Height 161'7 806.71 EA 90 EFP8 Four Post Enthiusi			3320.31		
i12N301 Two Post Heavy Durý Stage Symmetric Ams & Columns Overall Height 154" 12,000b Capacity 5744.18 EA 90 i12N303 Two Post Heavy Durý S Stage Symmetric Ams & Columns Overall Height 154" 12,000b Capacity 5744.18 EA 90 i12N303 Two Post Heavy Durý S Stage Symmetric Ams & Columns Overall Height 164" 12,000b Capacity 4776.70 EA 90 F12N301 Two Post Heavy Durý S Stage Symmetric Ams & Columns Overall Height 164" 12,000b Capacity 4776.70 EA 90 F12N303 Two Post Heavy Durý S Stage Symmetric Ams & Columns Overall Height 141" 12,000b Capacity 4776.70 EA 90 F12N303 Two Post Heavy Durý Symmetric Ams & Columns Overall Height 141" 12,000b Capacity 4776.70 EA 90 PD155 Two Post Heavy Durý Symmetric Ams & Columns Overall Height 143" 12,000b Capacity 4776.70 EA 90 EFP8 Four Post Enthusias Storage Lift for Home Use 9,000b Capacity 3846.65 EA 90 ML11-46 General Service Scissor Lift With 1,000b Capacity 181" Wheelbase 1390.65 EA 90 ML11-52 General Service Scissor Lift With 1,000b Capacity 181" Wheelbase 1390.65 EA 90 ML11-54 Alignment Scissor Lift With 1,000b Capac					
i12N302 Two Post Heavy Durý S stage Symmetric Arms & Columns Overall Height 143* 12,000b Capacity 5744.18 EA 90 i12N303 Two Post Heavy Durý S stage Symmetric Arms & Columns Overall Height 143* 12,000b Capacity 4976.70 EA 90 F12N301 Two Post Heavy Durý S stage Symmetric Arms & Columns Overall Height 164* 12,000b Capacity 4976.70 EA 90 F12N302 Two Post Heavy Durý S stage Symmetric Arms & Columns Overall Height 164* 12,000b Capacity 4976.70 EA 90 F12N303 Two Post Heavy Durý S stage Symmetric Arms & Columns Overall Height 164* 12,000b Capacity 4976.70 EA 90 PO15 Two Post Heavy Durý Symmetric Arms Dirce Pull Overall Height 164* 7* 7990.62 EA 90 DPO15-2 Two Post Heavy Durý Symmetric Arms Dirce Pull Overall Height 167* 8666.18 EA 90 EFP8 Four Post Enthusiast Storage Lift for Home Use 8,000b Capacity 2877.10 EA 90 ML11-46 General Service Scissor Lift 1000b Capacity 167 378* Wheelbase 12865.55 EA 90 ML11-46 Alignment Scissor Lift 57 38* Wheelbase 19108.02 EA 90 ML11-46 Alignment Scissor Lift 57 38* Wheelbase 19108.02 EA <td></td> <td></td> <td></td> <td></td> <td></td>					
i12N303 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 167 '12.000b Capacity' 476.70 EA 90 F12N300 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 167 '12.000b Capacity' 4976.70 EA 90 F12N301 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 147 '12.000b Capacity' 4976.70 EA 90 F12N302 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 147 '12.000b Capacity' 4976.70 EA 90 F12N303 Two Post Heavy Duty Symmetric Arms Direct Pull Overall Height 147 '12.000b Capacity' 4976.70 EA 90 DPO15 Two Post Heavy Duty Symmetric Arms Direct Pull Overall Height 147 '7' 856.81 EA 90 EFP8 Four Post Enthusiast Storage Lift for Home Use 9,000b Capacity 3876.55 EA 90 ML11-46 General Service Scissor Lift 11,000b Capacity 187 '38' Wheelbase 1387.65 EA 90 ML11-45 General Service Scissor Lift 11,000b Capacity 181' Wheelbase 1397.65 EA 90 ML11-46 General Service A Post 14,000b Capacity 182.5' Wheelbase 132.02 EA 90 ML11-46 General Service A Post 14,000b Capacity 182.5' Wheelbase 132					
F12N301 Two Post Heav, Durý 2 Staže Symmetric Arms & Columns Overall Height 178* 12,0001b Capacity 4976.70 EA 90 F12N303 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 143* 12,0001b Capacity 4976.70 EA 90 F12N303 Two Post Heavy Duty 2 Stage Symmetric Arms Bred Pull Overall Height 147* 7990.26 EA 90 DPO15 Two Post Heavy Duty Symmetric Arms Direct Pull Overall Height 147* 7990.26 EA 90 EFP8 Four Post Enthusiast Storage Lift for Home Use 8,0001b Capacity 2877.10 EA 90 EFP8 Four Post Enthusiast Storage Lift for Home Use 9,0010b Capacity 2877.10 EA 90 NL11-52 General Service Scissor Lift 11,0001b Capacity 187 3/8" Wheelbase 12865.55 EA 90 NL11-52 General Service Scissor Lift 107 3/8" Wheelbase 1918.02 EA 90 NL11-52 General Service 4 Post 14,0001b Capacity 181" Wheelbase 1918.02 EA 90 RC14 General Service 4 Post 14,0001b Capacity 182.5" Wheelbase 1918.02 EA 90 S100163M Bolt On Alignment Kit - Converts RL14 26.5" Wheebase 1932.02 EA 90 1901/34 2024.44					
F12N302 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 143* 12,000b Capacity 4976.70 EA 90 F12N303 Two Post Heavy Duty 2 Stage Symmetric Arms & Columns Overall Height 143* (2,000b Capacity 4976.70 EA 90 DPO15 Two Post Heavy Duty Symmetric Arms Direct Pull Overall Height 147* 7990.26 EA 90 DPO15.2 Two Post Heavy Duty Symmetric Arms Direct Pull Overall Height 167* 8566.18 EA 90 EFF8 Four Post Enthusiast Storage Lift for Home Use 9,000b Capacity 3848.65 EA 90 L11-46 General Service Scissor Lift 10,00b Capacity 157 3/8* Wheelbase 1397.65 EA 90 ML11-46 General Service Scissor Lift With 11,000b Capacity 181* Wheelbase 1398.765 EA 90 ML11-46A Alignment Scissor Lift With 11,000b Capacity 182* Wheelbase 1398.765 EA 90 NL11-52A Alignment Scissor Lift With 11,000b Capacity 182* Wheelbase 20168.47 EA 90 RCH4LWT-X General Service 4 Post 14,000b Capacity 28.5* Wheebase 2018.47 EA 90 S100136M Bolt On Alignment Kit - Converts CR14.4 General Service Lift 70 Alignment Lift 2022.0 EA 90 </td <td></td> <td></td> <td></td> <td></td> <td></td>					
F12N303 Two Post Heavý Duý 2 Stage Šýmetric Arms & Columns Overall Height 143" 12,000lb Capacitý 4976.70 EA 90 DPO15 Two Post Heavy Duty Symmetric Arms Direct Pull Overall Height 147" 7990.26 EA 90 DPO15-2 Two Post Heavy Duty Symmetric Arms Direct Pull Overall Height 16'7" 8566.18 EA 90 EFF8 Four Post Enthusiast Storage Lift for Home Use 8,000lb Capacity 3348.65 EA 90 ML11-46 General Service Scissor Lift 11,000lb Capacity 131" Wheelbase 13897.65 EA 90 ML11-452 General Service Scissor Lift 10,00lb Capacity 181" Wheelbase 19108.02 EA 90 ML11-454 Alignment Scissor Lift 10,00lb Capacity 181" Wheelbase 19108.02 EA 90 ML11-454 General Service 4 Fost 14,000lb Capacity 182.5" Wheelbase 19108.02 EA 90 CR14 General Service 4 Post 14,000lb Capacity 182.5" Wheelbase 2097.10 EA 90 S10013M Bolt On Alignment Kit - Converts CR14 & General Service Lift To Alignment Rack 2097.10 EA 90 S10013M Bolt On Alignment Kit - Converts CR14-X General Service Lift To Alignment Lift 2032.01 EA 90					
DPO15Two Post Heavy Duty Symmetric Arms Direct Pull Overall Height 16'7"7990.26EA90DPO15-2Two Post Heavy Duty Symmetric Arms Direct Pull Overall Height 16'7"8566.18EA90EFP8Four Post Enthusiast Storage Lift for Home Use 8,000b Capacity2877.10EA90EFP9Four Post Enthusiast Storage Lift for Home Use 9,000b Capacity3848.65EA90ML11-46General Service Scissor Lift 11,000b Capacity 157.3%" Wheelbase12865.55EA90ML11-46AAlignment Scissor Lift With 11,000b Capacity 181" Wheelbase20168.47EA90ML11-46AAlignment Scissor Lift With 11,000b Capacity 182.5" Wheebase2018.47EA90CR14General Service 4 Post 14,000b Capacity 182.5" Wheebase13320EA90CR14General Service 4 Post 14,000b Capacity 20.5.5" Wheebase13320EA90S100136MBolt On Alignment Kit - Converts CR14-K General Service Lift To Alignment Lift2022.00EA90S10014224" Runway Extension Kit for CR14Capacity 182.5" Wheebase12612.55EA90CRA14Alignment Rack 4 Post 14,000b Capacity 20.5" Wheebase12612.55EA90CRA14Alignment Rack 4 Post 14,000b Capacity 182.5" Wheebase12612.55EA90S10013224" Runway Extension Kit for CR142032.00EA90CRA14Alignment Rack 4 Post 14,000b Capacity 182.5" Wheebase12612.55EA90CRA14Alignment Rack 4 Post 14,000b Capacity 182.5" Wheebase <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
EFP8Four Post Enthusiasi Storage Lift for Home Use 8,0001b Capacity2877.10EA90EFP9Four Post Enthusiasi Storage Lift for Home Use 9,0001b Capacity3848.65EA90ML11-46General Service Scissor Lift 11,0001b Capacity 157 3/8" Wheelbase12865.55EA90ML11-45General Service Scissor Lift 17 0,001b Capacity 181" Wheelbase1398.765EA90ML11-46Alignment Scissor Lift 73 /8" Wheelbase20168.47EA90ML11-52General Service A foost 14,0001b Capacity 181" Wheelbase2017.0EA90ML11-54Alignment Kit - Converts MLD11-46 General Service Lift To Alignment Rack2097.10EA90CR144General Service 4 Post 14,0001b Capacity 182.5" Wheebase5133.20EA90S100136MBolt On Alignment Kit - Converts CR14-X General Service Lift To Alignment Lift2032.00EA90S10014224" Runway Extension Kit for CR14Ceneral Service Lift To Alignment Lift202.43EA90CRA14-XAlignment Rack 4 Post 14,0001b Capacity 182.5" Wheelbase1667.74EA90CRO14Four Post Standard Open Front General Service Lift To Alignment Lift2302.43EA90CRO14Four Post Standard Open Front General Service Lift To Alignment Lift2302.43EA90CRO14Four Post Standard Open Front General Service Lift To Alignment Lift2302.43EA90CRO14Four Post Standard Open Front General Service Lift To Alignment Lift 2.001b Capacity 215" Wheelbase6666.74EA					
FFP9 Four Post Enthusiast Storage Lift for Home Use 9,000tb Capacity 384.65 EA 90 ML11-46 General Service Scissor Lift 11,000tb Capacity 157 3/8" Wheelbase 12865.55 EA 90 ML11-52 General Service Scissor Lift 157 3/8" Wheelbase 19108.02 EA 90 ML11-46A Alignment Scissor Lift 157 3/8" Wheelbase 19108.02 EA 90 ML11-52 General Service Scissor Lift Vith 11,000tb Capacity 181" Wheelbase 20168.47 EA 90 ML11-52A Alignment Scissor Lift Vith 11,000tb Capacity 181" Wheelbase 2097.10 EA 90 CR14 General Service 4 Post 14,000tb Capacity 182.5" Wheebase 4332.02 EA 90 S100136M Bolt On Alignment Kit - Converts CR14 General Service Lift To Alignment Lift 2032.43 EA 90 S100136M Bolt On Alignment Kit - Converts CR14-X General Service Lift To Alignment Lift 2032.43 EA 90 CRA14 Alignment Rack 4 Post 14,000tb Capacity 182.5" Wheelbase 11617.31 EA 90 CRA14 Alignment Rack 4 Post 14,000tb Capacity 182.5" Wheelbase 12616.5 EA 90<					
ML11-46General Service Scissor Lift 11,000lb Capacity 157 3/8" Wheelbase12865.55EA90ML11-46AAlignment Scissor Lift 157 3/8" Wheelbase13197.65EA90ML11-46AAlignment Scissor Lift 157 3/8" Wheelbase19108.02EA90ML11-46AAlignment Scissor Lift With 11,000lb Capacity 181" Wheelbase20168.47EA90AK-ML50N-46-WBolt On Alignment Kit - Converts ML 011-46 General Service Lift To Alignment Rack2097.10EA90CR144General Service 4 Post 14,000lb Capacity 206.5" Wheebase4392.02EA90S100136MBolt On Alignment Kit - Converts CR14 General Service Lift To Alignment Lift2032.00EA90S100136MBolt On Alignment Kit - Converts CR14-X General Service Lift To Alignment Lift2032.43EA90S100136MBolt On Alignment Kit - Converts CR14-X General Service Lift To Alignment Lift2032.43EA90S10014224" Runway Extension Kit for CR14CR14726.16EA90CRA14-XAlignment Rack 4 Post 14,000lb Capacity 125" Wheelbase11617.31EA90CR014Four Post Standard Open Front General Service Lift 14,000lb Capacity 215" Wheelbase6606.74EA90CR014Four Post Standard Open Front General Service Lift To Alignment Lift2302.43EA90CR014SFour Post Standard Open Front General Service Lift To Alignment Lift2302.43EA90CR14AFour Post Standard Open Front General Service Lift To Alignment Lift2302.43EA					
ML 11-52General Service Scissor Lift With 11,000 b Capacity 181" Wheelbase13397.65EA90ML 11-46AAlignment Scissor Lift 157 3/8" Wheelbase19108.02EA90ML 11-52AAlignment Scissor Lift With 11,000 b Capacity 181" Wheelbase20168.47EA90AK-ML50N-46-WBolt On Alignment Kit - Converts MLO11-46 General Service Lift To Alignment Rack2097.10EA90CR14General Service 4 Post 14,000 b Capacity 182.5" Wheebase4392.02EA90S100136MBolt On Alignment Kit - Converts CR14 General Service Lift To Alignment Lift2032.00EA90S100163MBolt On Alignment Kit - Converts CR14-X General Service Lift To Alignment Lift2032.00EA90S100163MBolt On Alignment Kit - Converts CR14-X General Service Lift To Alignment Lift2032.01EA90CRA14Alignment Rack 4 Post 14,000 b Capacity 182.5" Wheelbase11617.31EA90CRA14Alignment Rack 4 Post 14,000 b Capacity 182.5" Wheelbase11617.31EA90CRA14Alignment Rack 4 Post 14,000 b Capacity 206.5" Wheelbase12612.65EA90CRA14Alignment Rack 4 Post 14,000 b Capacity 206.5" Wheelbase6566.74EA90CRA14Alignment Kit - Converts CRO14-X General Service Lift 14,000 b Capacity 151" Wheelbase6560.24EA90CRO14Four Post Standard Open Front General Service Lift 14,000 b Capacity 152" Max Wheelbase16677.89EA90CRA14Four Post Standard Open Front Alignment Lift 14,000 b Capacity 153" Ma					
ML1-46AAlignment Scissor Lift 157 3/8" Wheelbase19108.02EA90ML1-52AAlignment Scissor Lift With 11,000lb Capacity 181" Wheelbase20168.47EA90MLK-ML50N-46-WBolt On Alignment Kit - Converts MLO11-46 General Service Lift To Alignment Rack2097.10EA90CR14General Service 4 Post 14,000lb Capacity 182.5" Wheebase4392.02EA90CR14EWT-XGeneral Service 4 Post 14,000lb Capacity 206.5" Wheebase5133.20EA90S100136MBolt On Alignment Kit - Converts CR14 General Service Lift To Alignment Lift2032.00EA90S100136MBolt On Alignment Kit - Converts CR14-X General Service Lift To Alignment Lift2032.01EA90S100136MBolt On Alignment Kit for CR14Creating Service Lift To Alignment Lift2032.43EA90CRA14Alignment Rack 4 Post 14,000lb Capacity 206.5" Wheelbase11617.31EA90CRA14-XAlignment Rack 4 Post 14,000lb Capacity 182.5" Wheelbase11617.31EA90CRA14-XAlignment Rack 4 Post 14,000lb Capacity 182.5" Wheelbase11617.31EA90CRA14-XAlignment Rack 4 Post 14,000lb Capacity 182.5" Wheelbase11617.81EA90CRO14Four Post Standard Open Front General Service Lift 14,000lb Capacity 182" Wheelbase6066.74EA90CRO14EL2Four Post Standard Open Front General Service Lift To Alignment Lift2302.43EA90OR144Four Post Standard Open Front Alignment Lift 14,000lb Capacity 158" Max Wheelbase16677.					
AK-ML50N-46-WBot On Alignment Kit - Converts MLO11-46 General Service Lift To Alignment Rack2097.10EA90CR14General Service 4 Post 14,000lb Capacity 182.5" Wheebase4392.02EA90S100136MBolt On Alignment Kit - Converts CR14 General Service Lift To Alignment Lift2032.00EA90S100138MBolt On Alignment Kit - Converts CR14 General Service Lift To Alignment Lift2032.00EA90S100163MBolt On Alignment Kit - Converts CR14 General Service Lift To Alignment Lift2032.43EA90S100163MBolt On Alignment Kit - Converts CR14/X General Service Lift To Alignment Lift2302.43EA90CRA14Alignment Rack 4 Post 14,000lb Capacity 182.5" Wheelbase11617.31EA90CRA14Alignment Rack 4 Post 14,000lb Capacity 206.5" Wheelbase12612.65EA90CRO14Four Post Standard Open Front General Service Lift 14,000lb Capacity 215" Wheelbase6566.74EA90CRO14EL2Four Post Standard Open Front General Service Lift 14,000lb Capacity 215" Wheelbase6902.28EA90S100137MBolt On Alignment Kit - Converts CRO14-X General Service Lift To Alignment Lift2302.43EA90CR14Four Post Standard Open Front Alignment Lift 14,000lb Capacity 158" Max Wheelbase16677.89EA90CR14Four Post Standard Open Front Alignment Lift 14,000lb Capacity 158" Max Wheelbase16677.89EA90CR14Four Post Standard Open Front Alignment Lift 14,000lb Capacity 158" Max Wheelbase16677.89EA90		Alignment Scissor Lift 157 3/8" Wheelbase	19108.02	EA	90
CR14General Service 4 Post 14,000lb Capacity 182.5" Wheebase4392.02EA90CR14EWT-XGeneral Service 4 Post 14,000lb Capacity 206.5" Wheebase5133.20EA90S100136MBolt On Alignment Kit - Converts CR14 General Service Lift To Alignment Lift2032.00EA90S100136MBolt On Alignment Kit - Converts CR14 - Senvice Lift To Alignment Lift2032.01EA90S100136MBolt On Alignment Kit - Converts CR14-X General Service Lift To Alignment Lift2032.43EA90S10014224" Runway Extension Kit for CR14726.16EA90CRA14Alignment Rack 4 Post 14,000lb Capacity 206.5" Wheelbase11617.31EA90CRO14Four Post Standard Open Front General Service Lift 14,000lb Capacity 182" Wheelbase6566.74EA90CRO14EL2Four Post Standard Open Front General Service Lift 14,000lb Capacity 215" Wheelbase6902.28EA90S100137MBolt On Alignment Kit - Converts CRO14-X General Service Lift To Alignment Lift2302.43EA90OR14Four Post Standard Open Front Alignment Lift 14,000lb Capacity 158" Max Wheelbase16677.89EA90OR14Four Post Standard Open Front Alignment Lift 14,000lb Capacity 215" Max Wheelbase16677.89EA90OR14Four Post Standard Open Front Alignment Lift 14,000lb Capacity 215" Max Wheelbase16677.89EA90OR14Four Post Standard Open Front Alignment Lift 14,000lb Capacity 215" Max Wheelbase16677.89EA90CR18General Service 4 Post					
CR14EWT-XGeneral Service 4 Post 14,000lb Capacity 206.5" Wheebase5133.20EA90S100136MBolt On Alignment Kit - Converts CR14-X General Service Lift To Alignment Lift2032.00EA90S100163MBolt On Alignment Kit - Converts CR14-X General Service Lift To Alignment Lift2302.43EA90S100163MBolt On Alignment Kit - Converts CR14-X General Service Lift To Alignment Lift2302.43EA90S10014224" Runway Extension Kit for CR14CReneral Service Lift To Alignment Lift2302.43EA90CRA14Alignment Rack 4 Post 14,000lb Capacity 182.5" Wheelbase1261.265EA90CRO14Four Post Standard Open Front General Service Lift 14,000lb Capacity 182" Wheelbase6566.74EA90CRO14EL2Four Post Standard Open Front General Service Lift 14,000lb Capacity 215" Wheelbase6902.28EA90OR14SFour Post Standard Open Front Alignment Lift 14,000lb Capacity 215" Max Wheelbase16677.89EA90OR14SFour Post Standard Open Front Alignment Lift 14,000lb Capacity 158" Max Wheelbase16677.89EA90OR14Four Post Standard Open Front Alignment Lift 14,000lb Capacity 215" Max Wheelbase16677.89EA90CR14Four Post Standard Open Front Alignment Lift 14,000lb Capacity 215" Max Wheelbase16677.89EA90OR14Four Post Standard Open Front Alignment Lift 14,000lb Capacity 215" Max Wheelbase16677.89EA90CR14General Service 4 Post Lift 18,000lb Capacity 203" Wheelbase808.87EA </td <td></td> <td></td> <td></td> <td></td> <td></td>					
S100136MBolt On Alignment Kit - Converts CR14 General Service Lift To Alignment Lift2032.00EA90S100163MBolt On Alignment Kit - Converts CR14-X General Service Lift To Alignment Lift2302.43EA90S10014224" Runway Extension Kit for CR14726.16EA90CRA14Alignment Rack 4 Post 14,000lb Capacity 182.5" Wheelbase11617.31EA90CRA14Alignment Rack 4 Post 14,000lb Capacity 182.5" Wheelbase12612.65EA90CRO14Four Post Standard Open Front General Service Lift 14,000lb Capacity 182" Wheelbase6566.74EA90CRO14EL2Four Post Standard Open Front General Service Lift 14,000lb Capacity 215" Wheelbase6602.28EA90S100137MBolt On Alignment Kit - Converts CR014-X General Service Lift To Alignment Lift2302.43EA90CR148Four Post Standard Open Front Alignment Lift 14,000lb Capacity 158" Max Wheelbase16677.89EA90OR144Four Post Standard Open Front Alignment Lift 14,000lb Capacity 158" Max Wheelbase16677.89EA90OR142Four Post Standard Open Front Alignment Lift 14,000lb Capacity 158" Max Wheelbase16677.89EA90OR145General Service 4 Post Lift 18,000lb Capacity 215" Max Wheelbase8214.37EA90CR18General Service 4 Post Lift 18,000lb Capacity 230" Wheelbase8214.37EA90CR18-3General Service 4 Post Lift 18,000lb Capacity 230" Wheelbase8996.87EA90S100139Bolt On Alignment Kit - Converts CR18-3 Gener					
S10014224" Runway Extension Kit for CR14726.16EA90CRA14Alignment Rack 4 Post 14,000lb Capacity 182.5" Wheelbase11617.31EA90CRA14-XAlignment Rack 4 Post 14,000lb Capacity 26.5" Wheelbase12612.65EA90CRO14Four Post Standard Open Front General Service Lift 14,000lb Capacity 215" Wheelbase6566.74EA90CRO14EL2Four Post Standard Open Front General Service Lift 14,000lb Capacity 215" Wheelbase6902.28EA90S100137MBolt On Alignment Kit - Converts CR014-X General Service Lift 14,000lb Capacity 215" Wheelbase16677.89EA90OR14SFour Post Standard Open Front Alignment Lift 14,000lb Capacity 158" Max Wheelbase16677.89EA90OR14Four Post Standard Open Front Alignment Lift 14,000lb Capacity 158" Max Wheelbase16677.89EA90OR14Four Post Standard Open Front Alignment Lift 14,000lb Capacity 158" Max Wheelbase16677.89EA90CR18General Service 4 Post Lift 18,000lb Capacity 158" Max Wheelbase17605.2EA90CR18.3General Service 4 Post Lift 18,000lb Capacity 230" Wheelbase8214.37EA90CR18.3General Service 4 Post Lift 18,000lb Capacity 230" Wheelbase899.87EA90S100139Bolt On Alignment Kit - Converts CR18 General Service Lift To Alignment Rack3429.23EA90S100139Bolt On Alignment Kit - Converts CR18-3 General Service Lift To Alignment Rack3603.26EA90S100139Bolt On Alignment Kit - Converts					
CRA14Alignment Rack 4 Post 14,000lb Capacity 182.5" Wheelbase11617.31EA90CRA14-XAlignment Rack 4 Post 14,000lb Capacity 206.5" Wheelbase12612.65EA90CRO14Four Post Standard Open Front General Service Lift 14,000lb Capacity 215" Wheelbase6566.74EA90CRO14EL2Four Post Standard Open Front General Service Lift 14,000lb Capacity 215" Wheelbase6902.28EA90CRO14EL2Four Post Standard Open Front General Service Lift 14,000lb Capacity 215" Wheelbase6902.28EA90S100137MBolt On Alignment Kit - Converts CRO14-X General Service Lift To Alignment Lift2302.43EA90OR145Four Post Standard Open Front Alignment Lift 14,000lb Capacity 158" Max Wheelbase16677.89EA90OR144Four Post Standard Open Front Alignment Lift 14,000lb Capacity 150" Max Wheelbase17005.92EA90OR145General Service 4 Post Lift 18,000lb Capacity 215" Max Wheelbase17005.92EA90CR18General Service 4 Post Lift 18,000lb Capacity 230" Wheelbase8294.37EA90CR18-3General Service 4 Post Lift 18,000lb Capacity 230" Wheelbase8996.87EA90S100139Bolt On Alignment Kit - Converts CR18-3 General Service Lift To Alignment Rack3429.23EA90190K01Alignment 4 Post 18,000lb Capacity 194" Wheelbase346.88EA90CR18-3Alignment 4 Post 18,000lb Capacity 230" Wheelbase3428.23EA90S100139Bolt On Alignment Kit - Converts CR18-3 General Servi					
CRA14-XAlignment Rack 4 Post 14,000lb Capacity 206.5" Wheelbase12612.65EA90CRO14Four Post Standard Open Front General Service Lift 14,000lb Capacity 215" Wheelbase6566.74EA90CRO14L2Four Post Standard Open Front General Service Lift 14,000lb Capacity 215" Wheelbase6902.28EA90S100137MBolt On Alignment Kit - Converts CRO14-X General Service Lift 14,000lb Capacity 215" Max Wheelbase16677.89EA90OR14SFour Post Standard Open Front Alignment Lift 14,000lb Capacity 158" Max Wheelbase16677.89EA90OR14Four Post Standard Open Front Alignment Lift 14,000lb Capacity 215" Max Wheelbase16677.89EA90OR14EL2Four Post Standard Open Front Alignment Lift 14,000lb Capacity 215" Max Wheelbase17005.92EA90CR18General Service 4 Post Lift 18,000lb Capacity 200" Wheelbase8214.37EA90CR18-3General Service 4 Post Lift 18,000lb Capacity 215" Max Wheelbase8996.87EA90S100138Bolt On Alignment Kit - Converts CR18 General Service Lift To Alignment Rack3429.23EA90S100139Bolt On Alignment Kit - Converts CR18-3 General Service Lift To Alignment Rack3603.26EA90S100114Arline Kit for CR18346.88EA90CRA18Alignment 4 Post 18,000lb Capacity 194" Wheelbase346.86EA90CRA18-3Alignment 4 Post 18,000lb Capacity 194" Wheelbase18626.00EA90CRA18-3Alignment 4 Post 18,000lb Capacity 205" Wheelbase <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
CR014Four Post Standard Open Front General Service Lift 14,000lb Capacity 182" Wheelbase6566.74EA90CR014EL2Four Post Standard Open Front General Service Lift 14,000lb Capacity 215" Wheelbase6902.28EA90S100137MBolt On Alignment Kit - Converts CR014-X General Service Lift 14,000lb Capacity 215" Wheelbase6607.29EA90OR14SFour Post Standard Open Front Alignment Lift 14,000lb Capacity 158" Max Wheelbase16677.89EA90OR14Four Post Standard Open Front Alignment Lift 14,000lb Capacity 158" Max Wheelbase16677.89EA90OR14EL2Four Post Standard Open Front Alignment Lift 14,000lb Capacity 158" Max Wheelbase17607.89EA90CR18General Service 4 Post Lift 18,000lb Capacity 154" Max Wheelbase17005.92EA90CR18.3General Service 4 Post Lift 18,000lb Capacity 230" Wheelbase8214.37EA90S100138Bolt On Alignment Kit - Converts CR18 General Service Lift To Alignment Rack3429.23EA90S100139Bolt On Alignment Kit - Converts CR18-3 General Service Lift To Alignment Rack3428.24EA90S100139Bolt On Alignment Kit - Converts CR18-3 General Service Lift To Alignment Rack3428.26EA90S100130Alift for CR18348.68EA9090CRA18Alignment 4 Post 18,000lb Capacity 230" Wheelbase18626.00EA90CRA18-3Alignment 4 Post 18,000lb Capacity 230" Wheelbase18626.33EA90					
CRO14EL2Four Post Standard Open Front General Service Lift 14,000lb Capacity 215" Wheelbase6902.28EA90S100137MBolt On Alignment Kit - Converts CRO14-X General Service Lift To Alignment Lift2302.43EA90OR14SFour Post Standard Open Front Alignment Lift 14,000lb Capacity 158" Max Wheelbase16677.89EA90OR14Four Post Standard Open Front Alignment Lift 14,000lb Capacity 158" Max Wheelbase16677.89EA90OR14EL2Four Post Standard Open Front Alignment Lift 14,000lb Capacity 182" Max Wheelbase17005.92EA90OR14EL3General Service 4 Post Lift 18,000lb Capacity 194" Wheelbase17005.92EA90CR18General Service 4 Post Lift 18,000lb Capacity 230" Wheelbase8214.37EA90CR18.3General Service 4 Post Lift 18,000lb Capacity 230" Wheelbase8996.87EA90S100138Bolt On Alignment Kit - Converts CR18 General Service Lift To Alignment Rack3429.23EA90190K01Alignment 4 Post 18,000lb Capacity 194" Wheelbase3406.26EA90190K01Alignment 4 Post 18,000lb Capacity 194" Wheelbase3426.8EA90CRA18.3Alignment 4 Post 18,000lb Capacity 230" Wheelbase346.68EA90CRA18.3Alignment 4 Post 18,000lb Capacity 194" Wheelbase18626.00EA90CRA18.3Alignment 4 Post 18,000lb Capacity 230" Wheelbase1942.33EA90					
OR14S Four Post Standard Open Front Alignment Lift 14,000lb Capacity 158" Max Wheelbase 16677.89 EA 90 OR14 Four Post Standard Open Front Alignment Lift 14,000lb Capacity 182" Max Wheelbase 16677.89 EA 90 OR14 Four Post Standard Open Front Alignment Lift 14,000lb Capacity 182" Max Wheelbase 16677.89 EA 90 OR14EL2 Four Post Standard Open Front Alignment Lift 14,000lb Capacity 215" Max Wheelbase 17005.92 EA 90 CR18 General Service 4 Post Lift 18,000lb Capacity 194" Wheelbase 8214.37 EA 90 CR18.3 General Service 4 Post Lift 18,000lb Capacity 230" Wheelbase 8996.87 EA 90 S100138 Bolt On Alignment Kit - Converts CR18 General Service Lift To Alignment Rack 3403.26 EA 90 190K01 Aritine Kit for CR18 General Service Lift To Alignment Rack 3603.26 EA 90 CRA18 Alignment 4 Post 18,000lb Capacity 194" Wheelbase 3408.68 EA 90 CRA18.3 Alignment 4 Post 18,000lb Capacity 230" Wheelbase 3408.68 EA 90	CRO14EL2	Four Post Standard Open Front General Service Lift 14,000lb Capacity 215" Wheelbase	6902.28		
OR14 Four Post Standard Open Front Alignment Lift 14,0001b Capacity 182" Max Wheelbase 16677.89 EA 90 OR14EL2 Four Post Standard Open Front Alignment Lift 14,0001b Capacity 182" Max Wheelbase 17005.92 EA 90 CR18 General Service 4 Post Lift 18,0001b Capacity 194" Wheelbase 8214.37 EA 90 CR18.3 General Service 4 Post Lift 18,0001b Capacity 194" Wheelbase 8296.87 EA 90 S100138 Bolt On Alignment Kit - Converts CR18 General Service Lift To Alignment Rack 3429.23 EA 90 190K01 Alignment 4 Post 18,0001b Capacity 194" Wheelbase 3603.26 EA 90 CRA18 Alignment 4 Post 18,0001b Capacity 194" Wheelbase 3429.23 EA 90 190K01 Alignment 4 Post 18,0001b Capacity 194" Wheelbase 3406.80 EA 90 CRA18.3 Alignment 4 Post 18,0001b Capacity 230" Wheelbase 3428.23 EA 90					
OR14EL2 Four Post Standard Open Front Alignment Lift 14,000lb Capacity 215" Max Wheelbase 17005.92 EA 90 CR18 General Service 4 Post Lift 18,000lb Capacity 194" Wheelbase 8214.37 EA 90 CR18.3 General Service 4 Post Lift 18,000lb Capacity 230" Wheelbase 8996.87 EA 90 S100138 Bolt On Alignment Kit - Converts CR18 General Service Lift To Alignment Rack 3429.23 EA 90 S100139 Bolt On Alignment Kit - Converts CR18-3 General Service Lift To Alignment Rack 3603.26 EA 90 190K01 Aritine Kit for CR18 346.88 EA 90 CRA18-3 Alignment 4 Post 18,000lb Capacity 194" Wheelbase 346.68 EA 90 CRA18-3 Alignment 4 Post 18,000lb Capacity 230" Wheelbase 1842.02 EA 90					
CR18 General Service 4 Post Lift 18,000 b Capacity 194" Wheelbase 8214.37 EA 90 CR18-3 General Service 4 Post Lift 18,000 b Capacity 20" Wheelbase 8996.87 EA 90 S100138 Bolt On Alignment Kit - Converts CR18- General Service Lift To Alignment Rack 3429.23 EA 90 S100139 Bolt On Alignment Kit - Converts CR18-3 General Service Lift To Alignment Rack 3603.26 EA 90 190K01 Alignment Kit - Converts CR18-3 General Service Lift To Alignment Rack 3603.26 EA 90 CRA18 Alignment 4 Post 18,000lb Capacity 194" Wheelbase 340.86 EA 90 CRA18 Alignment 4 Post 18,000lb Capacity 230" Wheelbase 18626.00 EA 90 CRA18-3 Alignment 4 Post 18,000lb Capacity 230" Wheelbase 1842.53 EA 90					
S100138 Bolt On Alignment Kit - Converts CR18 General Service Lift To Alignment Rack 3429.23 EA 90 S100139 Bolt On Alignment Kit - Converts CR18-3 General Service Lift To Alignment Rack 3603.26 EA 90 190K01 Airline Kit for CR18 348.68 EA 90 CRA18 Alignment 4 Post 18,000lb Capacity 194" Wheelbase 18626.00 EA 90 CRA18-3 Alignment 4 Post 18,000lb Capacity 230" Wheelbase 19423.53 EA 90	CR18	General Service 4 Post Lift 18,000b Capacity 194" Wheelbase	8214.37	EA	90
S100139 Bolt On Alignment Kit - Converts CR18-3 General Service Lift To Ålignment Rack 3603.26 EA 90 190K01 Aririne Kit for CR18 346.88 EA 90 CRA18 Alignment 4 Post 18,000lb Capacity 194" Wheelbase 18626.00 EA 90 CRA18-3 Alignment 4 Post 18,000lb Capacity 230" Wheelbase 1942.53 EA 90					
190K01 Alignment 4 Fost 18,000lb Capacity 194" Wheelbase 348,68 EA 90 CRA18 Alignment 4 Post 18,000lb Capacity 194" Wheelbase 18626.00 EA 90 CRA18.3 Alignment 4 Post 18,000lb Capacity 230" Wheelbase 19423.53 EA 90					
CRA18 Alignment 4 Post 18,000lb Capacity 194" Wheelbase 18626.00 EA 90 CRA18-3 Alignment 4 Post 18,000lb Capacity 230" Wheelbase 19423.53 EA 90					
	CRA18	Alignment 4 Post 18,000lb Capacity 194" Wheelbase	18626.00	EA	90
Griefan General General Service + Fost Litt Sujuturu Gajadoty 2/1 Witterbodse 15121.06 EA 90					
	0100	Contrat Control + 1 Ost Litt 30,00010 Capacity 211 Millociba30	10121.00	LA	90

CR30-3	General Service 4 Post Lift 30,000lb Capacity 308" Wheelbase	16361.14	EA	90
CR40	Heavy Duty Truck/RV Lift 40,000lb Capacity 300" Wheelbase	29063.93	EA	90
CR40-X	Heavy Duty Truck/RV Lift 40,000lb Capacity 360" Wheelbase	33082.85	EA	90
CR40-A	Heavy Duty Truck/RV Lift 40,000lb Capacity With Alignment Package 270" Wheelbase	31216.12	EA	90
CR40-AX	Heavy Duty Truck/RV Lift 40,000lb Capacity With Two Wheel Alignment Package 330" Wheelbase	35323.93	EA	90
CR50	Heavy Duty Truck/RV Lift 50,000lb Capacity 336" Wheelbase	54321.78	EA	90
CR50-X	Heavy Duty Truck/RV Lift 50,000lb Capacity 396" Wheelbase	59218.35	EA	90
CR60	Heavy Duty Truck/RV Lift 60,000lb Capacity 336" Wheelbase	60848.45	EA	90
CR60-X	Heavy Duty Truck/RV Lift 60,000lb Capacity 396" Wheelbase	66324.70	EA	90
TL10	Surface Mounted Pad Style Low Rise Tire/Brake Service Lift 10,000lb Capacity	3305.28	EA	90
6000MRL	Portable Mid Rise Lift 6,000lb Capacity	2067.05	EA	90
1000MCL	Portable Motorcycle ATV Lift 1,000lb Capacity	1014.12	EA	90
1000MCLDT	Portable Drop Tail Motorcycle ATV Lift 1,000lb Capacity	1223.20	EA	90
RJ35	Hydraulic Hand Pump Rolling Jack 3,500lb Capacity	699.87	EA	90
RRJ45GFWD	Hydraulic Hand Pump Rolling Jack 4,500lb Capacity	999.10	EA	90
FRJ4500	Pneumatic Hydraulic Rolling Bridge Jack 4,500lb Capacity	2073.31	EA	90
RRJ70GFWD	Pneumatic Hydraulic Rolling Bridge Jack 7,000lb Capacity	2073.31	EA	90
RJ901000	Pneumatic Hydraulic Rolling Bridge Jack 9,000lb Capacity	3066.15	EA	90
RJ15000	Pneumatic Hydraulic Rolling Bridge Jack 15,000lb Capacity	6547.96	EA	90
RJ20	Pneumatic Rolling Bridge Jack 20,000lb Capacity	8365.86	EA	90
RJ25L	Pneumatic Rolling Bridge Jack 25,000lb Capacity	8731.45	EA	90
RJ30L	Pneumatic Rolling Bridge Jack 30,000lb Capacity	8840.37	EA	90
991359	Air/Electric Work Station With Air Regulator and Oiler	353.06	EA	90
991564	30 Gallon Mobile Oil Drain Pan for 12,000lb Lube Rack & CR14, OR14, CR18	592.20	EA	90
2800930	30 Gallon Mobile Oil Drain Pan for CR28 and CR30	782.50	EA	90
213000	40 Gallon Mobile Oil Drain Pan for CR40	932.74	EA	90
2500K01	Automatic Stop Kit for 40K Lift	199.07	EA	90
CR18K01	Standard Approach/Drive Thru Ramps Set of Two for CR18	608.47	EA	90
2800929	24" Wide 47" Long Floor Mounted Approach/Drive Thru Ramps Set of Two for CR28 and CR30	747.44	EA	90
134K01	24" Wide 72" Long Floor Mounted Approach/Drive Thru Ramps Set of Two for 40K	1343.40	EA	90
M140099RD	Drive-Thru Ramp Kit for CR50 CR60	1156.85	EA	90
APRAMP10DTKITRD	Drive-Thru Ramp Kit 10' for Low Profile Vehicles for CR50 CR60	4415.80	EA	90
TT1000	Standard Turning Radius Gauge Kit 4.500lbs	487.03	EA	90
FC7117	Turntable Spacer for Image Aligners Roll Back Filler Kit	32.55	EA	90
FCH4	Portable Lift Fixed Fork 72,000lb Capacity	30051.76	EA	90
FCH6	Portable Lift Fixed Fork 108,000lb Capacity	45078.26	EA	90
M140030	Large Wheel Adapter Per Column	97.66	EA	90
M140071	Weight Gauge for Monarch Power Unit	136.47	EA	90