

**01/07/2015  
UPDATE**

**Colprovia Asphalts had a price increase effective 01/07/2015. Please see new pricing listed below for Type II and High Performance Mix.**

---

**STATEWIDE TERM CONTRACT FOR  
COLD LAID ASPHALT CONCRETE MIXTURES**

**MAXIMUM CONTRACT PERIOD: April 1, 2013 – MARCH 31, 2018**

**CONTRACT #**

**4400006441**

FEIN: 35-2439448  
Vendor No.: 7000186766

Associated Asphalts Columbia, LLC dba SEACO/Colprovia  
PO Box 5227  
Columbia, SC 29250  
Phone: 803-799-5335  
Fax: 803-256-8111  
[joereynolds@seacoinc.com](mailto:joereynolds@seacoinc.com)

Point of contact: Joe Reynolds  
(803) 799-5335

**DELIVERY TIME**

ALL ITEMS SHALL BE DELIVERED NO LATER THAN FOURTEEN (14) BUSINESS DAYS FROM RECEIPT OF A PURCHASE ORDER OR NOTIFICATION FROM AN SCDOT LOCATION OR ANY REQUESTING AGENCY/POLITICAL SUBDIVISION'S REPRESENTATIVE ELIGIBLE TO UTILIZE THIS CONTRACT.

\*\*\*\*\*

**ITEM #1**

**ASPHALTIC CONCRETE (COLD LAID) MIX SPECIFICATIONS**

**DESCRIPTION: Asphaltic Concrete (Cold Laid) High Performance Cold Mix**

Approved proprietary High Performance Cold mixes are:

**Instant Road Repair®  
UPM®  
SEACO HPL  
AQUAPHALT**

**Sylcrete EV®  
Ultra Patch®  
EZ STREET**



Michael Speakmon, Procurement Mgr.  
[mspeakmon@mmo.sc.gov](mailto:mspeakmon@mmo.sc.gov)  
803-737-0639  
Email: [swillis@mmo.sc.gov](mailto:swillis@mmo.sc.gov)  
Telephone: (803) 737-4417

Materials Mgt. Office  
1201 Main St – Ste 600  
Columbia, SC 29201  
1201 Main St – Ste 600  
Columbia, SC 29201

Section: B  
Page 4  
Date 01/07/15  
Page: 6  
Date: 01/07/15

delivered. The sample will be quartered into 2 separate samples weighing between 5-10 pounds each. One sample will be submitted to the Office of Materials and Research in Columbia for testing. The other sample will be retained as a check sample.

When the first sample is out of the master range and/or tolerance for residual asphalt content the check sample will be submitted for testing. When both samples fail on gradation and/or residual asphalt content there shall be a **10% reduction** in unit bid price for that lot. In the event that the material is found to be non-workable, the RME must contact the supplier and have the mixture replaced by the supplier as the supplier's expense within 30 days of receipt of the material

\*\*\*\*\*

## **ITEM #2**

### **HIGH PERFORMANCE COLD MIX SPECIFICATIONS**

#### **DESCRIPTION:**

This material shall consist of a High Performance Cold laid asphalt concrete surface mixture for use in maintenance patchwork. High Performance Cold laid asphalt concrete surface mixture shall be composed of an aggregate from approved sources. The aggregates shall meet the requirements as specified in Section 401.2.2, Aggregates, of the 2007 Edition of the South Carolina State Department of Transportation's Standard Specifications for Highway Construction. Aggregates and liquid shall be blended and prepared in an approved mixing plant.

#### **The approved proprietary High Performance Cold mixes are:**

<b>Instant Road Repair®</b>	<b>Sylcrete EV®</b>
<b>UPM®</b>	<b>Ultra Patch®</b>
<b>SEACO HPL</b>	<b>EZ STREET</b>
<b>AQUAPHALT</b>	

#### **WORKABILITY:**

The asphalt mixture must have uniform softness and be in such condition at the time of delivery at destination that it can be handled satisfactorily without heating when the temperature is 40°F. and above and will not harden when stored outside in a stockpile. The mixture shall be capable of being stockpiled for not less than two (2) weeks, and when taken from a stockpile, shall be capable of being shoveled, raked, spread and compacted.

#### **SAMPLING AND ACCEPTANCE:**

Sampling and testing of the delivered product is up to the discretion of the RME in the event the material does not appear to be uniformly coated with asphalt binder or is non-workable.

Maintenance personnel may randomly obtain one sample from each lot of material. A lot will be the material delivered. The sample will be quartered into 2 separate samples weighing between 5-10 pounds each. One sample will be submitted to the Office of Materials and Research in Columbia for testing. The other sample will be retained as a check sample.

**When the first sample is determined to be not sufficiently coated with asphalt binder, or have the incorrect gradation the check sample will be submitted for testing. When both samples fail on gradation and/or uniform asphalt content there shall be a 10% reduction in unit bid price for that lot. . In the event that the material is found to be non-workable, the RME must contact the supplier and have the mixture replaced by the supplier as the supplier's expense within 30 days of receipt of the material**

**SEE FOLLOWING PAGES FOR PRICING INFORMATION**

**REGULAR  
 ASPHALTIC CONCRETE (COLD LAID) MIXTURE**

COUNTY	CONTRACTOR	PRICE PER TON DELIVERED AT ANY POINT IN COUNTY APRIL 1, 2013	PRICE PER TON DELIVERED AT ANY POINT IN COUNTY JANUARY 7, 2015	LOADING POINT
ABBEVILLE	COLPROVIA	78.00	80.15	COLUMBIA, SC
AIKEN	COLPROVIA	66.00	68.15	COLUMBIA, SC
ALLENDALE	COLPROVIA	74.00	76.15	COLUMBIA, SC
ANDERSON	COLPROVIA	75.00	77.15	COLUMBIA, SC
BAMBERG	COLPROVIA	71.00	73.15	COLUMBIA, SC
BARNWELL	COLPROVIA	69.00	71.15	COLUMBIA, SC
BEAUFORT	COLPROVIA	75.00	77.15	COLUMBIA, SC
BERKELEY	COLPROVIA	77.00	79.15	COLUMBIA, SC
CALHOUN	COLPROVIA	67.00	69.15	COLUMBIA, SC
CHARLESTON	COLPROVIA	78.00	80.15	COLUMBIA, SC
CHEROKEE	COLPROVIA	70.00	72.15	COLUMBIA, SC
CHESTER	COLPROVIA	69.00	71.15	COLUMBIA, SC
CHESTERFIELD	COLPROVIA	69.00	71.15	COLUMBIA, SC
CLARENDON	COLPROVIA	67.00	69.15	COLUMBIA, SC
COLLETON	COLPROVIA	70.00	72.15	COLUMBIA, SC
DARLINGTON	COLPROVIA	67.00	69.15	COLUMBIA, SC
DILLON	COLPROVIA	70.00	72.15	COLUMBIA, SC
DORCHESTER	COLPROVIA	74.00	76.15	COLUMBIA, SC
EDGEFIELD	COLPROVIA	68.00	70.15	COLUMBIA, SC
FAIRFIELD	COLPROVIA	68.00	70.15	COLUMBIA, SC
FLORENCE	COLPROVIA	65.00	67.15	COLUMBIA, SC
GEORGETOWN	COLPROVIA	70.00	72.15	COLUMBIA, SC
GREENVILLE	COLPROVIA	75.00	77.15	COLUMBIA, SC
GREENWOOD	COLPROVIA	72.00	74.15	COLUMBIA, SC
HAMPTON	COLPROVIA	75.00	77.15	COLUMBIA, SC
HORRY	COLPROVIA	73.00	75.15	COLUMBIA, SC
JASPER	COLPROVIA	76.00	78.15	COLUMBIA, SC
KERSHAW	COLPROVIA	65.00	67.15	COLUMBIA, SC
LANCASTER	COLPROVIA	72.00	74.15	COLUMBIA, SC
LAURENS	COLPROVIA	65.00	67.15	COLUMBIA, SC
LEE	COLPROVIA	66.00	68.15	COLUMBIA, SC
LEXINGTON	COLPROVIA	63.00	65.15	COLUMBIA, SC
MCCORMICK	COLPROVIA	69.00	71.15	COLUMBIA, SC
MARION	COLPROVIA	70.00	72.15	COLUMBIA, SC
MARLBORO	COLPROVIA	70.00	72.15	COLUMBIA, SC
NEWBERRY	COLPROVIA	62.00	64.15	COLUMBIA, SC
OCONEE	COLPROVIA	75.00	77.15	COLUMBIA, SC
ORANGEBURG	COLPROVIA	66.00	68.15	COLUMBIA, SC
PICKENS	COLPROVIA	72.00	74.15	COLUMBIA, SC
RICHLAND	COLPROVIA	63.00	65.15	COLUMBIA, SC
SALUDA	COLPROVIA	66.00	68.15	COLUMBIA, SC

(CONTINUED ON NEXT PAGE)

SPARTANBURG	COLPROVIA	71.00	73.15	COLUMBIA, SC
SUMTER	COLPROVIA	63.00	65.15	COLUMBIA, SC
UNION	COLPROVIA	70.00	72.15	COLUMBIA, SC
WILLIAMSBURG	COLPROVIA	70.00	72.15	COLUMBIA, SC
YORK	COLPROVIA	70.00	72.15	COLUMBIA, SC
HOLLY HILL	COLPROVIA	67.00	69.15	COLUMBIA, SC

**HIGH PERFORMANCE  
 ASPHALTIC CONCRETE (COLD LAID) MIXTURE**

COUNTY	CONTRACTOR	PRICE PER TON DELIVERED AT ANY POINT IN COUNTY APRIL 1, 2013	PRICE PER TON DELIVERED AT ANY POINT IN COUNTY JANUARY 7, 2015	LOADING POINT	PRODUCT
ABBEVILLE	COLPROVIA	95.00	97.25	COLUMBIA,	SEACO HPL
AIKEN	COLPROVIA	87.00	89.25	COLUMBIA,	SEACO HPL
ALLENDALE	COLPROVIA	91.00	93.25	COLUMBIA,	SEACO HPL
ANDERSON	COLPROVIA	95.00	97.25	COLUMBIA,	SEACO HPL
BAMBERG	COLPROVIA	90.00	92.25	COLUMBIA,	SEACO HPL
BARNWELL	COLPROVIA	90.00	92.25	COLUMBIA,	SEACO HPL
BEAUFORT	COLPROVIA	93.00	95.25	COLUMBIA,	SEACO HPL
BERKELEY	COLPROVIA	91.00	93.25	COLUMBIA,	SEACO HPL
CALHOUN	COLPROVIA	83.00	85.25	COLUMBIA,	SEACO HPL
CHARLESTON	COLPROVIA	95.00	97.25	COLUMBIA,	SEACO HPL
CHEROKEE	COLPROVIA	93.00	95.25	COLUMBIA,	SEACO HPL
CHESTER	COLPROVIA	90.00	92.25	COLUMBIA,	SEACO HPL
CHESTERFIELD	COLPROVIA	90.00	92.25	COLUMBIA,	SEACO HPL
CLARENDON	COLPROVIA	89.00	91.25	COLUMBIA,	SEACO HPL
COLLETON	COLPROVIA	93.00	95.25	COLUMBIA,	SEACO HPL
DARLINGTON	COLPROVIA	94.00	96.25	COLUMBIA,	SEACO HPL
DILLON	COLPROVIA	95.00	97.25	COLUMBIA,	SEACO HPL
DORCHESTER	COLPROVIA	90.00	92.25	COLUMBIA,	SEACO HPL
EDGEFIELD	COLPROVIA	93.00	95.25	COLUMBIA,	SEACO HPL
FAIRFIELD	COLPROVIA	85.00	87.25	COLUMBIA,	SEACO HPL
FLORENCE	COLPROVIA	91.00	93.25	COLUMBIA,	SEACO HPL
GEORGETOWN	COLPROVIA	94.00	96.25	FLORENCE,	SEACO HPL
GREENVILLE	COLPROVIA	94.00	96.25	COLUMBIA,	SEACO HPL
GREENWOOD	COLPROVIA	90.00	92.25	COLUMBIA,	SEACO HPL
HAMPTON	COLPROVIA	93.00	95.25	COLUMBIA,	SEACO HPL
HORRY	COLPROVIA	99.00	101.25	COLUMBIA,	SEACO HPL
JASPER	COLPROVIA	95.00	97.25	COLUMBIA,	SEACO HPL
KERSHAW	COLPROVIA	87.00	89.25	COLUMBIA,	SEACO HPL
LANCASTER	COLPROVIA	86.00	88.25	COLUMBIA,	SEACO HPL
LAURENS	COLPROVIA	90.00	92.25	COLUMBIA,	SEACO HPL
LEE	COLPROVIA	91.00	93.25	COLUMBIA,	SEACO HPL
LEXINGTON	COLPROVIA	80.00	82.25	COLUMBIA,	SEACO HPL

(CONTINUED ON NEXT PAGE)

MCCORMICK	COLPROVIA	90.00	92.25	COLUMBIA, SC	SEACO HPL
MARION	COLPROVIA	93.00	95.25	COLUMBIA, SC	SEACO HPL
MARLBORO	COLPROVIA	93.00	95.25	COLUMBIA, SC	SEACO HPL
NEWBERRY	COLPROVIA	90.00	92.25	COLUMBIA, SC	SEACO HPL
OCONEE	COLPROVIA	97.00	99.25	COLUMBIA, SC	SEACO HPL
ORANGEBURG	COLPROVIA	87.00	89.25	COLUMBIA, SC	SEACO HPL
PICKENS	COLPROVIA	95.00	97.25	COLUMBIA, SC	SEACO HPL
RICHLAND	COLPROVIA	80.00	82.25	COLUMBIA, SC	SEACO HPL
SALUDA	COLPROVIA	90.00	92.25	COLUMBIA, SC	SEACO HPL
SPARTANBURG	COLPROVIA	91.00	93.25	COLUMBIA, SC	SEACO HPL
SUMTER	COLPROVIA	83.00	85.25	COLUMBIA, SC	SEACO HPL
UNION	COLPROVIA	89.00	91.25	COLUMBIA, SC	SEACO HPL
WILLIAMSBURG	COLPROVIA	94.00	96.25	COLUMBIA, SC	SEACO HPL
YORK	COLPROVIA	90.00	92.35	COLUMBIA, SC	SEACO HPL
HOLLY HILL	COLPROVIA	86.00	88.25	COLUMBIA, SC	SEACO HPL